

California Local Health Jurisdiction STD Data Summaries 2008 Provisional Data

Data Sources2

Data Limitations3

State Summary4

Local Health Jurisdictions

Alameda.....	8
Alpine.....	10
Amador.....	12
Berkeley.....	14
Butte.....	16
Calaveras.....	18
Colusa.....	20
Contra Costa.....	22
Del Norte.....	24
El Dorado.....	26
Fresno.....	28
Glenn.....	30
Humboldt.....	32
Imperial.....	34
Inyo.....	36
Kern.....	38
Kings.....	40
Lake.....	42
Lassen.....	44
Long Beach.....	46
Los Angeles.....	48

Madera.....	50
Marin.....	52
Mariposa.....	54
Mendocino.....	56
Merced.....	58
Modoc.....	60
Mono.....	62
Monterey.....	64
Napa.....	66
Nevada.....	68
Orange.....	70
Pasadena.....	72
Placer.....	74
Plumas.....	76
Riverside.....	78
Sacramento.....	80
San Benito.....	82
San Bernardino.....	84
San Diego.....	86
San Francisco.....	88

San Joaquin.....	90
San Luis Obispo.....	92
San Mateo.....	94
Santa Barbara.....	96
Santa Clara.....	98
Santa Cruz.....	100
Shasta.....	102
Sierra.....	104
Siskiyou.....	106
Solano.....	108
Sonoma.....	110
Stanislaus.....	112
Sutter.....	114
Tehama.....	116
Trinity.....	118
Tulare.....	120
Tuolumne.....	122
Ventura.....	124
Yolo.....	126
Yuba.....	128



Prepared by: California Department of Public Health
Sexually Transmitted Diseases Control Branch
<http://www.cdph.ca.gov/programs/std/Pages/default.aspx>



July 2009

DATA SOURCES

The STD surveillance systems operated by state and local STD control programs are the sources of California data in this publication. Case reports are submitted to local health jurisdictions in the form of laboratory reports and Confidential Morbidity Reports (CMRs). The local health jurisdictions then submit the data to the California Department of Public Health (CDPH). Submission of the data may be accomplished electronically in two ways. Most health jurisdictions either use the Automated Vital Statistics System (AVSS) communicable disease module or the Visual Confidential Morbidity Report (VCMR) system, or enter case data into a non-AVSS database using regional office computers or STD surveillance unit staff support in Sacramento. A small number of health jurisdictions report case data through paper-based transactions (CMRs) or through a county-generated database.

Rates by county and selected city health jurisdictions were calculated using State of California, Department of Finance, *California County Population Estimates and Components of Change by Year, July 1, 2000–2008*, Sacramento, California, December 2008. Rates by age, race/ethnicity, and gender were calculated using State of California, Department of Finance, *Race/Ethnic Population with Age and Sex Detail, 2000–2050*, Sacramento, California, July 2007. In this report, data are presented by county and for the separate city health jurisdictions of Berkeley, Long Beach and Pasadena. The numbers for these cities are displayed separately from their respective county totals and are included in the county totals.

The race and ethnicity information listed and the corresponding census categories are Black (Black or African-American, non-Hispanic); Latino/Hispanic (Hispanic ethnicity, regardless of race designation); White (white, non-Hispanic); Asian/Pacific Islander (Asian or Native Hawaiian/Pacific Islander, non-Hispanic); American Indian/Alaska Native (American Indian/Alaska Native, non-Hispanic); Other (Other, non-Hispanic), Multi (2 or more races, non-Hispanic), and Not Specified (no race or ethnicity information was available).


DATA LIMITATIONS

The observed increasing trend in chlamydia cases is influenced by factors other than true increases in cases. Chlamydia is often asymptomatic, and many cases are identified through screening programs offered primarily to women. Based on local, state, and national efforts, these screening activities have been increasing in recent years. Women may be screened for chlamydia through routine Pap smear screening, family planning services, and other services related to reproductive health care. Although the majority of chlamydia infections in males are asymptomatic, there are no guidelines for screening asymptomatic males. Another factor influencing the apparent increase in cases is the increasing use of urine-based, nucleic acid amplification tests (NAAT) for chlamydia screening. This test type is likely contributing to the rise in the number of reported chlamydia cases because these tests are more sensitive and more acceptable to some women and men.

The substantial amount of missing race/ethnicity data from the laboratory reports and CMRs limits the interpretation of race/ethnicity data from surveillance data. The majority of case reports originate from laboratories, a group which does not routinely collect data on race/ethnicity. Further, some managed care organizations and other health care service providers do not routinely record race/ethnicity of patients. The observed racial/ethnic disparities may reflect true differences in the infection rates, differential access to health care, and/or reporting practices of different types of providers that serve different populations.










Caution should also be observed when interpreting rates based on few events and/or small populations. For more information, refer to *Guidelines for statistical analysis of public health data with attention to small numbers, Revised, July, 2003*. This publication can be found at <http://www.ucsf.edu/fhop/docs/pdf/prods/smallnumbers2003.pdf>.

California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by County, 2008



Note: Rates are per 100,000 population.
Source: California Department of Public Health, STD Control Branch

California – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

California State – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	149,070	100.0%	390.8	25,445	100.0%	66.7	2,180	100.0%	5.7	1,641	100.0%	4.3	38,246,598	100.0%
Female Total	104,400	70.0%	544.9	11,460	45.0%	59.8	108	5.0%	0.6	165	10.1%	0.9	19,159,540	50.1%
Ages														
0 – 9	25	0.0%	0.9	6	0.1%	0.2	0	0.0%	0.0	0	0.0%	0.0	2,642,084	13.8%
10 – 14	1,141	1.1%	83.7	201	1.8%	14.7	0	0.0%	0.0	0	0.0%	0.0	1,363,925	7.1%
15 – 19	34,616	33.3%	2,354.4	3,837	33.6%	261.0	13	12.0%	0.9	25	15.2%	1.7	1,470,271	7.7%
20 – 24	38,351	36.8%	2,907.3	3,606	31.6%	273.4	20	18.5%	1.5	29	17.6%	2.2	1,319,107	6.9%
25 – 29	16,527	15.9%	1,349.5	1,787	15.6%	145.9	21	19.4%	1.7	31	18.8%	2.5	1,224,642	6.4%
30 – 34	6,810	6.5%	561.4	851	7.4%	70.1	15	13.9%	1.2	30	18.2%	2.5	1,213,119	6.3%
35 – 44	5,046	4.8%	182.3	798	7.0%	28.8	30	27.8%	1.1	27	16.4%	1.0	2,767,810	14.4%
45 +	1,573	1.5%	22.0	339	3.0%	4.7	9	8.3%	0.1	23	13.9%	0.3	7,158,582	37.4%
Not Specified	311	0.3%	-	35	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	44,130	29.6%	231.2	13,852	54.4%	72.6	2,071	95.0%	10.9	1,474	89.8%	7.7	19,087,058	49.9%
Ages														
0 – 9	13	0.0%	0.5	6	0.0%	0.2	0	0.0%	0.0	0	0.0%	0.0	2,754,497	14.4%
10 – 14	179	0.4%	12.6	41	0.3%	2.9	0	0.0%	0.0	1	0.1%	0.1	1,424,192	7.5%
15 – 19	8,643	19.7%	558.0	1,956	14.2%	126.3	61	2.9%	3.9	34	2.3%	2.2	1,548,834	8.1%
20 – 24	14,909	33.9%	1,047.0	3,600	26.1%	252.8	256	12.4%	18.0	135	9.2%	9.5	1,424,041	7.5%
25 – 29	9,201	20.9%	690.5	2,576	18.7%	193.3	294	14.2%	22.1	213	14.5%	16.0	1,332,591	7.0%
30 – 34	4,308	9.8%	339.6	1,644	11.9%	129.6	305	14.7%	24.0	175	11.9%	13.8	1,268,480	6.6%
35 – 44	4,546	10.3%	158.5	2,490	18.0%	86.8	662	32.0%	23.1	519	35.3%	18.1	2,867,338	15.0%
45 +	2,160	4.9%	33.4	1,489	10.8%	23.0	493	23.8%	7.6	394	26.8%	6.1	6,467,085	33.9%
Not Specified	171	0.4%	-	50	0.4%	-	0	0.0%	-	3	0.2%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	149,070	100.0%	390.8	25,445	100.0%	66.7	2,180	100.0%	5.7	1,641	100.0%	4.3	38,246,598	100.0%
Female Total	104,400	70.0%	544.9	11,460	45.0%	59.8	108	5.0%	0.6	165	10.1%	0.9	19,159,540	50.1%
American Indian/Alaska Native	361	0.5%	308.5	48	0.6%	41.0	0	0.0%	0.0	0	0.0%	0.0	117,022	0.6%
Asian/Pacific Islander	4,169	6.1%	172.3	294	3.9%	12.1	6	5.8%	0.2	7	4.3%	0.3	2,419,866	12.6%
Black/African-American	15,127	22.3%	1,303.1	3,721	48.8%	320.6	33	32.0%	2.8	43	26.4%	3.7	1,160,808	6.1%
Latina/Hispanic	35,083	51.7%	517.6	2,165	28.4%	31.9	36	35.0%	0.5	82	50.3%	1.2	6,778,033	35.4%
White	13,065	19.3%	157.8	1,394	18.3%	16.8	28	27.2%	0.3	31	19.0%	0.4	8,278,196	43.2%
Other/Multi/Not Specified	36,595	35.1%	-	3,838	33.5%	-	5	4.6%	-	2	1.2%	-	405,615	2.1%
Male Total	44,130	29.6%	231.2	13,852	54.4%	72.6	2,071	95.0%	10.9	1,474	89.8%	7.7	19,087,058	49.9%
American Indian/Alaska Native	103	0.4%	91.0	35	0.4%	30.9	7	0.4%	6.2	8	0.6%	7.1	113,176	0.6%
Asian/Pacific Islander	1,470	5.1%	65.7	392	4.2%	17.5	97	4.9%	4.3	53	3.7%	2.4	2,236,757	11.7%
Black/African-American	7,888	27.4%	710.3	3,655	39.0%	329.1	307	15.6%	27.6	207	14.5%	18.6	1,110,450	5.8%
Latina/Hispanic	12,953	45.0%	182.9	2,573	27.5%	36.3	661	33.5%	9.3	582	40.7%	8.2	7,080,421	37.1%
White	6,388	22.2%	78.4	2,709	28.9%	33.2	902	45.7%	11.1	581	40.6%	7.1	8,150,042	42.7%
Other/Multi/Not Specified	15,328	34.7%	-	4,488	32.4%	-	97	4.7%	-	43	2.9%	-	396,212	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall state rates were calculated using the July 1 county population estimates from the Department of Finance.
(For California, the July 1, 2008 estimate is 38,148,493).

Note: Rates are per 100,000 population.




Source: California Department of Public Health, STD Control Branch



California – Chlamydia, Gonorrhea, and P&S Syphilis

Ranking of County Rates for 2008

(with 95% Confidence Intervals*)












* Confidence intervals were calculated using Poisson exact method; not shown for counties with zero cases.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Alameda County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population. Alameda County includes Berkeley City Health Jurisdiction.
 Source: California Department of Public Health, STD Control Branch

Alameda County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6,972	100.0%	450.2	1,894	100.0%	122.3	80	100.0%	5.2	43	100.0%	2.8	1,530,697	100.0%
Female Total	4,961	71.2%	634.4	972	51.3%	124.3	5	6.3%	0.6	5	11.6%	0.6	781,977	51.1%
Ages														
0 – 9	3	0.1%	3.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	99,984	12.8%
10 – 14	112	2.3%	238.0	30	3.1%	63.7	0	0.0%	0.0	0	0.0%	0.0	47,060	6.0%
15 – 19	1,976	39.8%	3,916.1	431	44.3%	854.2	2	40.0%	4.0	2	40.0%	4.0	50,459	6.5%
20 – 24	1,621	32.7%	3,465.1	291	29.9%	622.0	2	40.0%	4.3	0	0.0%	0.0	46,781	6.0%
25 – 29	658	13.3%	1,300.1	102	10.5%	201.5	0	0.0%	0.0	0	0.0%	0.0	50,612	6.5%
30 – 34	292	5.9%	500.3	47	4.8%	80.5	0	0.0%	0.0	1	20.0%	1.7	58,367	7.5%
35 – 44	208	4.2%	164.1	45	4.6%	35.5	1	20.0%	0.8	1	20.0%	0.8	126,746	16.2%
45 +	89	1.8%	29.5	26	2.7%	8.6	0	0.0%	0.0	1	20.0%	0.3	301,968	38.6%
Not Specified	2	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,003	28.7%	267.5	922	48.7%	123.1	75	93.8%	10.0	38	88.4%	5.1	748,720	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	103,942	13.9%
10 – 14	21	1.0%	42.6	1	0.1%	2.0	0	0.0%	0.0	0	0.0%	0.0	49,341	6.6%
15 – 19	518	25.9%	982.7	226	24.5%	428.7	1	1.3%	1.9	1	2.6%	1.9	52,713	7.0%
20 – 24	579	28.9%	1,207.8	239	25.9%	498.6	7	9.3%	14.6	3	7.9%	6.3	47,939	6.4%
25 – 29	352	17.6%	686.3	159	17.2%	310.0	11	14.7%	21.4	5	13.2%	9.7	51,290	6.9%
30 – 34	201	10.0%	371.5	88	9.5%	162.7	12	16.0%	22.2	9	23.7%	16.6	54,099	7.2%
35 – 44	217	10.8%	177.3	128	13.9%	104.6	24	32.0%	19.6	6	15.8%	4.9	122,420	16.4%
45 +	114	5.7%	42.7	81	8.8%	30.3	20	26.7%	7.5	14	36.8%	5.2	266,976	35.7%
Not Specified	1	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6,972	100.0%	450.2	1,894	100.0%	122.3	80	100.0%	5.2	43	100.0%	2.8	1,530,697	100.0%
Female Total	4,961	71.2%	634.4	972	51.3%	124.3	5	6.3%	0.6	5	11.6%	0.6	781,977	51.1%
American Indian/Alaska Native	8	0.4%	202.9	2	0.4%	50.7	0	0.0%	0.0	0	0.0%	0.0	3,943	0.5%
Asian/Pacific Islander	191	8.6%	99.7	25	5.2%	13.1	0	0.0%	0.0	0	0.0%	0.0	191,480	24.5%
Black/African-American	1,216	55.0%	1,170.0	387	81.0%	372.4	3	75.0%	2.9	3	75.0%	2.9	103,932	13.3%
Latina/Hispanic	551	24.9%	324.3	35	7.3%	20.6	1	25.0%	0.6	1	25.0%	0.6	169,882	21.7%
White	244	11.0%	84.9	29	6.1%	10.1	0	0.0%	0.0	0	0.0%	0.0	287,501	36.8%
Other/Multi/Not Specified	2,751	55.5%	-	494	50.8%	-	1	20.0%	-	1	20.0%	-	25,239	3.2%
Male Total	2,003	28.7%	267.5	922	48.7%	123.1	75	93.8%	10.0	38	88.4%	5.1	748,720	48.9%
American Indian/Alaska Native	3	0.3%	86.3	4	0.8%	115.1	2	2.8%	57.5	1	2.9%	28.8	3,476	0.5%
Asian/Pacific Islander	73	7.3%	40.2	19	3.9%	10.5	5	6.9%	2.8	6	17.1%	3.3	181,625	24.3%
Black/African-American	590	58.8%	708.1	353	72.0%	423.7	30	41.7%	36.0	13	37.1%	15.6	83,318	11.1%
Latina/Hispanic	187	18.6%	105.8	47	9.6%	26.6	5	6.9%	2.8	8	22.9%	4.5	176,816	23.6%
White	151	15.0%	54.1	67	13.7%	24.0	30	41.7%	10.7	7	20.0%	2.5	279,190	37.3%
Other/Multi/Not Specified	999	49.9%	-	432	46.9%	-	3	4.0%	-	3	7.9%	-	24,295	3.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Alameda County, the July 1, 2008 estimate is 1,548,492).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Alpine County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female □ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Alpine County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	1,344	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	645	48.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	70	10.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23	3.6%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43	6.7%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	52	8.1%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49	7.6%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29	4.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59	9.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	320	49.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	699	52.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	58	8.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33	4.7%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	35	5.0%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43	6.2%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	62	8.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	40	5.7%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63	9.0%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	365	52.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	1,344	100.0%
Female Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	645	48.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	125	19.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.3%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	8.5%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	439	68.1%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	22	3.4%
Male Total	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	699	52.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	104	14.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5	0.7%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63	9.0%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	495	70.8%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	29	4.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Alpine County, the July 1, 2008 estimate is 1,202).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Amador County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Amador County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	70	100.0%	184.9	4	100.0%	10.6	1	100.0%	2.6	0	100.0%	0.0	39,404	100.0%
Female Total	35	50.0%	195.9	2	50.0%	11.2	0	0.0%	0.0	0	0.0%	0.0	17,867	45.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,450	8.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	888	5.0%
15 – 19	13	37.1%	1,102.6	1	50.0%	84.8	0	0.0%	0.0	0	0.0%	0.0	1,179	6.6%
20 – 24	14	40.0%	1,303.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,074	6.0%
25 – 29	4	11.4%	622.1	1	50.0%	155.5	0	0.0%	0.0	0	0.0%	0.0	643	3.6%
30 – 34	3	8.6%	517.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	580	3.2%
35 – 44	1	2.9%	52.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,905	10.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,148	56.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	35	50.0%	162.5	2	50.0%	9.3	1	100.0%	4.6	0	0.0%	0.0	21,537	54.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,464	6.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	974	4.5%
15 – 19	12	34.3%	598.2	1	50.0%	49.9	0	0.0%	0.0	0	0.0%	0.0	2,006	9.3%
20 – 24	15	42.9%	890.7	1	50.0%	59.4	0	0.0%	0.0	0	0.0%	0.0	1,684	7.8%
25 – 29	3	8.6%	256.6	0	0.0%	0.0	1	100.0%	85.5	0	0.0%	0.0	1,169	5.4%
30 – 34	2	5.7%	175.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,143	5.3%
35 – 44	2	5.7%	68.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,905	13.5%
45 +	1	2.9%	9.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,192	47.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	70	100.0%	184.9	4	100.0%	10.6	1	100.0%	2.6	0	100.0%	0.0	39,404	100.0%
Female Total	35	50.0%	195.9	2	50.0%	11.2	0	0.0%	0.0	0	0.0%	0.0	17,867	45.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	262	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	170	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.3%
Latina/Hispanic	2	5.7%	129.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,546	8.7%
White	33	94.3%	213.5	2	100.0%	12.9	0	0.0%	0.0	0	0.0%	0.0	15,455	86.5%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	379	2.1%
Male Total	35	50.0%	162.5	2	50.0%	9.3	1	100.0%	4.6	0	0.0%	0.0	21,537	54.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	346	1.6%
Asian/Pacific Islander	1	2.9%	460.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	217	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,406	6.5%
Latina/Hispanic	11	31.4%	397.1	1	50.0%	36.1	1	100.0%	36.1	0	0.0%	0.0	2,770	12.9%
White	23	65.7%	139.8	1	50.0%	6.1	0	0.0%	0.0	0	0.0%	0.0	16,449	76.4%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	349	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Amador County, the July 1, 2008 estimate is 37,863).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Berkeley City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Berkeley City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	407	100.0%	379.5	117	100.0%	109.1	9	100.0%	8.4	7	100.0%	6.5	107,244	100.0%
Female Total	259	63.6%	474.6	50	42.7%	91.6	0	0.0%	0.0	1	14.3%	1.8	54,578	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,130	7.6%
10 – 14	4	1.5%	194.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,058	3.8%
15 – 19	121	46.7%	2,833.7	20	40.0%	468.4	0	0.0%	0.0	0	0.0%	0.0	4,270	7.8%
20 – 24	81	31.3%	977.8	17	34.0%	205.2	0	0.0%	0.0	0	0.0%	0.0	8,284	15.2%
25 – 29	26	10.0%	519.0	6	12.0%	119.8	0	0.0%	0.0	0	0.0%	0.0	5,010	9.2%
30 – 34	13	5.0%	314.8	1	2.0%	24.2	0	0.0%	0.0	0	0.0%	0.0	4,129	7.6%
35 – 44	7	2.7%	91.6	5	10.0%	65.4	0	0.0%	0.0	1	100.0%	13.1	7,644	14.0%
45 +	7	2.7%	36.7	1	2.0%	5.2	0	0.0%	0.0	0	0.0%	0.0	19,052	34.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	148	36.4%	281.0	67	57.3%	127.2	9	100.0%	17.1	6	85.7%	11.4	52,666	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,367	8.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,090	4.0%
15 – 19	26	17.6%	640.9	15	22.4%	369.7	0	0.0%	0.0	0	0.0%	0.0	4,057	7.7%
20 – 24	48	32.4%	532.0	19	28.4%	210.6	1	11.1%	11.1	1	16.7%	11.1	9,022	17.1%
25 – 29	32	21.6%	575.5	10	14.9%	179.9	1	11.1%	18.0	0	0.0%	0.0	5,560	10.6%
30 – 34	14	9.5%	313.6	10	14.9%	224.0	0	0.0%	0.0	1	16.7%	22.4	4,464	8.5%
35 – 44	19	12.8%	260.5	8	11.9%	109.7	3	33.3%	41.1	3	50.0%	41.1	7,293	13.8%
45 +	9	6.1%	56.9	5	7.5%	31.6	4	44.4%	25.3	1	16.7%	6.3	15,813	30.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	407	100.0%	379.5	117	100.0%	109.1	9	100.0%	8.4	7	100.0%	6.5	107,244	100.0%
Female Total	259	63.6%	474.6	50	42.7%	91.6	0	0.0%	0.0	1	14.3%	1.8	54,578	50.9%
American Indian/Alaska Native	0	0.0%	0.0	1	3.2%	649.4	0	0.0%	0.0	0	0.0%	0.0	154	0.3%
Asian/Pacific Islander	4	3.2%	43.3	1	3.2%	10.8	0	0.0%	0.0	0	0.0%	0.0	9,230	16.9%
Black/African-American	83	66.4%	1,049.6	23	74.2%	290.8	0	0.0%	0.0	1	100.0%	12.6	7,908	14.5%
Latina/Hispanic	20	16.0%	402.5	4	12.9%	80.5	0	0.0%	0.0	0	0.0%	0.0	4,969	9.1%
White	18	14.4%	60.9	2	6.5%	6.8	0	0.0%	0.0	0	0.0%	0.0	29,566	54.2%
Other/Multi/Not Specified	134	51.7%	-	19	38.0%	-	0	0.0%	-	0	0.0%	-	2,750	5.0%
Male Total	148	36.4%	281.0	67	57.3%	127.2	9	100.0%	17.1	6	85.7%	11.4	52,666	49.1%
American Indian/Alaska Native	1	1.3%	662.3	0	0.0%	0.0	0	0.0%	0.0	1	16.7%	662.3	151	0.3%
Asian/Pacific Islander	6	7.5%	71.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,369	15.9%
Black/African-American	31	38.8%	484.4	16	48.5%	250.0	3	33.3%	46.9	0	0.0%	0.0	6,400	12.2%
Latina/Hispanic	14	17.5%	255.9	4	12.1%	73.1	1	11.1%	18.3	3	50.0%	54.8	5,471	10.4%
White	28	35.0%	94.6	13	39.4%	43.9	5	55.6%	16.9	2	33.3%	6.8	29,609	56.2%
Other/Multi/Not Specified	68	45.9%	-	34	50.7%	-	0	0.0%	-	0	0.0%	-	2,667	5.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Butte County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Butte County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	601	100.0%	272.2	66	100.0%	29.9	0	100.0%	0.0	1	100.0%	0.5	223,572	100.0%
Female Total	439	73.0%	386.7	30	45.5%	26.4	0	0.0%	0.0	0	0.0%	0.0	113,526	50.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,903	10.5%
10 – 14	1	0.2%	14.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,893	6.1%
15 – 19	156	35.9%	1,713.0	10	33.3%	109.8	0	0.0%	0.0	0	0.0%	0.0	9,107	8.0%
20 – 24	187	43.0%	1,689.3	12	40.0%	108.4	0	0.0%	0.0	0	0.0%	0.0	11,070	9.8%
25 – 29	61	14.0%	829.7	4	13.3%	54.4	0	0.0%	0.0	0	0.0%	0.0	7,352	6.5%
30 – 34	17	3.9%	271.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,260	5.5%
35 – 44	10	2.3%	76.5	3	10.0%	22.9	0	0.0%	0.0	0	0.0%	0.0	13,074	11.5%
45 +	3	0.7%	6.3	1	3.3%	2.1	0	0.0%	0.0	0	0.0%	0.0	47,867	42.2%
Not Specified	4	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	162	27.0%	147.2	36	54.5%	32.7	0	0.0%	0.0	1	100.0%	0.9	110,046	49.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,557	11.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,154	6.5%
15 – 19	19	11.8%	197.1	8	22.9%	83.0	0	0.0%	0.0	0	0.0%	0.0	9,638	8.8%
20 – 24	90	55.9%	766.2	16	45.7%	136.2	0	0.0%	0.0	0	0.0%	0.0	11,746	10.7%
25 – 29	31	19.3%	420.6	5	14.3%	67.8	0	0.0%	0.0	0	0.0%	0.0	7,371	6.7%
30 – 34	11	6.8%	159.8	1	2.9%	14.5	0	0.0%	0.0	0	0.0%	0.0	6,882	6.3%
35 – 44	9	5.6%	68.7	3	8.6%	22.9	0	0.0%	0.0	1	100.0%	7.6	13,109	11.9%
45 +	1	0.6%	2.4	2	5.7%	4.8	0	0.0%	0.0	0	0.0%	0.0	41,589	37.8%
Not Specified	1	0.6%	-	1	2.8%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	601	100.0%	272.2	66	100.0%	29.9	0	100.0%	0.0	1	100.0%	0.5	223,572	100.0%
Female Total	439	73.0%	386.7	30	45.5%	26.4	0	0.0%	0.0	0	0.0%	0.0	113,526	50.8%
American Indian/Alaska Native	9	2.3%	444.9	1	3.8%	49.4	0	0.0%	0.0	0	0.0%	0.0	2,023	1.8%
Asian/Pacific Islander	21	5.4%	577.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,639	3.2%
Black/African-American	18	4.6%	1,341.3	3	11.5%	223.5	0	0.0%	0.0	0	0.0%	0.0	1,342	1.2%
Latina/Hispanic	80	20.4%	550.0	2	7.7%	13.8	0	0.0%	0.0	0	0.0%	0.0	14,545	12.8%
White	264	67.3%	295.7	20	76.9%	22.4	0	0.0%	0.0	0	0.0%	0.0	89,286	78.6%
Other/Multi/Not Specified	47	10.7%	-	4	13.3%	-	0	0.0%	-	0	0.0%	-	2,691	2.4%
Male Total	162	27.0%	147.2	36	54.5%	32.7	0	0.0%	0.0	1	100.0%	0.9	110,046	49.2%
American Indian/Alaska Native	3	2.3%	144.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,084	1.9%
Asian/Pacific Islander	7	5.5%	190.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,676	3.3%
Black/African-American	18	14.1%	1,090.2	5	17.2%	302.8	0	0.0%	0.0	0	0.0%	0.0	1,651	1.5%
Latina/Hispanic	20	15.6%	137.7	4	13.8%	27.5	0	0.0%	0.0	1	100.0%	6.9	14,529	13.2%
White	80	62.5%	93.6	20	69.0%	23.4	0	0.0%	0.0	0	0.0%	0.0	85,450	77.6%
Other/Multi/Not Specified	34	21.0%	-	7	19.4%	-	0	0.0%	-	0	0.0%	-	2,656	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Butte County, the July 1, 2008 estimate is 220,769).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Calaveras County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Calaveras County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	37	100.0%	80.5	1	100.0%	2.2	1	100.0%	2.2	0	100.0%	0.0	46,658	100.0%
Female Total	25	67.6%	106.0	1	100.0%	4.2	1	100.0%	4.2	0	0.0%	0.0	23,586	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,808	7.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,171	5.0%
15 – 19	7	28.0%	421.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,662	7.0%
20 – 24	11	44.0%	721.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,524	6.5%
25 – 29	4	16.0%	482.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	829	3.5%
30 – 34	2	8.0%	270.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	739	3.1%
35 – 44	1	4.0%	40.3	0	0.0%	0.0	1	100.0%	40.3	0	0.0%	0.0	2,482	10.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,371	56.7%
Not Specified	0	0.0%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	12	32.4%	52.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,072	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,879	8.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,290	5.6%
15 – 19	6	50.0%	349.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,717	7.4%
20 – 24	1	8.3%	55.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,790	7.8%
25 – 29	3	25.0%	297.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,010	4.4%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	649	2.8%
35 – 44	1	8.3%	43.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,311	10.0%
45 +	1	8.3%	8.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,426	53.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	37	100.0%	80.5	1	100.0%	2.2	1	100.0%	2.2	0	100.0%	0.0	46,658	100.0%
Female Total	25	67.6%	106.0	1	100.0%	4.2	1	100.0%	4.2	0	0.0%	0.0	23,586	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	357	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	238	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	120	0.5%
Latina/Hispanic	2	20.0%	81.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,463	10.4%
White	8	80.0%	40.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,735	83.7%
Other/Multi/Not Specified	15	60.0%	-	1	100.0%	-	1	100.0%	-	0	0.0%	-	673	2.9%
Male Total	12	32.4%	52.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,072	49.4%
American Indian/Alaska Native	1	16.7%	318.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	314	1.4%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	166	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	217	0.9%
Latina/Hispanic	1	16.7%	43.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,320	10.1%
White	4	66.7%	20.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,480	84.4%
Other/Multi/Not Specified	6	50.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	575	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Calaveras County, the July 1, 2008 estimate is 45,980).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Colusa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



s Numbers suppressed for confidentiality
 * Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Colusa County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	22	100.0%	100.7	2	100.0%	9.2	0	100.0%	0.0	0	100.0%	0.0	22,830	100.0%
Female Total	19	86.4%	170.1	2	100.0%	17.9	0	0.0%	0.0	0	0.0%	0.0	11,172	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,706	15.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	877	7.8%
15 – 19	5	27.8%	516.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	968	8.7%
20 – 24	7	38.9%	740.7	1	50.0%	105.8	0	0.0%	0.0	0	0.0%	0.0	945	8.5%
25 – 29	1	5.6%	131.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	761	6.8%
30 – 34	2	11.1%	325.2	1	50.0%	162.6	0	0.0%	0.0	0	0.0%	0.0	615	5.5%
35 – 44	2	11.1%	145.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,374	12.3%
45 +	1	5.6%	25.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,926	35.1%
Not Specified	1	5.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	3	13.6%	25.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,658	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,752	15.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	901	7.7%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	971	8.3%
20 – 24	1	33.3%	92.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,085	9.3%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,042	8.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	720	6.2%
35 – 44	2	66.7%	142.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,408	12.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,779	32.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	22	100.0%	100.7	2	100.0%	9.2	0	100.0%	0.0	0	100.0%	0.0	22,830	100.0%
Female Total	19	86.4%	170.1	2	100.0%	17.9	0	0.0%	0.0	0	0.0%	0.0	11,172	48.9%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	185	1.7%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	195	1.7%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45	0.4%
Latina/Hispanic	13	92.9%	240.4	2	100.0%	37.0	0	0.0%	0.0	0	0.0%	0.0	5,408	48.4%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,176	46.3%
Other/Multi/Not Specified	5	26.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	163	1.5%
Male Total	3	13.6%	25.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,658	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	183	1.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	213	1.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59	0.5%
Latina/Hispanic	3	100.0%	49.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,111	52.4%
White	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,951	42.5%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	141	1.2%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Colusa County, the July 1, 2008 estimate is 21,848).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Contra Costa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Contra Costa County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,783	100.0%	358.1	780	100.0%	73.8	24	100.0%	2.3	20	100.0%	1.9	1,053,710	100.0%
Female Total	2,828	74.8%	527.7	465	59.6%	86.8	0	0.0%	0.0	2	10.0%	0.4	535,907	50.9%
Ages														
0 – 9	1	0.0%	1.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	65,816	12.3%
10 – 14	58	2.1%	161.7	11	2.4%	30.7	0	0.0%	0.0	0	0.0%	0.0	35,870	6.7%
15 – 19	1,114	39.9%	2,878.4	155	33.9%	400.5	0	0.0%	0.0	0	0.0%	0.0	38,702	7.2%
20 – 24	942	33.7%	2,576.9	148	32.4%	404.9	0	0.0%	0.0	1	50.0%	2.7	36,556	6.8%
25 – 29	417	14.9%	1,315.1	78	17.1%	246.0	0	0.0%	0.0	0	0.0%	0.0	31,708	5.9%
30 – 34	118	4.2%	402.4	22	4.8%	75.0	0	0.0%	0.0	0	0.0%	0.0	29,321	5.5%
35 – 44	98	3.5%	135.0	26	5.7%	35.8	0	0.0%	0.0	1	50.0%	1.4	72,574	13.5%
45 +	46	1.6%	20.4	17	3.7%	7.5	0	0.0%	0.0	0	0.0%	0.0	225,360	42.1%
Not Specified	34	1.2%	-	8	1.7%	-	0	0.0%	-	0	0.0%	-		
Male Total	921	24.3%	177.9	300	38.5%	57.9	24	100.0%	4.6	18	90.0%	3.5	517,803	49.1%
Ages														
0 – 9	2	0.2%	2.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	68,240	13.2%
10 – 14	1	0.1%	2.7	3	1.0%	8.0	0	0.0%	0.0	0	0.0%	0.0	37,476	7.2%
15 – 19	236	26.1%	583.0	66	22.1%	163.1	2	8.3%	4.9	1	5.6%	2.5	40,478	7.8%
20 – 24	276	30.5%	712.4	67	22.5%	172.9	2	8.3%	5.2	2	11.1%	5.2	38,744	7.5%
25 – 29	163	18.0%	469.8	50	16.8%	144.1	6	25.0%	17.3	1	5.6%	2.9	34,698	6.7%
30 – 34	85	9.4%	280.5	40	13.4%	132.0	1	4.2%	3.3	3	16.7%	9.9	30,307	5.9%
35 – 44	93	10.3%	132.0	35	11.7%	49.7	5	20.8%	7.1	4	22.2%	5.7	70,441	13.6%
45 +	49	5.4%	24.8	37	12.4%	18.7	8	33.3%	4.1	7	38.9%	3.5	197,419	38.1%
Not Specified	16	1.7%	-	2	0.7%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,783	100.0%	358.1	780	100.0%	73.8	24	100.0%	2.3	20	100.0%	1.9	1,053,710	100.0%
Female Total	2,828	74.8%	527.7	465	59.6%	86.8	0	0.0%	0.0	2	10.0%	0.4	535,907	50.9%
American Indian/Alaska Native	7	0.5%	289.9	1	0.8%	41.4	0	0.0%	0.0	0	0.0%	0.0	2,415	0.5%
Asian/Pacific Islander	105	7.5%	147.3	10	7.9%	14.0	0	0.0%	0.0	0	0.0%	0.0	71,307	13.3%
Black/African-American	590	42.4%	1,274.5	76	59.8%	164.2	0	0.0%	0.0	0	0.0%	0.0	46,292	8.6%
Latina/Hispanic	399	28.7%	341.8	13	10.2%	11.1	0	0.0%	0.0	2	100.0%	1.7	116,743	21.8%
White	291	20.9%	101.1	27	21.3%	9.4	0	0.0%	0.0	0	0.0%	0.0	287,723	53.7%
Other/Multi/Not Specified	1,436	50.8%	-	338	72.7%	-	0	0.0%	-	0	0.0%	-	11,427	2.1%
Male Total	921	24.3%	177.9	300	38.5%	57.9	24	100.0%	4.6	18	90.0%	3.5	517,803	49.1%
American Indian/Alaska Native	1	0.2%	42.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,369	0.5%
Asian/Pacific Islander	29	6.7%	44.8	3	2.7%	4.6	0	0.0%	0.0	2	11.8%	3.1	64,660	12.5%
Black/African-American	224	52.1%	544.4	70	61.9%	170.1	6	26.1%	14.6	3	17.6%	7.3	41,143	7.9%
Latina/Hispanic	92	21.4%	75.2	14	12.4%	11.4	9	39.1%	7.4	6	35.3%	4.9	122,311	23.6%
White	84	19.5%	30.4	26	23.0%	9.4	8	34.8%	2.9	6	35.3%	2.2	276,219	53.3%
Other/Multi/Not Specified	491	53.3%	-	187	62.3%	-	1	4.2%	-	1	5.6%	-	11,101	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Contra Costa County, the July 1, 2008 estimate is 1,056,477).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Del Norte County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Del Norte County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	42	100.0%	142.9	1	100.0%	3.4	0	100.0%	0.0	0	100.0%	0.0	30,297	100.0%
Female Total	34	81.0%	248.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,677	45.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,620	11.8%
10 – 14	1	2.9%	117.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	851	6.2%
15 – 19	11	32.4%	1,022.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,076	7.9%
20 – 24	14	41.2%	1,207.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,159	8.5%
25 – 29	6	17.6%	687.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	873	6.4%
30 – 34	1	2.9%	165.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	604	4.4%
35 – 44	1	2.9%	65.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,536	11.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,958	43.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	8	19.0%	48.1	1	100.0%	6.0	0	0.0%	0.0	0	0.0%	0.0	16,620	54.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,672	10.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	874	5.3%
15 – 19	2	25.0%	164.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,217	7.3%
20 – 24	1	12.5%	58.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,697	10.2%
25 – 29	4	50.0%	238.1	1	100.0%	59.5	0	0.0%	0.0	0	0.0%	0.0	1,680	10.1%
30 – 34	1	12.5%	80.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,241	7.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,392	14.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,847	35.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	42	100.0%	142.9	1	100.0%	3.4	0	100.0%	0.0	0	100.0%	0.0	30,297	100.0%
Female Total	34	81.0%	248.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,677	45.1%
American Indian/Alaska Native	11	44.0%	1,114.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	987	7.2%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	387	2.8%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	67	0.5%
Latina/Hispanic	2	8.0%	122.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,640	12.0%
White	8	32.0%	79.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,124	74.0%
Other/Multi/Not Specified	9	26.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	472	3.5%
Male Total	8	19.0%	48.1	1	100.0%	6.0	0	0.0%	0.0	0	0.0%	0.0	16,620	54.9%
American Indian/Alaska Native	3	60.0%	304.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	985	5.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	355	2.1%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,182	7.1%
Latina/Hispanic	1	20.0%	31.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,219	19.4%
White	1	20.0%	9.6	1	100.0%	9.6	0	0.0%	0.0	0	0.0%	0.0	10,388	62.5%
Other/Multi/Not Specified	3	37.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	491	3.0%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Del Norte County, the July 1, 2008 estimate is 29,401).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



El Dorado County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

El Dorado County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	230	100.0%	127.8	14	100.0%	7.8	2	100.0%	1.1	1	100.0%	0.6	183,399	100.0%
Female Total	167	72.6%	181.8	6	42.9%	6.5	0	0.0%	0.0	0	0.0%	0.0	91,870	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,095	9.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,884	6.4%
15 – 19	65	38.9%	891.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,289	7.9%
20 – 24	68	40.7%	1,125.6	2	33.3%	33.1	0	0.0%	0.0	0	0.0%	0.0	6,041	6.6%
25 – 29	22	13.2%	690.3	1	16.7%	31.4	0	0.0%	0.0	0	0.0%	0.0	3,187	3.5%
30 – 34	8	4.8%	250.7	1	16.7%	31.3	0	0.0%	0.0	0	0.0%	0.0	3,191	3.5%
35 – 44	3	1.8%	23.4	1	16.7%	7.8	0	0.0%	0.0	0	0.0%	0.0	12,817	14.0%
45 +	1	0.6%	2.3	1	16.7%	2.3	0	0.0%	0.0	0	0.0%	0.0	44,366	48.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	63	27.4%	68.8	8	57.1%	8.7	2	100.0%	2.2	1	100.0%	1.1	91,529	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,663	10.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,494	7.1%
15 – 19	9	14.3%	117.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,694	8.4%
20 – 24	26	41.3%	393.9	2	25.0%	30.3	0	0.0%	0.0	0	0.0%	0.0	6,601	7.2%
25 – 29	13	20.6%	332.4	1	12.5%	25.6	0	0.0%	0.0	1	100.0%	25.6	3,911	4.3%
30 – 34	5	7.9%	151.4	1	12.5%	30.3	0	0.0%	0.0	0	0.0%	0.0	3,303	3.6%
35 – 44	6	9.5%	49.9	2	25.0%	16.6	0	0.0%	0.0	0	0.0%	0.0	12,016	13.1%
45 +	4	6.3%	9.6	2	25.0%	4.8	2	100.0%	4.8	0	0.0%	0.0	41,847	45.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	230	100.0%	127.8	14	100.0%	7.8	2	100.0%	1.1	1	100.0%	0.6	183,399	100.0%
Female Total	167	72.6%	181.8	6	42.9%	6.5	0	0.0%	0.0	0	0.0%	0.0	91,870	50.1%
American Indian/Alaska Native	4	4.2%	600.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	666	0.7%
Asian/Pacific Islander	2	2.1%	98.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,028	2.2%
Black/African-American	3	3.2%	914.6	1	25.0%	304.9	0	0.0%	0.0	0	0.0%	0.0	328	0.4%
Latina/Hispanic	29	30.5%	291.7	1	25.0%	10.1	0	0.0%	0.0	0	0.0%	0.0	9,941	10.8%
White	57	60.0%	73.7	2	50.0%	2.6	0	0.0%	0.0	0	0.0%	0.0	77,311	84.2%
Other/Multi/Not Specified	72	43.1%	-	2	33.3%	-	0	0.0%	-	0	0.0%	-	1,596	1.7%
Male Total	63	27.4%	68.8	8	57.1%	8.7	2	100.0%	2.2	1	100.0%	1.1	91,529	49.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	673	0.7%
Asian/Pacific Islander	1	3.4%	55.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,801	2.0%
Black/African-American	3	10.3%	609.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	492	0.5%
Latina/Hispanic	10	34.5%	100.9	1	33.3%	10.1	0	0.0%	0.0	0	0.0%	0.0	9,907	10.8%
White	15	51.7%	19.4	2	66.7%	2.6	2	100.0%	2.6	1	100.0%	1.3	77,169	84.3%
Other/Multi/Not Specified	34	54.0%	-	5	62.5%	-	0	0.0%	-	0	0.0%	-	1,487	1.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For El Dorado County, the July 1, 2008 estimate is 179,969).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Fresno County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Fresno County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,563	100.0%	593.8	657	100.0%	70.1	26	100.0%	2.8	7	100.0%	0.7	946,353	100.0%
Female Total	4,342	78.1%	924.1	388	59.1%	82.6	1	3.8%	0.2	0	0.0%	0.0	469,838	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	74,666	15.9%
10 – 14	63	1.5%	175.6	5	1.3%	13.9	0	0.0%	0.0	0	0.0%	0.0	35,872	7.6%
15 – 19	1,588	36.8%	3,891.8	137	35.4%	335.8	0	0.0%	0.0	0	0.0%	0.0	40,804	8.7%
20 – 24	1,530	35.4%	3,966.7	147	38.0%	381.1	0	0.0%	0.0	0	0.0%	0.0	38,571	8.2%
25 – 29	642	14.9%	1,761.5	56	14.5%	153.7	1	100.0%	2.7	0	0.0%	0.0	36,446	7.8%
30 – 34	235	5.4%	733.5	20	5.2%	62.4	0	0.0%	0.0	0	0.0%	0.0	32,038	6.8%
35 – 44	198	4.6%	328.1	15	3.9%	24.9	0	0.0%	0.0	0	0.0%	0.0	60,339	12.8%
45 +	62	1.4%	41.0	7	1.8%	4.6	0	0.0%	0.0	0	0.0%	0.0	151,102	32.2%
Not Specified	24	0.6%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,216	21.9%	255.2	268	40.8%	56.2	25	96.2%	5.2	7	100.0%	1.5	476,515	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	77,811	16.3%
10 – 14	1	0.1%	2.7	1	0.4%	2.7	0	0.0%	0.0	0	0.0%	0.0	37,712	7.9%
15 – 19	296	24.5%	685.2	34	12.7%	78.7	0	0.0%	0.0	0	0.0%	0.0	43,200	9.1%
20 – 24	460	38.0%	1,089.1	84	31.5%	198.9	3	12.0%	7.1	2	28.6%	4.7	42,237	8.9%
25 – 29	221	18.3%	538.6	69	25.8%	168.1	6	24.0%	14.6	1	14.3%	2.4	41,035	8.6%
30 – 34	109	9.0%	307.0	34	12.7%	95.8	3	12.0%	8.4	1	14.3%	2.8	35,506	7.5%
35 – 44	93	7.7%	148.9	29	10.9%	46.4	6	24.0%	9.6	3	42.9%	4.8	62,470	13.1%
45 +	30	2.5%	22.0	16	6.0%	11.7	7	28.0%	5.1	0	0.0%	0.0	136,544	28.7%
Not Specified	6	0.5%	-	1	0.4%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,563	100.0%	593.8	657	100.0%	70.1	26	100.0%	2.8	7	100.0%	0.7	946,353	100.0%
Female Total	4,342	78.1%	924.1	388	59.1%	82.6	1	3.8%	0.2	0	0.0%	0.0	469,838	49.6%
American Indian/Alaska Native	22	0.6%	524.3	1	0.4%	23.8	0	0.0%	0.0	0	0.0%	0.0	4,196	0.9%
Asian/Pacific Islander	235	6.9%	528.5	13	4.8%	29.2	0	0.0%	0.0	0	0.0%	0.0	44,468	9.5%
Black/African-American	510	15.1%	2,266.0	117	43.2%	519.8	0	0.0%	0.0	0	0.0%	0.0	22,507	4.8%
Latina/Hispanic	2,210	65.3%	990.3	107	39.5%	47.9	0	0.0%	0.0	0	0.0%	0.0	223,156	47.5%
White	408	12.1%	240.8	33	12.2%	19.5	0	0.0%	0.0	0	0.0%	0.0	169,427	36.1%
Other/Multi/Not Specified	957	22.0%	-	117	30.2%	-	1	100.0%	-	0	0.0%	-	6,084	1.3%
Male Total	1,216	21.9%	255.2	268	40.8%	56.2	25	96.2%	5.2	7	100.0%	1.5	476,515	50.4%
American Indian/Alaska Native	8	0.9%	212.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,771	0.8%
Asian/Pacific Islander	44	4.8%	102.1	1	0.5%	2.3	0	0.0%	0.0	0	0.0%	0.0	43,075	9.0%
Black/African-American	212	23.0%	929.8	86	42.8%	377.2	2	8.3%	8.8	0	0.0%	0.0	22,801	4.8%
Latina/Hispanic	572	62.0%	237.3	92	45.8%	38.2	15	62.5%	6.2	6	85.7%	2.5	241,053	50.6%
White	87	9.4%	54.3	22	10.9%	13.7	7	29.2%	4.4	1	14.3%	0.6	160,178	33.6%
Other/Multi/Not Specified	293	24.1%	-	67	25.0%	-	1	4.0%	-	0	0.0%	-	5,637	1.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.









² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Fresno County, the July 1, 2008 estimate is 936,828).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Glenn County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Glenn County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	75	100.0%	256.1	1	100.0%	3.4	0	100.0%	0.0	0	100.0%	0.0	29,943	100.0%
Female Total	59	78.7%	398.8	1	100.0%	6.8	0	0.0%	0.0	0	0.0%	0.0	14,793	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,121	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,076	7.3%
15 – 19	19	32.2%	1,505.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,262	8.5%
20 – 24	22	37.3%	1,810.7	1	100.0%	82.3	0	0.0%	0.0	0	0.0%	0.0	1,215	8.2%
25 – 29	10	16.9%	1,097.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	911	6.2%
30 – 34	4	6.8%	512.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	781	5.3%
35 – 44	4	6.8%	228.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,748	11.8%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,679	38.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	16	21.3%	105.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,150	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,156	14.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,187	7.8%
15 – 19	2	12.5%	156.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,282	8.5%
20 – 24	7	43.8%	509.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,375	9.1%
25 – 29	5	31.3%	452.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,104	7.3%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	824	5.4%
35 – 44	2	12.5%	108.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,840	12.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,382	35.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	75	100.0%	256.1	1	100.0%	3.4	0	100.0%	0.0	0	100.0%	0.0	29,943	100.0%
Female Total	59	78.7%	398.8	1	100.0%	6.8	0	0.0%	0.0	0	0.0%	0.0	14,793	49.4%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	282	1.9%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	532	3.6%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	53	0.4%
Latina/Hispanic	20	40.8%	439.5	1	100.0%	22.0	0	0.0%	0.0	0	0.0%	0.0	4,551	30.8%
White	25	51.0%	274.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,093	61.5%
Other/Multi/Not Specified	10	16.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	282	1.9%
Male Total	16	21.3%	105.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,150	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	223	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	513	3.4%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	91	0.6%
Latina/Hispanic	8	66.7%	153.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,228	34.5%
White	4	33.3%	45.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,828	58.3%
Other/Multi/Not Specified	4	25.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	267	1.8%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Glenn County, the July 1, 2008 estimate is 29,286).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Humboldt County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Humboldt County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	399	100.0%	300.7	25	100.0%	18.8	3	100.0%	2.3	0	100.0%	0.0	133,266	100.0%
Female Total	281	70.4%	418.4	17	68.0%	25.3	0	0.0%	0.0	0	0.0%	0.0	67,155	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,171	10.7%
10 – 14	4	1.4%	104.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,827	5.7%
15 – 19	99	35.6%	2,071.1	7	41.2%	146.4	0	0.0%	0.0	0	0.0%	0.0	4,780	7.1%
20 – 24	100	36.0%	1,590.1	1	5.9%	15.9	0	0.0%	0.0	0	0.0%	0.0	6,289	9.4%
25 – 29	50	18.0%	1,030.7	3	17.6%	61.8	0	0.0%	0.0	0	0.0%	0.0	4,851	7.2%
30 – 34	16	5.8%	388.7	3	17.6%	72.9	0	0.0%	0.0	0	0.0%	0.0	4,116	6.1%
35 – 44	7	2.5%	85.5	1	5.9%	12.2	0	0.0%	0.0	0	0.0%	0.0	8,186	12.2%
45 +	2	0.7%	7.2	2	11.8%	7.2	0	0.0%	0.0	0	0.0%	0.0	27,935	41.6%
Not Specified	3	1.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	115	28.8%	173.9	8	32.0%	12.1	3	100.0%	4.5	0	0.0%	0.0	66,111	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,533	11.4%
10 – 14	1	0.9%	24.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,018	6.1%
15 – 19	29	25.2%	585.5	2	25.0%	40.4	2	66.7%	40.4	0	0.0%	0.0	4,953	7.5%
20 – 24	40	34.8%	614.7	3	37.5%	46.1	1	33.3%	15.4	0	0.0%	0.0	6,507	9.8%
25 – 29	25	21.7%	515.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,848	7.3%
30 – 34	13	11.3%	302.1	2	25.0%	46.5	0	0.0%	0.0	0	0.0%	0.0	4,303	6.5%
35 – 44	5	4.3%	58.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,614	13.0%
45 +	2	1.7%	7.9	1	12.5%	3.9	0	0.0%	0.0	0	0.0%	0.0	25,335	38.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	399	100.0%	300.7	25	100.0%	18.8	3	100.0%	2.3	0	100.0%	0.0	133,266	100.0%
Female Total	281	70.4%	418.4	17	68.0%	25.3	0	0.0%	0.0	0	0.0%	0.0	67,155	50.4%
American Indian/Alaska Native	29	12.6%	726.8	3	27.3%	75.2	0	0.0%	0.0	0	0.0%	0.0	3,990	5.9%
Asian/Pacific Islander	6	2.6%	435.4	1	9.1%	72.6	0	0.0%	0.0	0	0.0%	0.0	1,378	2.1%
Black/African-American	13	5.7%	2,857.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	455	0.7%
Latina/Hispanic	35	15.2%	718.7	3	27.3%	61.6	0	0.0%	0.0	0	0.0%	0.0	4,870	7.3%
White	147	63.9%	271.0	4	36.4%	7.4	0	0.0%	0.0	0	0.0%	0.0	54,236	80.8%
Other/Multi/Not Specified	51	18.1%	-	6	35.3%	-	0	0.0%	-	0	0.0%	-	2,226	3.3%
Male Total	115	28.8%	173.9	8	32.0%	12.1	3	100.0%	4.5	0	0.0%	0.0	66,111	49.6%
American Indian/Alaska Native	5	5.2%	129.7	2	33.3%	51.9	0	0.0%	0.0	0	0.0%	0.0	3,855	5.8%
Asian/Pacific Islander	1	1.0%	84.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,181	1.8%
Black/African-American	14	14.6%	2,043.8	1	16.7%	146.0	0	0.0%	0.0	0	0.0%	0.0	685	1.0%
Latina/Hispanic	17	17.7%	331.9	0	0.0%	0.0	1	50.0%	19.5	0	0.0%	0.0	5,122	7.7%
White	59	61.5%	111.2	3	50.0%	5.7	1	50.0%	1.9	0	0.0%	0.0	53,076	80.3%
Other/Multi/Not Specified	19	16.5%	-	2	25.0%	-	1	33.3%	-	0	0.0%	-	2,192	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Humboldt County, the July 1, 2008 estimate is 132,690).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Imperial County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Imperial County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	673	100.0%	378.5	57	100.0%	32.1	7	100.0%	3.9	8	100.0%	4.5	179,798	100.0%
Female Total	511	75.9%	604.4	31	54.4%	36.7	4	57.1%	4.7	5	62.5%	5.9	84,541	47.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,670	15.0%
10 – 14	9	1.8%	158.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,668	6.7%
15 – 19	163	31.9%	1,964.6	6	19.4%	72.3	1	25.0%	12.1	1	20.0%	12.1	8,297	9.8%
20 – 24	199	38.9%	2,804.8	12	38.7%	169.1	0	0.0%	0.0	1	20.0%	14.1	7,095	8.4%
25 – 29	85	16.6%	1,861.2	6	19.4%	131.4	0	0.0%	0.0	1	20.0%	21.9	4,567	5.4%
30 – 34	31	6.1%	731.8	5	16.1%	118.0	2	50.0%	47.2	1	20.0%	23.6	4,236	5.0%
35 – 44	19	3.7%	155.8	1	3.2%	8.2	1	25.0%	8.2	0	0.0%	0.0	12,197	14.4%
45 +	5	1.0%	16.8	1	3.2%	3.4	0	0.0%	0.0	1	20.0%	3.4	29,811	35.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	159	23.6%	166.9	26	45.6%	27.3	3	42.9%	3.1	3	37.5%	3.1	95,257	53.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,205	13.9%
10 – 14	1	0.6%	16.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,092	6.4%
15 – 19	38	23.9%	433.8	2	7.7%	22.8	0	0.0%	0.0	0	0.0%	0.0	8,759	9.2%
20 – 24	52	32.7%	618.5	8	30.8%	95.1	0	0.0%	0.0	0	0.0%	0.0	8,408	8.8%
25 – 29	42	26.4%	608.4	6	23.1%	86.9	1	33.3%	14.5	1	33.3%	14.5	6,903	7.2%
30 – 34	17	10.7%	244.6	3	11.5%	43.2	1	33.3%	14.4	0	0.0%	0.0	6,949	7.3%
35 – 44	6	3.8%	37.7	3	11.5%	18.8	0	0.0%	0.0	1	33.3%	6.3	15,918	16.7%
45 +	3	1.9%	10.3	4	15.4%	13.8	1	33.3%	3.4	1	33.3%	3.4	29,023	30.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	673	100.0%	378.5	57	100.0%	32.1	7	100.0%	3.9	8	100.0%	4.5	179,798	100.0%
Female Total	511	75.9%	604.4	31	54.4%	36.7	4	57.1%	4.7	5	62.5%	5.9	84,541	47.0%
American Indian/Alaska Native	7	2.6%	622.8	1	7.1%	89.0	0	0.0%	0.0	0	0.0%	0.0	1,124	1.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,898	2.2%
Black/African-American	7	2.6%	441.6	2	14.3%	126.2	1	25.0%	63.1	0	0.0%	0.0	1,585	1.9%
Latina/Hispanic	233	87.9%	350.4	10	71.4%	15.0	3	75.0%	4.5	5	100.0%	7.5	66,502	78.7%
White	18	6.8%	138.7	1	7.1%	7.7	0	0.0%	0.0	0	0.0%	0.0	12,973	15.3%
Other/Multi/Not Specified	246	48.1%	-	17	54.8%	-	0	0.0%	-	0	0.0%	-	459	0.5%
Male Total	159	23.6%	166.9	26	45.6%	27.3	3	42.9%	3.1	3	37.5%	3.1	95,257	53.0%
American Indian/Alaska Native	0	0.0%	0.0	2	15.4%	172.4	0	0.0%	0.0	0	0.0%	0.0	1,160	1.2%
Asian/Pacific Islander	2	2.2%	79.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,525	2.7%
Black/African-American	9	9.9%	195.4	1	7.7%	21.7	0	0.0%	0.0	0	0.0%	0.0	4,606	4.8%
Latina/Hispanic	69	75.8%	96.7	8	61.5%	11.2	2	66.7%	2.8	2	66.7%	2.8	71,339	74.9%
White	11	12.1%	72.8	2	15.4%	13.2	1	33.3%	6.6	1	33.3%	6.6	15,116	15.9%
Other/Multi/Not Specified	68	42.8%	-	13	50.0%	-	0	0.0%	-	0	0.0%	-	511	0.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Imperial County, the July 1, 2008 estimate is 177,820).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Inyo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



s Numbers suppressed for confidentiality
 * Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Inyo County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46	100.0%	255.4	1	100.0%	5.6	0	100.0%	0.0	0	100.0%	0.0	19,007	100.0%
Female Total	30	65.2%	312.7	1	100.0%	10.4	0	0.0%	0.0	0	0.0%	0.0	9,594	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	915	9.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	570	5.9%
15 – 19	11	37.9%	1,527.8	1	100.0%	138.9	0	0.0%	0.0	0	0.0%	0.0	720	7.5%
20 – 24	12	41.4%	1,767.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	679	7.1%
25 – 29	5	17.2%	1,075.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	465	4.8%
30 – 34	1	3.4%	384.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	260	2.7%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	952	9.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,033	52.5%
Not Specified	1	3.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	13	28.3%	138.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,413	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,041	11.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	567	6.0%
15 – 19	2	18.2%	289.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	692	7.4%
20 – 24	5	45.5%	665.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	751	8.0%
25 – 29	3	27.3%	601.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	499	5.3%
30 – 34	1	9.1%	326.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	306	3.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	941	10.0%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,616	49.0%
Not Specified	2	15.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46	100.0%	255.4	1	100.0%	5.6	0	100.0%	0.0	0	100.0%	0.0	19,007	100.0%
Female Total	30	65.2%	312.7	1	100.0%	10.4	0	0.0%	0.0	0	0.0%	0.0	9,594	50.5%
American Indian/Alaska Native	8	34.8%	838.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	954	9.9%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	119	1.2%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7	0.1%
Latina/Hispanic	5	21.7%	425.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,175	12.2%
White	9	39.1%	127.9	1	100.0%	14.2	0	0.0%	0.0	0	0.0%	0.0	7,038	73.4%
Other/Multi/Not Specified	7	23.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	301	3.1%
Male Total	13	28.3%	138.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,413	49.5%
American Indian/Alaska Native	2	22.2%	223.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	896	9.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	98	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.6%
Latina/Hispanic	2	22.2%	158.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,261	13.4%
White	5	55.6%	73.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,811	72.4%
Other/Multi/Not Specified	4	30.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	292	3.1%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Inyo County, the July 1, 2008 estimate is 18,011).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Kern County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Kern County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,613	100.0%	681.6	879	100.0%	106.7	14	100.0%	1.7	12	100.0%	1.5	835,007	100.0%
Female Total	3,063	54.6%	752.3	499	56.8%	122.6	1	7.1%	0.2	4	33.3%	1.0	407,127	48.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	68,646	16.9%
10 – 14	38	1.2%	113.4	6	1.2%	17.9	0	0.0%	0.0	0	0.0%	0.0	33,507	8.2%
15 – 19	1,176	38.6%	3,341.3	161	32.4%	457.4	0	0.0%	0.0	1	25.0%	2.8	35,196	8.6%
20 – 24	1,111	36.5%	3,264.1	142	28.6%	417.2	0	0.0%	0.0	1	25.0%	2.9	34,037	8.4%
25 – 29	428	14.1%	1,403.7	95	19.1%	311.6	0	0.0%	0.0	0	0.0%	0.0	30,490	7.5%
30 – 34	165	5.4%	635.4	42	8.5%	161.7	1	100.0%	3.9	1	25.0%	3.9	25,967	6.4%
35 – 44	100	3.3%	192.6	34	6.8%	65.5	0	0.0%	0.0	1	25.0%	1.9	51,927	12.8%
45 +	27	0.9%	21.2	17	3.4%	13.3	0	0.0%	0.0	0	0.0%	0.0	127,357	31.3%
Not Specified	18	0.6%	-	2	0.4%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,541	45.3%	593.9	379	43.1%	88.6	13	92.9%	3.0	8	66.7%	1.9	427,880	51.2%
Ages														
0 – 9	1	0.0%	1.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	71,240	16.6%
10 – 14	5	0.2%	14.3	1	0.3%	2.9	0	0.0%	0.0	0	0.0%	0.0	35,069	8.2%
15 – 19	422	16.6%	1,122.7	93	24.6%	247.4	1	7.7%	2.7	0	0.0%	0.0	37,589	8.8%
20 – 24	1,157	45.6%	2,786.5	132	34.9%	317.9	3	23.1%	7.2	0	0.0%	0.0	41,521	9.7%
25 – 29	709	27.9%	1,883.7	71	18.8%	188.6	3	23.1%	8.0	1	12.5%	2.7	37,639	8.8%
30 – 34	144	5.7%	474.3	31	8.2%	102.1	0	0.0%	0.0	2	25.0%	6.6	30,358	7.1%
35 – 44	70	2.8%	130.2	33	8.7%	61.4	3	23.1%	5.6	3	37.5%	5.6	53,776	12.6%
45 +	29	1.1%	24.0	17	4.5%	14.1	3	23.1%	2.5	2	25.0%	1.7	120,688	28.2%
Not Specified	4	0.2%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,613	100.0%	681.6	879	100.0%	106.7	14	100.0%	1.7	12	100.0%	1.5	835,007	100.0%
Female Total	3,063	54.6%	752.3	499	56.8%	122.6	1	7.1%	0.2	4	33.3%	1.0	407,127	48.8%
American Indian/Alaska Native	10	0.4%	280.1	3	0.8%	84.0	0	0.0%	0.0	0	0.0%	0.0	3,570	0.9%
Asian/Pacific Islander	31	1.3%	193.1	5	1.3%	31.1	0	0.0%	0.0	0	0.0%	0.0	16,056	3.9%
Black/African-American	444	19.2%	2,222.6	140	35.0%	700.8	0	0.0%	0.0	0	0.0%	0.0	19,977	4.9%
Latina/Hispanic	1,383	59.8%	791.9	165	41.3%	94.5	0	0.0%	0.0	1	25.0%	0.6	174,647	42.9%
White	446	19.3%	238.2	87	21.8%	46.5	1	100.0%	0.5	3	75.0%	1.6	187,259	46.0%
Other/Multi/Not Specified	749	24.5%	-	99	19.8%	-	0	0.0%	-	0	0.0%	-	5,618	1.4%
Male Total	2,541	45.3%	593.9	379	43.1%	88.6	13	92.9%	3.0	8	66.7%	1.9	427,880	51.2%
American Indian/Alaska Native	11	0.5%	319.0	1	0.3%	29.0	0	0.0%	0.0	0	0.0%	0.0	3,448	0.8%
Asian/Pacific Islander	44	2.1%	277.8	3	0.9%	18.9	0	0.0%	0.0	0	0.0%	0.0	15,840	3.7%
Black/African-American	490	23.6%	1,864.5	151	46.7%	574.6	6	50.0%	22.8	0	0.0%	0.0	26,281	6.1%
Latina/Hispanic	1,259	60.6%	648.4	118	36.5%	60.8	2	16.7%	1.0	1	12.5%	0.5	194,171	45.4%
White	272	13.1%	149.1	50	15.5%	27.4	4	33.3%	2.2	7	87.5%	3.8	182,459	42.6%
Other/Multi/Not Specified	465	18.3%	-	56	14.8%	-	1	7.7%	-	0	0.0%	-	5,681	1.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Kern County, the July 1, 2008 estimate is 823,550).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Kings County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female □ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Kings County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	596	100.0%	384.5	81	100.0%	52.2	3	100.0%	1.9	1	100.0%	0.6	157,572	100.0%
Female Total	419	70.3%	607.5	46	56.8%	66.7	0	0.0%	0.0	1	100.0%	1.4	68,972	43.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,301	17.8%
10 – 14	4	1.0%	68.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,826	8.4%
15 – 19	111	26.5%	1,850.6	12	26.1%	200.1	0	0.0%	0.0	0	0.0%	0.0	5,998	8.7%
20 – 24	182	43.4%	3,321.2	22	47.8%	401.5	0	0.0%	0.0	0	0.0%	0.0	5,480	7.9%
25 – 29	75	17.9%	1,516.7	7	15.2%	141.6	0	0.0%	0.0	1	100.0%	20.2	4,945	7.2%
30 – 34	22	5.3%	485.5	2	4.3%	44.1	0	0.0%	0.0	0	0.0%	0.0	4,531	6.6%
35 – 44	20	4.8%	213.9	2	4.3%	21.4	0	0.0%	0.0	0	0.0%	0.0	9,349	13.6%
45 +	5	1.2%	24.3	1	2.2%	4.9	0	0.0%	0.0	0	0.0%	0.0	20,542	29.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	177	29.7%	199.8	35	43.2%	39.5	3	100.0%	3.4	0	0.0%	0.0	88,600	56.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,754	14.4%
10 – 14	1	0.6%	16.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,174	7.0%
15 – 19	42	23.7%	592.6	7	20.0%	98.8	0	0.0%	0.0	0	0.0%	0.0	7,087	8.0%
20 – 24	79	44.6%	864.9	13	37.1%	142.3	0	0.0%	0.0	0	0.0%	0.0	9,134	10.3%
25 – 29	40	22.6%	456.4	7	20.0%	79.9	1	33.3%	11.4	0	0.0%	0.0	8,764	9.9%
30 – 34	9	5.1%	109.4	4	11.4%	48.6	1	33.3%	12.2	0	0.0%	0.0	8,223	9.3%
35 – 44	6	3.4%	39.6	4	11.4%	26.4	1	33.3%	6.6	0	0.0%	0.0	15,137	17.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,327	24.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	596	100.0%	384.5	81	100.0%	52.2	3	100.0%	1.9	1	100.0%	0.6	157,572	100.0%
Female Total	419	70.3%	607.5	46	56.8%	66.7	0	0.0%	0.0	1	100.0%	1.4	68,972	43.8%
American Indian/Alaska Native	6	1.5%	925.9	1	2.2%	154.3	0	0.0%	0.0	0	0.0%	0.0	648	0.9%
Asian/Pacific Islander	10	2.4%	404.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,474	3.6%
Black/African-American	24	5.9%	661.0	2	4.4%	55.1	0	0.0%	0.0	0	0.0%	0.0	3,631	5.3%
Latina/Hispanic	247	60.4%	767.4	31	68.9%	96.3	0	0.0%	0.0	0	0.0%	0.0	32,185	46.7%
White	122	29.8%	421.3	11	24.4%	38.0	0	0.0%	0.0	1	100.0%	3.5	28,956	42.0%
Other/Multi/Not Specified	10	2.4%	-	1	2.2%	-	0	0.0%	-	0	0.0%	-	1,078	1.6%
Male Total	177	29.7%	199.8	35	43.2%	39.5	3	100.0%	3.4	0	0.0%	0.0	88,600	56.2%
American Indian/Alaska Native	4	2.4%	508.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	786	0.9%
Asian/Pacific Islander	5	2.9%	237.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,104	2.4%
Black/African-American	27	15.9%	300.8	9	27.3%	100.3	0	0.0%	0.0	0	0.0%	0.0	8,976	10.1%
Latina/Hispanic	96	56.5%	231.2	15	45.5%	36.1	2	100.0%	4.8	0	0.0%	0.0	41,528	46.9%
White	38	22.4%	111.3	9	27.3%	26.3	0	0.0%	0.0	0	0.0%	0.0	34,156	38.6%
Other/Multi/Not Specified	7	4.0%	-	2	5.7%	-	1	33.3%	-	0	0.0%	-	1,050	1.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Kings County, the July 1, 2008 estimate is 155,024).









Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Lake County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Lake County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	83	100.0%	129.5	1	100.0%	1.6	0	100.0%	0.0	0	100.0%	0.0	65,947	100.0%
Female Total	62	74.7%	186.8	1	100.0%	3.0	0	0.0%	0.0	0	0.0%	0.0	33,186	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,257	9.8%
10 – 14	2	3.2%	123.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,622	4.9%
15 – 19	30	48.4%	1,314.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,282	6.9%
20 – 24	16	25.8%	764.5	1	100.0%	47.8	0	0.0%	0.0	0	0.0%	0.0	2,093	6.3%
25 – 29	7	11.3%	593.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,179	3.6%
30 – 34	2	3.2%	167.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,195	3.6%
35 – 44	3	4.8%	73.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,096	12.3%
45 +	2	3.2%	11.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17,462	52.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	21	25.3%	64.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,761	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,480	10.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,840	5.6%
15 – 19	3	14.3%	122.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,454	7.5%
20 – 24	8	38.1%	351.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,279	7.0%
25 – 29	6	28.6%	447.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,342	4.1%
30 – 34	1	4.8%	88.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,133	3.5%
35 – 44	2	9.5%	54.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,707	11.3%
45 +	1	4.8%	6.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,526	50.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	83	100.0%	129.5	1	100.0%	1.6	0	100.0%	0.0	0	100.0%	0.0	65,947	100.0%
Female Total	62	74.7%	186.8	1	100.0%	3.0	0	0.0%	0.0	0	0.0%	0.0	33,186	50.3%
American Indian/Alaska Native	2	4.3%	233.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	855	2.6%
Asian/Pacific Islander	2	4.3%	552.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	362	1.1%
Black/African-American	3	6.4%	493.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	608	1.8%
Latina/Hispanic	6	12.8%	126.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,746	14.3%
White	34	72.3%	132.1	1	100.0%	3.9	0	0.0%	0.0	0	0.0%	0.0	25,734	77.5%
Other/Multi/Not Specified	15	24.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	881	2.7%
Male Total	21	25.3%	64.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,761	49.7%
American Indian/Alaska Native	1	5.9%	123.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	807	2.5%
Asian/Pacific Islander	2	11.8%	735.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	272	0.8%
Black/African-American	1	5.9%	159.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	629	1.9%
Latina/Hispanic	3	17.6%	57.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,196	15.9%
White	10	58.8%	39.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	25,044	76.4%
Other/Multi/Not Specified	4	19.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	813	2.5%









¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Lake County, the July 1, 2008 estimate is 64,069).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Lassen County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Lassen County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	48	100.0%	134.2	2	100.0%	5.6	1	100.0%	2.8	2	100.0%	5.6	37,231	100.0%
Female Total	30	62.5%	211.3	1	50.0%	7.0	0	0.0%	0.0	0	0.0%	0.0	14,199	38.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,541	10.9%
10 – 14	1	3.3%	98.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,020	7.2%
15 – 19	11	36.7%	953.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,154	8.1%
20 – 24	11	36.7%	941.0	1	100.0%	85.5	0	0.0%	0.0	0	0.0%	0.0	1,169	8.2%
25 – 29	2	6.7%	245.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	814	5.7%
30 – 34	1	3.3%	167.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	597	4.2%
35 – 44	1	3.3%	56.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,778	12.5%
45 +	3	10.0%	49.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,126	43.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	17	35.4%	73.8	1	50.0%	4.3	1	100.0%	4.3	2	100.0%	8.7	23,032	61.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,785	7.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,099	4.8%
15 – 19	3	18.8%	188.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,588	6.9%
20 – 24	6	37.5%	215.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,787	12.1%
25 – 29	3	18.8%	122.5	0	0.0%	0.0	0	0.0%	0.0	1	50.0%	40.8	2,448	10.6%
30 – 34	2	12.5%	89.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,231	9.7%
35 – 44	1	6.3%	24.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,102	17.8%
45 +	1	6.3%	14.3	1	100.0%	14.3	1	100.0%	14.3	1	50.0%	14.3	6,992	30.4%
Not Specified	1	5.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	48	100.0%	134.2	2	100.0%	5.6	1	100.0%	2.8	2	100.0%	5.6	37,231	100.0%
Female Total	30	62.5%	211.3	1	50.0%	7.0	0	0.0%	0.0	0	0.0%	0.0	14,199	38.1%
American Indian/Alaska Native	6	30.0%	1,290.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	465	3.3%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	216	1.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	174	1.2%
Latina/Hispanic	1	5.0%	74.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,339	9.4%
White	13	65.0%	111.7	1	100.0%	8.6	0	0.0%	0.0	0	0.0%	0.0	11,641	82.0%
Other/Multi/Not Specified	10	33.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	364	2.6%
Male Total	17	35.4%	73.8	1	50.0%	4.3	1	100.0%	4.3	2	100.0%	8.7	23,032	61.9%
American Indian/Alaska Native	1	7.7%	175.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	570	2.5%
Asian/Pacific Islander	1	7.7%	378.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	264	1.1%
Black/African-American	4	30.8%	132.5	0	0.0%	0.0	0	0.0%	0.0	1	50.0%	33.1	3,018	13.1%
Latina/Hispanic	2	15.4%	52.5	0	0.0%	0.0	0	0.0%	0.0	1	50.0%	26.2	3,812	16.6%
White	5	38.5%	33.4	0	0.0%	0.0	1	100.0%	6.7	0	0.0%	0.0	14,965	65.0%
Other/Multi/Not Specified	4	23.5%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	403	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Lassen County, the July 1, 2008 estimate is 35,763).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Long Beach City – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Long Beach City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	2,737	100.0%	556.3	479	100.0%	97.3	98	100.0%	19.9	64	100.0%	13.0	492,041	100.0%
Female Total	2,015	73.6%	804.9	224	46.8%	89.5	4	4.1%	1.6	2	3.1%	0.8	250,331	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	41,790	16.7%
10 – 14	15	0.7%	81.2	3	1.3%	16.2	0	0.0%	0.0	0	0.0%	0.0	18,465	7.4%
15 – 19	686	34.2%	3,812.6	91	40.8%	505.8	1	25.0%	5.6	0	0.0%	0.0	17,993	7.2%
20 – 24	743	37.0%	3,757.8	67	30.0%	338.9	0	0.0%	0.0	0	0.0%	0.0	19,772	7.9%
25 – 29	324	16.2%	1,515.6	34	15.2%	159.0	0	0.0%	0.0	0	0.0%	0.0	21,377	8.5%
30 – 34	135	6.7%	631.2	17	7.6%	79.5	1	25.0%	4.7	1	50.0%	4.7	21,388	8.5%
35 – 44	80	4.0%	209.2	5	2.2%	13.1	2	50.0%	5.2	1	50.0%	2.6	38,236	15.3%
45 +	23	1.1%	32.3	6	2.7%	8.4	0	0.0%	0.0	0	0.0%	0.0	71,310	28.5%
Not Specified	9	0.4%	-	1	0.4%	-	0	0.0%	-	0	0.0%	-		
Male Total	715	26.1%	295.8	253	52.8%	104.7	94	95.9%	38.9	62	96.9%	25.7	241,710	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	43,432	18.0%
10 – 14	6	0.8%	30.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,533	8.1%
15 – 19	150	21.1%	844.3	37	14.7%	208.3	2	2.1%	11.3	2	3.2%	11.3	17,767	7.4%
20 – 24	236	33.2%	1,292.1	68	27.1%	372.3	11	11.7%	60.2	2	3.2%	10.9	18,265	7.6%
25 – 29	142	20.0%	699.4	41	16.3%	202.0	11	11.7%	54.2	10	16.1%	49.3	20,302	8.4%
30 – 34	62	8.7%	285.3	25	10.0%	115.0	14	14.9%	64.4	8	12.9%	36.8	21,735	9.0%
35 – 44	87	12.3%	223.7	52	20.7%	133.7	35	37.2%	90.0	19	30.6%	48.9	38,890	16.1%
45 +	27	3.8%	43.7	28	11.2%	45.3	21	22.3%	34.0	21	33.9%	34.0	61,786	25.6%
Not Specified	5	0.7%	-	2	0.8%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	2,737	100.0%	556.3	479	100.0%	97.3	98	100.0%	19.9	64	100.0%	13.0	492,041	100.0%
Female Total	2,015	73.6%	804.9	224	46.8%	89.5	4	4.1%	1.6	2	3.1%	0.8	250,331	50.9%
American Indian/Alaska Native	5	0.4%	518.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	964	0.4%
Asian/Pacific Islander	99	8.2%	290.5	7	4.8%	20.5	0	0.0%	0.0	1	50.0%	2.9	34,077	13.6%
Black/African-American	460	38.2%	1,198.6	104	71.7%	271.0	4	100.0%	10.4	0	0.0%	0.0	38,378	15.3%
Latina/Hispanic	518	43.1%	599.7	23	15.9%	26.6	0	0.0%	0.0	0	0.0%	0.0	86,370	34.5%
White	121	10.1%	146.4	11	7.6%	13.3	0	0.0%	0.0	1	50.0%	1.2	82,651	33.0%
Other/Multi/Not Specified	812	40.3%	-	79	35.3%	-	0	0.0%	-	0	0.0%	-	7,890	3.2%
Male Total	715	26.1%	295.8	253	52.8%	104.7	94	95.9%	38.9	62	96.9%	25.7	241,710	49.1%
American Indian/Alaska Native	2	0.6%	216.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	925	0.4%
Asian/Pacific Islander	23	6.4%	76.1	4	3.7%	13.2	4	4.5%	13.2	3	5.0%	9.9	30,242	12.5%
Black/African-American	158	44.3%	480.6	60	55.0%	182.5	14	15.7%	42.6	9	15.0%	27.4	32,877	13.6%
Latina/Hispanic	144	40.3%	160.6	24	22.0%	26.8	28	31.5%	31.2	17	28.3%	19.0	89,639	37.1%
White	30	8.4%	37.3	21	19.3%	26.1	43	48.3%	53.5	31	51.7%	38.6	80,358	33.2%
Other/Multi/Not Specified	358	50.1%	-	144	56.9%	-	5	5.3%	-	2	3.2%	-	7,669	3.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Los Angeles County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population. Los Angeles County includes Long Beach & Pasadena City Health Jurisdictions.
 Source: California Department of Public Health, STD Control Branch

Los Angeles County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46,501	100.0%	449.4	8,894	100.0%	86.0	823	100.0%	8.0	850	100.0%	8.2	10,385,372	100.0%
Female Total	31,715	68.2%	606.2	3,858	43.4%	73.7	29	3.5%	0.6	77	9.1%	1.5	5,232,179	50.4%
Ages														
0 – 9	12	0.0%	1.7	3	0.1%	0.4	0	0.0%	0.0	0	0.0%	0.0	718,924	13.7%
10 – 14	313	1.0%	80.0	72	1.9%	18.4	0	0.0%	0.0	0	0.0%	0.0	391,222	7.5%
15 – 19	10,071	31.8%	2,428.1	1,294	33.6%	312.0	3	10.3%	0.7	10	13.0%	2.4	414,775	7.9%
20 – 24	11,639	36.8%	3,401.3	1,230	31.9%	359.5	9	31.0%	2.6	15	19.5%	4.4	342,188	6.5%
25 – 29	5,241	16.6%	1,578.9	614	15.9%	185.0	4	13.8%	1.2	16	20.8%	4.8	331,940	6.3%
30 – 34	2,257	7.1%	674.3	293	7.6%	87.5	3	10.3%	0.9	12	15.6%	3.6	334,741	6.4%
35 – 44	1,596	5.0%	204.9	255	6.6%	32.7	7	24.1%	0.9	10	13.0%	1.3	779,073	14.9%
45 +	522	1.6%	27.2	89	2.3%	4.6	3	10.3%	0.2	14	18.2%	0.7	1,919,316	36.7%
Not Specified	64	0.2%	-	8	0.2%	-	0	0.0%	-	0	0.0%	-		
Male Total	14,509	31.2%	281.6	4,963	55.8%	96.3	794	96.5%	15.4	772	90.8%	15.0	5,153,193	49.6%
Ages														
0 – 9	6	0.0%	0.8	2	0.0%	0.3	0	0.0%	0.0	0	0.0%	0.0	748,716	14.5%
10 – 14	78	0.5%	19.1	15	0.3%	3.7	0	0.0%	0.0	1	0.1%	0.2	409,368	7.9%
15 – 19	2,968	20.5%	682.8	695	14.0%	159.9	30	3.8%	6.9	16	2.1%	3.7	434,664	8.4%
20 – 24	4,610	31.9%	1,299.3	1,357	27.4%	382.4	115	14.5%	32.4	72	9.4%	20.3	354,820	6.9%
25 – 29	2,925	20.2%	874.3	947	19.1%	283.1	128	16.1%	38.3	128	16.6%	38.3	334,554	6.5%
30 – 34	1,496	10.4%	452.0	569	11.5%	171.9	124	15.6%	37.5	90	11.7%	27.2	330,945	6.4%
35 – 44	1,665	11.5%	202.3	882	17.8%	107.1	255	32.1%	31.0	286	37.2%	34.7	823,208	16.0%
45 +	703	4.9%	40.9	483	9.8%	28.1	142	17.9%	8.3	176	22.9%	10.3	1,716,918	33.3%
Not Specified	58	0.4%	-	13	0.3%	-	0	0.0%	-	3	0.4%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	46,501	100.0%	449.4	8,894	100.0%	86.0	823	100.0%	8.0	850	100.0%	8.2	10,385,372	100.0%
Female Total	31,715	68.2%	606.2	3,858	43.4%	73.7	29	3.5%	0.6	77	9.1%	1.5	5,232,179	50.4%
American Indian/Alaska Native	39	0.2%	248.7	8	0.2%	51.0	0	0.0%	0.0	0	0.0%	0.0	15,681	0.3%
Asian/Pacific Islander	1,227	4.9%	167.7	116	3.5%	15.8	1	3.6%	0.1	4	5.3%	0.5	731,874	14.0%
Black/African-American	7,670	30.7%	1,612.8	1,949	59.6%	409.8	11	39.3%	2.3	19	25.0%	4.0	475,570	9.1%
Latina/Hispanic	13,237	52.9%	544.9	810	24.8%	33.3	12	42.9%	0.5	48	63.2%	2.0	2,429,298	46.4%
White	2,828	11.3%	190.0	388	11.9%	26.1	4	14.3%	0.3	5	6.6%	0.3	1,488,111	28.4%
Other/Multi/Not Specified	6,714	21.2%	-	587	15.2%	-	1	3.4%	-	1	1.3%	-	91,645	1.8%
Male Total	14,509	31.2%	281.6	4,963	55.8%	96.3	794	96.5%	15.4	772	90.8%	15.0	5,153,193	49.6%
American Indian/Alaska Native	13	0.1%	87.5	9	0.2%	60.6	0	0.0%	0.0	3	0.4%	20.2	14,849	0.3%
Asian/Pacific Islander	459	4.2%	70.1	130	3.3%	19.8	37	4.9%	5.6	19	2.6%	2.9	654,965	12.7%
Black/African-American	3,766	34.7%	915.5	1,881	47.2%	457.2	124	16.3%	30.1	121	16.3%	29.4	411,381	8.0%
Latina/Hispanic	4,966	45.7%	197.9	1,054	26.5%	42.0	328	43.2%	13.1	346	46.6%	13.8	2,509,118	48.7%
White	1,659	15.3%	112.5	909	22.8%	61.6	270	35.6%	18.3	254	34.2%	17.2	1,474,700	28.6%
Other/Multi/Not Specified	3,646	25.1%	-	980	19.7%	-	35	4.4%	-	29	3.8%	-	88,180	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Los Angeles County, the July 1, 2008 estimate is 10,347,437).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Madera County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Madera County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	726	100.0%	477.8	63	100.0%	41.5	0	100.0%	0.0	0	100.0%	0.0	154,405	100.0%
Female Total	647	89.1%	812.3	54	85.7%	67.8	0	0.0%	0.0	0	0.0%	0.0	79,647	51.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,728	13.5%
10 – 14	3	0.5%	50.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,993	7.5%
15 – 19	144	22.3%	2,270.2	2	3.7%	31.5	0	0.0%	0.0	0	0.0%	0.0	6,343	8.0%
20 – 24	216	33.4%	4,616.4	11	20.4%	235.1	0	0.0%	0.0	0	0.0%	0.0	4,679	5.9%
25 – 29	136	21.0%	3,719.9	16	29.6%	437.6	0	0.0%	0.0	0	0.0%	0.0	3,656	4.6%
30 – 34	56	8.7%	1,160.9	8	14.8%	165.8	0	0.0%	0.0	0	0.0%	0.0	4,824	6.1%
35 – 44	63	9.7%	442.9	12	22.2%	84.4	0	0.0%	0.0	0	0.0%	0.0	14,226	17.9%
45 +	29	4.5%	99.3	5	9.3%	17.1	0	0.0%	0.0	0	0.0%	0.0	29,198	36.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	79	10.9%	105.7	9	14.3%	12.0	0	0.0%	0.0	0	0.0%	0.0	74,758	48.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,394	15.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,570	8.8%
15 – 19	13	16.5%	194.9	1	11.1%	15.0	0	0.0%	0.0	0	0.0%	0.0	6,669	8.9%
20 – 24	34	43.0%	698.3	2	22.2%	41.1	0	0.0%	0.0	0	0.0%	0.0	4,869	6.5%
25 – 29	17	21.5%	453.7	4	44.4%	106.8	0	0.0%	0.0	0	0.0%	0.0	3,747	5.0%
30 – 34	10	12.7%	253.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,944	5.3%
35 – 44	3	3.8%	27.2	1	11.1%	9.1	0	0.0%	0.0	0	0.0%	0.0	11,048	14.8%
45 +	2	2.5%	7.5	1	11.1%	3.8	0	0.0%	0.0	0	0.0%	0.0	26,517	35.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	726	100.0%	477.8	63	100.0%	41.5	0	100.0%	0.0	0	100.0%	0.0	154,405	100.0%
Female Total	647	89.1%	812.3	54	85.7%	67.8	0	0.0%	0.0	0	0.0%	0.0	79,647	51.6%
American Indian/Alaska Native	3	1.0%	214.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,399	1.8%
Asian/Pacific Islander	5	1.7%	462.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,082	1.4%
Black/African-American	9	3.1%	272.1	1	10.0%	30.2	0	0.0%	0.0	0	0.0%	0.0	3,307	4.2%
Latina/Hispanic	242	83.7%	671.1	7	70.0%	19.4	0	0.0%	0.0	0	0.0%	0.0	36,062	45.3%
White	30	10.4%	82.7	2	20.0%	5.5	0	0.0%	0.0	0	0.0%	0.0	36,281	45.6%
Other/Multi/Not Specified	358	55.3%	-	44	81.5%	-	0	0.0%	-	0	0.0%	-	1,516	1.9%
Male Total	79	10.9%	105.7	9	14.3%	12.0	0	0.0%	0.0	0	0.0%	0.0	74,758	48.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	934	1.2%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	867	1.2%
Black/African-American	4	7.8%	365.0	3	50.0%	273.7	0	0.0%	0.0	0	0.0%	0.0	1,096	1.5%
Latina/Hispanic	38	74.5%	101.2	3	50.0%	8.0	0	0.0%	0.0	0	0.0%	0.0	37,546	50.2%
White	9	17.6%	27.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	33,203	44.4%
Other/Multi/Not Specified	28	35.4%	-	3	33.3%	-	0	0.0%	-	0	0.0%	-	1,112	1.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Madera County, the July 1, 2008 estimate is 151,938).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Marin County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Marin County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	513	100.0%	199.2	67	100.0%	26.0	6	100.0%	2.3	1	100.0%	0.4	253,331	100.0%
Female Total	290	56.5%	226.6	30	44.8%	23.4	0	0.0%	0.0	1	100.0%	0.8	127,954	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,716	11.5%
10 – 14	5	1.7%	67.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,412	5.8%
15 – 19	90	31.1%	1,223.7	13	43.3%	176.8	0	0.0%	0.0	1	100.0%	13.6	7,355	5.7%
20 – 24	112	38.8%	1,618.0	8	26.7%	115.6	0	0.0%	0.0	0	0.0%	0.0	6,922	5.4%
25 – 29	45	15.6%	928.8	7	23.3%	144.5	0	0.0%	0.0	0	0.0%	0.0	4,845	3.8%
30 – 34	17	5.9%	352.4	1	3.3%	20.7	0	0.0%	0.0	0	0.0%	0.0	4,824	3.8%
35 – 44	15	5.2%	93.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,111	12.6%
45 +	5	1.7%	7.6	1	3.3%	1.5	0	0.0%	0.0	0	0.0%	0.0	65,769	51.4%
Not Specified	1	0.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	223	43.5%	177.9	37	55.2%	29.5	6	100.0%	4.8	0	0.0%	0.0	125,377	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,259	12.2%
10 – 14	1	0.5%	13.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,208	5.7%
15 – 19	21	9.5%	258.3	4	11.1%	49.2	0	0.0%	0.0	0	0.0%	0.0	8,131	6.5%
20 – 24	79	35.6%	912.7	5	13.9%	57.8	0	0.0%	0.0	0	0.0%	0.0	8,656	6.9%
25 – 29	66	29.7%	1,026.1	9	25.0%	139.9	1	16.7%	15.5	0	0.0%	0.0	6,432	5.1%
30 – 34	22	9.9%	368.8	4	11.1%	67.1	2	33.3%	33.5	0	0.0%	0.0	5,965	4.8%
35 – 44	24	10.8%	146.2	6	16.7%	36.6	1	16.7%	6.1	0	0.0%	0.0	16,415	13.1%
45 +	9	4.1%	15.7	8	22.2%	14.0	2	33.3%	3.5	0	0.0%	0.0	57,311	45.7%
Not Specified	1	0.4%	-	1	2.7%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	513	100.0%	199.2	67	100.0%	26.0	6	100.0%	2.3	1	100.0%	0.4	253,331	100.0%
Female Total	290	56.5%	226.6	30	44.8%	23.4	0	0.0%	0.0	1	100.0%	0.8	127,954	50.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	293	0.2%
Asian/Pacific Islander	8	3.4%	127.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,296	4.9%
Black/African-American	12	5.1%	475.2	4	16.7%	158.4	0	0.0%	0.0	1	100.0%	39.6	2,525	2.0%
Latina/Hispanic	84	35.7%	409.4	9	37.5%	43.9	0	0.0%	0.0	0	0.0%	0.0	20,518	16.0%
White	131	55.7%	137.1	11	45.8%	11.5	0	0.0%	0.0	0	0.0%	0.0	95,544	74.7%
Other/Multi/Not Specified	55	19.0%	-	6	20.0%	-	0	0.0%	-	0	0.0%	-	2,778	2.2%
Male Total	223	43.5%	177.9	37	55.2%	29.5	6	100.0%	4.8	0	0.0%	0.0	125,377	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	382	0.3%
Asian/Pacific Islander	5	3.1%	97.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,151	4.1%
Black/African-American	13	8.1%	255.4	5	15.6%	98.2	2	33.3%	39.3	0	0.0%	0.0	5,091	4.1%
Latina/Hispanic	50	31.1%	221.0	6	18.8%	26.5	3	50.0%	13.3	0	0.0%	0.0	22,625	18.0%
White	93	57.8%	103.8	21	65.6%	23.4	1	16.7%	1.1	0	0.0%	0.0	89,580	71.4%
Other/Multi/Not Specified	62	27.8%	-	5	13.5%	-	0	0.0%	-	0	0.0%	-	2,548	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Marin County, the July 1, 2008 estimate is 257,522).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mariposa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - - Male



s Numbers suppressed for confidentiality
 * Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Mariposa County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	14	100.0%	76.5	2	100.0%	10.9	0	100.0%	0.0	0	100.0%	0.0	18,772	100.0%
Female Total	10	71.4%	108.9	2	100.0%	21.8	0	0.0%	0.0	0	0.0%	0.0	9,186	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	763	8.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	466	5.1%
15 – 19	3	30.0%	488.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	614	6.7%
20 – 24	3	30.0%	540.5	2	100.0%	360.4	0	0.0%	0.0	0	0.0%	0.0	555	6.0%
25 – 29	4	40.0%	1,169.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	342	3.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	314	3.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,052	11.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,080	55.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	3	21.4%	31.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,586	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	684	7.1%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	454	4.7%
15 – 19	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	646	6.7%
20 – 24	1	33.3%	172.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	580	6.1%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	568	5.9%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	417	4.4%
35 – 44	2	66.7%	179.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,112	11.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,125	53.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	14	100.0%	76.5	2	100.0%	10.9	0	100.0%	0.0	0	100.0%	0.0	18,772	100.0%
Female Total	10	71.4%	108.9	2	100.0%	21.8	0	0.0%	0.0	0	0.0%	0.0	9,186	48.9%
American Indian/Alaska Native	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	298	3.2%
Asian/Pacific Islander	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	94	1.0%
Black/African-American	s	s	s	s	s	s	0	0.0%	0.0	0	0.0%	0.0	39	0.4%
Latina/Hispanic	1	11.1%	153.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	651	7.1%
White	7	77.8%	89.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,854	85.5%
Other/Multi/Not Specified	1	10.0%	-	1	50.0%	-	0	0.0%	-	0	0.0%	-	250	2.7%
Male Total	3	21.4%	31.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,586	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	300	3.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	83	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	83	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	785	8.2%
White	1	100.0%	12.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,059	84.1%
Other/Multi/Not Specified	2	66.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	276	2.9%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mariposa County, the July 1, 2008 estimate is 18,297).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mendocino County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Mendocino County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	246	100.0%	273.2	12	100.0%	13.3	2	100.0%	2.2	0	100.0%	0.0	91,794	100.0%
Female Total	181	73.6%	393.8	9	75.0%	19.6	0	0.0%	0.0	0	0.0%	0.0	45,966	50.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,414	11.8%
10 – 14	8	4.5%	289.1	1	11.1%	36.1	0	0.0%	0.0	0	0.0%	0.0	2,767	6.0%
15 – 19	70	39.1%	2,202.0	3	33.3%	94.4	0	0.0%	0.0	0	0.0%	0.0	3,179	6.9%
20 – 24	62	34.6%	1,780.1	1	11.1%	28.7	0	0.0%	0.0	0	0.0%	0.0	3,483	7.6%
25 – 29	20	11.2%	719.4	2	22.2%	71.9	0	0.0%	0.0	0	0.0%	0.0	2,780	6.0%
30 – 34	9	5.0%	408.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,205	4.8%
35 – 44	9	5.0%	180.8	2	22.2%	40.2	0	0.0%	0.0	0	0.0%	0.0	4,977	10.8%
45 +	1	0.6%	4.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,161	46.0%
Not Specified	2	1.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	64	26.0%	139.7	3	25.0%	6.5	2	100.0%	4.4	0	0.0%	0.0	45,828	49.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,686	12.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,830	6.2%
15 – 19	11	17.5%	327.8	1	33.3%	29.8	0	0.0%	0.0	0	0.0%	0.0	3,356	7.3%
20 – 24	31	49.2%	825.3	1	33.3%	26.6	0	0.0%	0.0	0	0.0%	0.0	3,756	8.2%
25 – 29	14	22.2%	425.1	1	33.3%	30.4	0	0.0%	0.0	0	0.0%	0.0	3,293	7.2%
30 – 34	5	7.9%	195.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,561	5.6%
35 – 44	2	3.2%	38.0	0	0.0%	0.0	2	100.0%	38.0	0	0.0%	0.0	5,263	11.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,083	41.6%
Not Specified	1	1.6%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	246	100.0%	273.2	12	100.0%	13.3	2	100.0%	2.2	0	100.0%	0.0	91,794	100.0%
Female Total	181	73.6%	393.8	9	75.0%	19.6	0	0.0%	0.0	0	0.0%	0.0	45,966	50.1%
American Indian/Alaska Native	6	3.3%	212.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,818	6.1%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	716	1.6%
Black/African-American	0	0.0%	0.0	1	11.1%	515.5	0	0.0%	0.0	0	0.0%	0.0	194	0.4%
Latina/Hispanic	24	13.3%	288.3	1	11.1%	12.0	0	0.0%	0.0	0	0.0%	0.0	8,324	18.1%
White	151	83.4%	460.3	7	77.8%	21.3	0	0.0%	0.0	0	0.0%	0.0	32,803	71.4%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	1,111	2.4%
Male Total	64	26.0%	139.7	3	25.0%	6.5	2	100.0%	4.4	0	0.0%	0.0	45,828	49.9%
American Indian/Alaska Native	1	1.6%	38.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,629	5.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	506	1.1%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	321	0.7%
Latina/Hispanic	5	7.8%	50.8	0	0.0%	0.0	1	50.0%	10.2	0	0.0%	0.0	9,842	21.5%
White	58	90.6%	183.6	3	100.0%	9.5	1	50.0%	3.2	0	0.0%	0.0	31,584	68.9%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	946	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Mendocino County, the July 1, 2008 estimate is 90,051).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Merced County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Merced County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	877	100.0%	342.4	84	100.0%	32.8	5	100.0%	2.0	0	100.0%	0.0	261,587	100.0%
Female Total	700	79.8%	539.4	52	61.9%	40.1	1	20.0%	0.8	0	0.0%	0.0	129,775	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	21,587	16.6%
10 – 14	6	0.9%	55.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,799	8.3%
15 – 19	211	30.1%	1,799.7	13	25.0%	110.9	0	0.0%	0.0	0	0.0%	0.0	11,724	9.0%
20 – 24	269	38.4%	2,424.7	14	26.9%	126.2	0	0.0%	0.0	0	0.0%	0.0	11,094	8.5%
25 – 29	127	18.1%	1,279.3	11	21.2%	110.8	1	100.0%	10.1	0	0.0%	0.0	9,927	7.6%
30 – 34	51	7.3%	594.3	6	11.5%	69.9	0	0.0%	0.0	0	0.0%	0.0	8,582	6.6%
35 – 44	27	3.9%	160.4	4	7.7%	23.8	0	0.0%	0.0	0	0.0%	0.0	16,829	13.0%
45 +	9	1.3%	22.9	4	7.7%	10.2	0	0.0%	0.0	0	0.0%	0.0	39,233	30.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	176	20.1%	133.5	32	38.1%	24.3	4	80.0%	3.0	0	0.0%	0.0	131,812	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,367	17.0%
10 – 14	0	0.0%	0.0	1	3.1%	8.9	0	0.0%	0.0	0	0.0%	0.0	11,236	8.5%
15 – 19	34	19.3%	279.2	7	21.9%	57.5	1	25.0%	8.2	0	0.0%	0.0	12,178	9.2%
20 – 24	65	36.9%	530.4	10	31.3%	81.6	1	25.0%	8.2	0	0.0%	0.0	12,254	9.3%
25 – 29	47	26.7%	408.9	7	21.9%	60.9	0	0.0%	0.0	0	0.0%	0.0	11,495	8.7%
30 – 34	15	8.5%	159.0	3	9.4%	31.8	1	25.0%	10.6	0	0.0%	0.0	9,431	7.2%
35 – 44	11	6.3%	63.5	3	9.4%	17.3	1	25.0%	5.8	0	0.0%	0.0	17,336	13.2%
45 +	4	2.3%	11.3	1	3.1%	2.8	0	0.0%	0.0	0	0.0%	0.0	35,515	26.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	877	100.0%	342.4	84	100.0%	32.8	5	100.0%	2.0	0	100.0%	0.0	261,587	100.0%
Female Total	700	79.8%	539.4	52	61.9%	40.1	1	20.0%	0.8	0	0.0%	0.0	129,775	49.6%
American Indian/Alaska Native	1	0.2%	166.4	1	2.7%	166.4	0	0.0%	0.0	0	0.0%	0.0	601	0.5%
Asian/Pacific Islander	32	6.8%	398.2	1	2.7%	12.4	0	0.0%	0.0	0	0.0%	0.0	8,036	6.2%
Black/African-American	63	13.4%	1,847.5	13	35.1%	381.2	1	100.0%	29.3	0	0.0%	0.0	3,410	2.6%
Latina/Hispanic	255	54.3%	368.7	9	24.3%	13.0	0	0.0%	0.0	0	0.0%	0.0	69,166	53.3%
White	119	25.3%	255.9	13	35.1%	28.0	0	0.0%	0.0	0	0.0%	0.0	46,497	35.8%
Other/Multi/Not Specified	230	32.9%	-	15	28.8%	-	0	0.0%	-	0	0.0%	-	2,065	1.6%
Male Total	176	20.1%	133.5	32	38.1%	24.3	4	80.0%	3.0	0	0.0%	0.0	131,812	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	613	0.5%
Asian/Pacific Islander	15	12.2%	191.6	3	14.3%	38.3	0	0.0%	0.0	0	0.0%	0.0	7,829	5.9%
Black/African-American	16	13.0%	442.5	8	38.1%	221.2	0	0.0%	0.0	0	0.0%	0.0	3,616	2.7%
Latina/Hispanic	63	51.2%	85.7	4	19.0%	5.4	3	75.0%	4.1	0	0.0%	0.0	73,549	55.8%
White	29	23.6%	65.4	6	28.6%	13.5	1	25.0%	2.3	0	0.0%	0.0	44,363	33.7%
Other/Multi/Not Specified	53	30.1%	-	11	34.4%	-	0	0.0%	-	0	0.0%	-	1,842	1.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Merced County, the July 1, 2008 estimate is 256,114).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Modoc County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female □ Male

— Female - - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Modoc County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	12	100.0%	123.4	1	100.0%	10.3	0	100.0%	0.0	0	100.0%	0.0	10,562	100.0%
Female Total	10	83.3%	192.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,206	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	464	8.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	337	6.5%
15 – 19	6	60.0%	1,604.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	374	7.2%
20 – 24	1	10.0%	250.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	399	7.7%
25 – 29	1	10.0%	404.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	247	4.7%
30 – 34	2	20.0%	1,069.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	187	3.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	547	10.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,651	50.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2	16.7%	37.3	1	100.0%	18.7	0	0.0%	0.0	0	0.0%	0.0	5,356	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	503	9.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	359	6.7%
15 – 19	1	50.0%	241.5	1	100.0%	241.5	0	0.0%	0.0	0	0.0%	0.0	414	7.7%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	468	8.7%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	297	5.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	183	3.4%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	596	11.1%
45 +	1	50.0%	39.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,536	47.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	12	100.0%	123.4	1	100.0%	10.3	0	100.0%	0.0	0	100.0%	0.0	10,562	100.0%
Female Total	10	83.3%	192.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,206	49.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	182	3.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16	0.3%
Latina/Hispanic	2	25.0%	400.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	499	9.6%
White	6	75.0%	138.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,342	83.4%
Other/Multi/Not Specified	2	20.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	128	2.5%
Male Total	2	16.7%	37.3	1	100.0%	18.7	0	0.0%	0.0	0	0.0%	0.0	5,356	50.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	194	3.6%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30	0.6%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	49	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	605	11.3%
White	2	100.0%	46.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,348	81.2%
Other/Multi/Not Specified	0	0.0%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	130	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Modoc County, the July 1, 2008 estimate is 9,727).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Mono County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female □ Male

— Female - - - Male



s Numbers suppressed for confidentiality
 * Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Mono County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	22	100.0%	160.3	2	100.0%	14.6	0	100.0%	0.0	0	100.0%	0.0	14,351	100.0%
Female Total	12	54.5%	180.0	1	50.0%	15.0	0	0.0%	0.0	0	0.0%	0.0	6,665	46.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	777	11.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	419	6.3%
15 – 19	2	18.2%	392.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	509	7.6%
20 – 24	2	18.2%	441.5	1	100.0%	220.8	0	0.0%	0.0	0	0.0%	0.0	453	6.8%
25 – 29	4	36.4%	1,028.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	389	5.8%
30 – 34	1	9.1%	228.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	437	6.6%
35 – 44	2	18.2%	227.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	878	13.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,803	42.1%
Not Specified	1	8.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	8	36.4%	104.1	1	50.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	7,686	53.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	807	10.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	391	5.1%
15 – 19	1	12.5%	204.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	489	6.4%
20 – 24	5	62.5%	891.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	561	7.3%
25 – 29	2	25.0%	326.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	612	8.0%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	633	8.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,122	14.6%
45 +	0	0.0%	0.0	1	100.0%	32.6	0	0.0%	0.0	0	0.0%	0.0	3,071	40.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	22	100.0%	160.3	2	100.0%	14.6	0	100.0%	0.0	0	100.0%	0.0	14,351	100.0%
Female Total	12	54.5%	180.0	1	50.0%	15.0	0	0.0%	0.0	0	0.0%	0.0	6,665	46.4%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	138	2.1%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	88	1.3%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	17	0.3%
Latina/Hispanic	5	55.6%	281.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,775	26.6%
White	3	33.3%	66.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,536	68.1%
Other/Multi/Not Specified	3	25.0%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	111	1.7%
Male Total	8	36.4%	104.1	1	50.0%	13.0	0	0.0%	0.0	0	0.0%	0.0	7,686	53.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	157	2.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	93	1.2%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	52	0.7%
Latina/Hispanic	3	60.0%	146.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,047	26.6%
White	2	40.0%	38.4	1	100.0%	19.2	0	0.0%	0.0	0	0.0%	0.0	5,206	67.7%
Other/Multi/Not Specified	3	37.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	131	1.7%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Mono County, the July 1, 2008 estimate is 13,726).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Monterey County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Monterey County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,334	100.0%	310.9	133	100.0%	31.0	1	100.0%	0.2	0	100.0%	0.0	427,571	100.0%
Female Total	1,027	77.0%	491.6	66	49.6%	31.6	0	0.0%	0.0	0	0.0%	0.0	208,908	48.9%
Ages														
0 – 9	1	0.1%	2.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34,372	16.5%
10 – 14	4	0.4%	26.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,113	7.2%
15 – 19	296	28.8%	1,880.3	13	19.7%	82.6	0	0.0%	0.0	0	0.0%	0.0	15,742	7.5%
20 – 24	375	36.5%	2,617.6	21	31.8%	146.6	0	0.0%	0.0	0	0.0%	0.0	14,326	6.9%
25 – 29	196	19.1%	1,393.0	14	21.2%	99.5	0	0.0%	0.0	0	0.0%	0.0	14,070	6.7%
30 – 34	82	8.0%	610.8	5	7.6%	37.2	0	0.0%	0.0	0	0.0%	0.0	13,425	6.4%
35 – 44	56	5.5%	208.5	10	15.2%	37.2	0	0.0%	0.0	0	0.0%	0.0	26,861	12.9%
45 +	16	1.6%	21.3	3	4.5%	4.0	0	0.0%	0.0	0	0.0%	0.0	74,999	35.9%
Not Specified	1	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	306	22.9%	139.9	67	50.4%	30.6	1	100.0%	0.5	0	0.0%	0.0	218,663	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	36,057	16.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,769	7.2%
15 – 19	43	14.2%	255.5	10	14.9%	59.4	1	100.0%	5.9	0	0.0%	0.0	16,828	7.7%
20 – 24	122	40.4%	663.0	19	28.4%	103.2	0	0.0%	0.0	0	0.0%	0.0	18,402	8.4%
25 – 29	73	24.2%	363.9	11	16.4%	54.8	0	0.0%	0.0	0	0.0%	0.0	20,058	9.2%
30 – 34	33	10.9%	207.4	10	14.9%	62.8	0	0.0%	0.0	0	0.0%	0.0	15,914	7.3%
35 – 44	27	8.9%	99.1	10	14.9%	36.7	0	0.0%	0.0	0	0.0%	0.0	27,256	12.5%
45 +	4	1.3%	5.8	7	10.4%	10.2	0	0.0%	0.0	0	0.0%	0.0	68,379	31.3%
Not Specified	4	1.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,334	100.0%	310.9	133	100.0%	31.0	1	100.0%	0.2	0	100.0%	0.0	427,571	100.0%
Female Total	1,027	77.0%	491.6	66	49.6%	31.6	0	0.0%	0.0	0	0.0%	0.0	208,908	48.9%
American Indian/Alaska Native	3	0.4%	325.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	923	0.4%
Asian/Pacific Islander	24	3.3%	162.4	1	2.3%	6.8	0	0.0%	0.0	0	0.0%	0.0	14,776	7.1%
Black/African-American	37	5.0%	1,042.3	2	4.5%	56.3	0	0.0%	0.0	0	0.0%	0.0	3,550	1.7%
Latina/Hispanic	569	77.6%	508.4	30	68.2%	26.8	0	0.0%	0.0	0	0.0%	0.0	111,915	53.6%
White	100	13.6%	137.4	11	25.0%	15.1	0	0.0%	0.0	0	0.0%	0.0	72,778	34.8%
Other/Multi/Not Specified	294	28.6%	-	22	33.3%	-	0	0.0%	-	0	0.0%	-	4,966	2.4%
Male Total	306	22.9%	139.9	67	50.4%	30.6	1	100.0%	0.5	0	0.0%	0.0	218,663	51.1%
American Indian/Alaska Native	1	0.5%	96.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,035	0.5%
Asian/Pacific Islander	6	2.9%	45.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,324	6.1%
Black/African-American	11	5.4%	142.2	5	9.4%	64.7	0	0.0%	0.0	0	0.0%	0.0	7,733	3.5%
Latina/Hispanic	148	72.5%	118.8	36	67.9%	28.9	1	100.0%	0.8	0	0.0%	0.0	124,542	57.0%
White	38	18.6%	56.5	12	22.6%	17.8	0	0.0%	0.0	0	0.0%	0.0	67,313	30.8%
Other/Multi/Not Specified	102	33.3%	-	14	20.9%	-	0	0.0%	-	0	0.0%	-	4,716	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Monterey County, the July 1, 2008 estimate is 429,083).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Napa County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Napa County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	248	100.0%	181.0	21	100.0%	15.3	2	100.0%	1.5	1	100.0%	0.7	138,956	100.0%
Female Total	191	77.0%	274.1	12	57.1%	17.2	0	0.0%	0.0	0	0.0%	0.0	69,687	50.2%
Ages														
0 – 9	1	0.5%	10.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,261	13.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,804	6.9%
15 – 19	62	32.5%	1,274.1	2	16.7%	41.1	0	0.0%	0.0	0	0.0%	0.0	4,866	7.0%
20 – 24	73	38.2%	1,582.8	4	33.3%	86.7	0	0.0%	0.0	0	0.0%	0.0	4,612	6.6%
25 – 29	31	16.2%	728.4	5	41.7%	117.5	0	0.0%	0.0	0	0.0%	0.0	4,256	6.1%
30 – 34	12	6.3%	352.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,405	4.9%
35 – 44	11	5.8%	130.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,413	12.1%
45 +	1	0.5%	3.3	1	8.3%	3.3	0	0.0%	0.0	0	0.0%	0.0	30,070	43.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	57	23.0%	82.3	9	42.9%	13.0	2	100.0%	2.9	1	100.0%	1.4	69,269	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,875	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,852	7.0%
15 – 19	6	10.5%	122.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,910	7.1%
20 – 24	18	31.6%	365.3	2	22.2%	40.6	0	0.0%	0.0	1	100.0%	20.3	4,928	7.1%
25 – 29	14	24.6%	288.3	4	44.4%	82.4	1	50.0%	20.6	0	0.0%	0.0	4,856	7.0%
30 – 34	5	8.8%	124.9	1	11.1%	25.0	1	50.0%	25.0	0	0.0%	0.0	4,004	5.8%
35 – 44	8	14.0%	90.3	2	22.2%	22.6	0	0.0%	0.0	0	0.0%	0.0	8,863	12.8%
45 +	6	10.5%	22.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	26,981	39.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	248	100.0%	181.0	21	100.0%	15.3	2	100.0%	1.5	1	100.0%	0.7	138,956	100.0%
Female Total	191	77.0%	274.1	12	57.1%	17.2	0	0.0%	0.0	0	0.0%	0.0	69,687	50.2%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	324	0.5%
Asian/Pacific Islander	3	2.7%	79.0	1	12.5%	26.3	0	0.0%	0.0	0	0.0%	0.0	3,798	5.5%
Black/African-American	3	2.7%	443.1	1	12.5%	147.7	0	0.0%	0.0	0	0.0%	0.0	677	1.0%
Latina/Hispanic	64	57.1%	313.1	3	37.5%	14.7	0	0.0%	0.0	0	0.0%	0.0	20,440	29.3%
White	42	37.5%	97.3	3	37.5%	6.9	0	0.0%	0.0	0	0.0%	0.0	43,185	62.0%
Other/Multi/Not Specified	79	41.4%	-	4	33.3%	-	0	0.0%	-	0	0.0%	-	1,263	1.8%
Male Total	57	23.0%	82.3	9	42.9%	13.0	2	100.0%	2.9	1	100.0%	1.4	69,269	49.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	365	0.5%
Asian/Pacific Islander	1	2.9%	28.8	0	0.0%	0.0	1	50.0%	28.8	0	0.0%	0.0	3,472	5.0%
Black/African-American	2	5.7%	199.8	2	40.0%	199.8	0	0.0%	0.0	0	0.0%	0.0	1,001	1.4%
Latina/Hispanic	20	57.1%	88.6	1	20.0%	4.4	1	50.0%	4.4	0	0.0%	0.0	22,586	32.6%
White	12	34.3%	29.6	2	40.0%	4.9	0	0.0%	0.0	0	0.0%	0.0	40,576	58.6%
Other/Multi/Not Specified	22	38.6%	-	4	44.4%	-	0	0.0%	-	1	100.0%	-	1,269	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Napa County, the July 1, 2008 estimate is 137,010).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Nevada County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Nevada County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	138	100.0%	139.2	7	100.0%	7.1	0	100.0%	0.0	0	100.0%	0.0	101,012	100.0%
Female Total	99	71.7%	195.2	4	57.1%	7.9	0	0.0%	0.0	0	0.0%	0.0	50,714	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,961	7.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,781	5.5%
15 – 19	55	56.1%	1,508.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,645	7.2%
20 – 24	25	25.5%	800.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,123	6.2%
25 – 29	12	12.2%	780.2	3	75.0%	195.1	0	0.0%	0.0	0	0.0%	0.0	1,538	3.0%
30 – 34	5	5.1%	353.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,413	2.8%
35 – 44	1	1.0%	15.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,290	12.4%
45 +	0	0.0%	0.0	1	25.0%	3.6	0	0.0%	0.0	0	0.0%	0.0	27,963	55.1%
Not Specified	1	1.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	39	28.3%	77.5	3	42.9%	6.0	0	0.0%	0.0	0	0.0%	0.0	50,298	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,350	8.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,081	6.1%
15 – 19	14	35.9%	353.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,966	7.9%
20 – 24	14	35.9%	382.2	1	33.3%	27.3	0	0.0%	0.0	0	0.0%	0.0	3,663	7.3%
25 – 29	4	10.3%	191.2	1	33.3%	47.8	0	0.0%	0.0	0	0.0%	0.0	2,092	4.2%
30 – 34	5	12.8%	319.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,564	3.1%
35 – 44	1	2.6%	16.6	1	33.3%	16.6	0	0.0%	0.0	0	0.0%	0.0	6,030	12.0%
45 +	1	2.6%	3.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	25,552	50.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	138	100.0%	139.2	7	100.0%	7.1	0	100.0%	0.0	0	100.0%	0.0	101,012	100.0%
Female Total	99	71.7%	195.2	4	57.1%	7.9	0	0.0%	0.0	0	0.0%	0.0	50,714	50.2%
American Indian/Alaska Native	0	0.0%	0.0	2	100.0%	554.0	0	0.0%	0.0	0	0.0%	0.0	361	0.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	485	1.0%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	106	0.2%
Latina/Hispanic	8	14.8%	261.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,065	6.0%
White	46	85.2%	100.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	45,725	90.2%
Other/Multi/Not Specified	45	45.5%	-	2	50.0%	-	0	0.0%	-	0	0.0%	-	972	1.9%
Male Total	39	28.3%	77.5	3	42.9%	6.0	0	0.0%	0.0	0	0.0%	0.0	50,298	49.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	361	0.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	377	0.7%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	157	0.3%
Latina/Hispanic	2	8.7%	60.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,288	6.5%
White	21	91.3%	46.5	2	100.0%	4.4	0	0.0%	0.0	0	0.0%	0.0	45,149	89.8%
Other/Multi/Not Specified	16	41.0%	-	1	33.3%	-	0	0.0%	-	0	0.0%	-	966	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Nevada County, the July 1, 2008 estimate is 99,116).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Orange County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Orange County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,326	100.0%	266.4	843	100.0%	27.0	99	100.0%	3.2	60	100.0%	1.9	3,152,642	100.0%
Female Total	6,060	72.8%	381.8	315	37.4%	19.8	2	2.0%	0.1	7	11.7%	0.4	1,587,058	50.3%
Ages														
0 – 9	2	0.0%	0.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	214,844	13.5%
10 – 14	31	0.5%	28.8	4	1.3%	3.7	0	0.0%	0.0	0	0.0%	0.0	107,489	6.8%
15 – 19	1,614	26.7%	1,415.6	77	24.5%	67.5	0	0.0%	0.0	2	28.6%	1.8	114,014	7.2%
20 – 24	2,287	37.8%	2,213.3	100	31.8%	96.8	0	0.0%	0.0	1	14.3%	1.0	103,331	6.5%
25 – 29	1,087	18.0%	1,040.8	53	16.9%	50.7	0	0.0%	0.0	1	14.3%	1.0	104,439	6.6%
30 – 34	496	8.2%	456.9	36	11.5%	33.2	0	0.0%	0.0	1	14.3%	0.9	108,550	6.8%
35 – 44	409	6.8%	166.2	31	9.9%	12.6	2	100.0%	0.8	1	14.3%	0.4	246,065	15.5%
45 +	126	2.1%	21.4	13	4.1%	2.2	0	0.0%	0.0	1	14.3%	0.2	588,326	37.1%
Not Specified	8	0.1%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,253	27.1%	143.9	526	62.4%	33.6	97	98.0%	6.2	53	88.3%	3.4	1,565,584	49.7%
Ages														
0 – 9	1	0.0%	0.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	224,138	14.3%
10 – 14	8	0.4%	7.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	112,726	7.2%
15 – 19	366	16.3%	303.9	49	9.3%	40.7	5	5.2%	4.2	2	3.8%	1.7	120,443	7.7%
20 – 24	781	34.7%	707.9	156	29.7%	141.4	16	16.5%	14.5	6	11.3%	5.4	110,328	7.0%
25 – 29	502	22.3%	444.2	111	21.1%	98.2	9	9.3%	8.0	12	22.6%	10.6	113,018	7.2%
30 – 34	259	11.5%	232.3	59	11.2%	52.9	17	17.5%	15.2	6	11.3%	5.4	111,497	7.1%
35 – 44	229	10.2%	92.5	88	16.7%	35.6	30	30.9%	12.1	20	37.7%	8.1	247,435	15.8%
45 +	103	4.6%	19.6	63	12.0%	12.0	20	20.6%	3.8	7	13.2%	1.3	525,999	33.6%
Not Specified	4	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,326	100.0%	266.4	843	100.0%	27.0	99	100.0%	3.2	60	100.0%	1.9	3,152,642	100.0%
Female Total	6,060	72.8%	381.8	315	37.4%	19.8	2	2.0%	0.1	7	11.7%	0.4	1,587,058	50.3%
American Indian/Alaska Native	3	0.1%	49.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,110	0.4%
Asian/Pacific Islander	331	8.2%	127.2	12	6.4%	4.6	0	0.0%	0.0	1	14.3%	0.4	260,144	16.4%
Black/African-American	76	1.9%	356.9	13	6.9%	61.0	0	0.0%	0.0	0	0.0%	0.0	21,297	1.3%
Latina/Hispanic	3,171	78.4%	587.1	133	70.7%	24.6	0	0.0%	0.0	4	57.1%	0.7	540,114	34.0%
White	465	11.5%	63.8	30	16.0%	4.1	2	100.0%	0.3	2	28.6%	0.3	728,955	45.9%
Other/Multi/Not Specified	2,014	33.2%	-	127	40.3%	-	0	0.0%	-	0	0.0%	-	30,438	1.9%
Male Total	2,253	27.1%	143.9	526	62.4%	33.6	97	98.0%	6.2	53	88.3%	3.4	1,565,584	49.7%
American Indian/Alaska Native	3	0.2%	50.4	0	0.0%	0.0	2	2.1%	33.6	0	0.0%	0.0	5,949	0.4%
Asian/Pacific Islander	98	6.9%	40.1	16	5.2%	6.5	9	9.6%	3.7	1	1.9%	0.4	244,404	15.6%
Black/African-American	38	2.7%	165.0	13	4.2%	56.4	6	6.4%	26.0	3	5.7%	13.0	23,037	1.5%
Latina/Hispanic	1,089	76.8%	195.0	196	64.1%	35.1	31	33.0%	5.6	31	58.5%	5.6	558,391	35.7%
White	190	13.4%	27.0	81	26.5%	11.5	46	48.9%	6.5	18	34.0%	2.6	703,443	44.9%
Other/Multi/Not Specified	835	37.1%	-	220	41.8%	-	3	3.1%	-	0	0.0%	-	30,360	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Orange County, the July 1, 2008 estimate is 3,125,756).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Pasadena City – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Pasadena City – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	446	100.0%	301.5	69	100.0%	46.6	11	100.0%	7.4	7	100.0%	4.7	147,948	100.0%
Female Total	324	72.6%	428.6	33	47.8%	43.7	0	0.0%	0.0	2	28.6%	2.6	75,601	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,084	13.3%
10 – 14	2	0.6%	45.9	1	3.0%	23.0	0	0.0%	0.0	0	0.0%	0.0	4,353	5.8%
15 – 19	96	30.1%	2,521.0	15	45.5%	393.9	0	0.0%	0.0	0	0.0%	0.0	3,808	5.0%
20 – 24	119	37.3%	2,445.0	10	30.3%	205.5	0	0.0%	0.0	0	0.0%	0.0	4,867	6.4%
25 – 29	52	16.3%	780.0	4	12.1%	60.0	0	0.0%	0.0	0	0.0%	0.0	6,667	8.8%
30 – 34	25	7.8%	372.3	1	3.0%	14.9	0	0.0%	0.0	2	100.0%	29.8	6,715	8.9%
35 – 44	20	6.3%	165.2	2	6.1%	16.5	0	0.0%	0.0	0	0.0%	0.0	12,108	16.0%
45 +	5	1.6%	18.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	26,999	35.7%
Not Specified	5	1.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	115	25.8%	159.0	36	52.2%	49.8	11	100.0%	15.2	5	71.4%	6.9	72,347	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,377	14.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,596	6.4%
15 – 19	18	15.9%	405.3	2	5.6%	45.0	1	9.1%	22.5	1	20.0%	22.5	4,441	6.1%
20 – 24	33	29.2%	606.2	8	22.2%	147.0	1	9.1%	18.4	1	20.0%	18.4	5,444	7.5%
25 – 29	29	25.7%	419.8	6	16.7%	86.9	1	9.1%	14.5	0	0.0%	0.0	6,908	9.5%
30 – 34	11	9.7%	156.2	6	16.7%	85.2	0	0.0%	0.0	1	20.0%	14.2	7,042	9.7%
35 – 44	16	14.2%	131.2	10	27.8%	82.0	3	27.3%	24.6	1	20.0%	8.2	12,198	16.9%
45 +	6	5.3%	28.1	4	11.1%	18.7	5	45.5%	23.4	1	20.0%	4.7	21,341	29.5%
Not Specified	2	1.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
CITY TOTAL	446	100.0%	301.5	69	100.0%	46.6	11	100.0%	7.4	7	100.0%	4.7	147,948	100.0%
Female Total	324	72.6%	428.6	33	47.8%	43.7	0	0.0%	0.0	2	28.6%	2.6	75,601	51.1%
American Indian/Alaska Native	1	0.5%	531.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	188	0.2%
Asian/Pacific Islander	15	8.2%	189.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,922	10.5%
Black/African-American	52	28.3%	462.4	13	54.2%	115.6	0	0.0%	0.0	1	50.0%	8.9	11,246	14.9%
Latina/Hispanic	86	46.7%	351.8	10	41.7%	40.9	0	0.0%	0.0	0	0.0%	0.0	24,446	32.3%
White	30	16.3%	102.3	1	4.2%	3.4	0	0.0%	0.0	1	50.0%	3.4	29,320	38.8%
Other/Multi/Not Specified	140	43.2%	-	9	27.3%	-	0	0.0%	-	0	0.0%	-	2,479	3.3%
Male Total	115	25.8%	159.0	36	52.2%	49.8	11	100.0%	15.2	5	71.4%	6.9	72,347	48.9%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	170	0.2%
Asian/Pacific Islander	7	10.3%	102.5	1	4.2%	14.6	1	9.1%	14.6	1	20.0%	14.6	6,832	9.4%
Black/African-American	31	45.6%	329.0	7	29.2%	74.3	4	36.4%	42.5	1	20.0%	10.6	9,422	13.0%
Latina/Hispanic	20	29.4%	80.1	11	45.8%	44.1	3	27.3%	12.0	2	40.0%	8.0	24,968	34.5%
White	10	14.7%	35.0	5	20.8%	17.5	3	27.3%	10.5	1	20.0%	3.5	28,541	39.5%
Other/Multi/Not Specified	47	40.9%	-	12	33.3%	-	0	0.0%	-	0	0.0%	-	2,414	3.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Total city population was calculated by multiplying the July 1 county population estimate by the January 1 (E-1) city to county ratio from the Department of Finance. Census 2000 gender/age/race distribution percentages were then applied to this total.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Placer County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Placer County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	651	100.0%	192.2	45	100.0%	13.3	1	100.0%	0.3	1	100.0%	0.3	333,998	100.0%
Female Total	454	69.7%	265.4	21	46.7%	12.3	0	0.0%	0.0	1	100.0%	0.6	171,059	51.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	20,733	12.1%
10 – 14	2	0.4%	15.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,565	7.3%
15 – 19	166	36.6%	1,247.0	9	42.9%	67.6	0	0.0%	0.0	0	0.0%	0.0	13,312	7.8%
20 – 24	175	38.5%	1,574.3	8	38.1%	72.0	0	0.0%	0.0	0	0.0%	0.0	11,116	6.5%
25 – 29	65	14.3%	925.8	1	4.8%	14.2	0	0.0%	0.0	1	100.0%	14.2	7,021	4.1%
30 – 34	30	6.6%	441.2	2	9.5%	29.4	0	0.0%	0.0	0	0.0%	0.0	6,800	4.0%
35 – 44	12	2.6%	48.6	1	4.8%	4.0	0	0.0%	0.0	0	0.0%	0.0	24,714	14.4%
45 +	4	0.9%	5.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	74,798	43.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	195	30.0%	119.7	24	53.3%	14.7	1	100.0%	0.6	0	0.0%	0.0	162,939	48.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,054	13.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,405	7.6%
15 – 19	39	20.0%	291.3	6	25.0%	44.8	0	0.0%	0.0	0	0.0%	0.0	13,388	8.2%
20 – 24	67	34.4%	582.6	6	25.0%	52.2	0	0.0%	0.0	0	0.0%	0.0	11,500	7.1%
25 – 29	51	26.2%	647.3	3	12.5%	38.1	0	0.0%	0.0	0	0.0%	0.0	7,879	4.8%
30 – 34	9	4.6%	135.1	2	8.3%	30.0	0	0.0%	0.0	0	0.0%	0.0	6,663	4.1%
35 – 44	24	12.3%	104.0	5	20.8%	21.7	1	100.0%	4.3	0	0.0%	0.0	23,082	14.2%
45 +	5	2.6%	7.6	2	8.3%	3.0	0	0.0%	0.0	0	0.0%	0.0	65,968	40.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	651	100.0%	192.2	45	100.0%	13.3	1	100.0%	0.3	1	100.0%	0.3	333,998	100.0%
Female Total	454	69.7%	265.4	21	46.7%	12.3	0	0.0%	0.0	1	100.0%	0.6	171,059	51.2%
American Indian/Alaska Native	4	1.5%	420.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	952	0.6%
Asian/Pacific Islander	14	5.1%	165.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,470	5.0%
Black/African-American	8	2.9%	821.4	1	6.3%	102.7	0	0.0%	0.0	0	0.0%	0.0	974	0.6%
Latina/Hispanic	64	23.3%	295.0	2	12.5%	9.2	0	0.0%	0.0	0	0.0%	0.0	21,698	12.7%
White	185	67.3%	136.5	13	81.3%	9.6	0	0.0%	0.0	1	100.0%	0.7	135,505	79.2%
Other/Multi/Not Specified	179	39.4%	-	5	23.8%	-	0	0.0%	-	0	0.0%	-	3,460	2.0%
Male Total	195	30.0%	119.7	24	53.3%	14.7	1	100.0%	0.6	0	0.0%	0.0	162,939	48.8%
American Indian/Alaska Native	2	2.2%	216.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	924	0.6%
Asian/Pacific Islander	4	4.3%	52.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,599	4.7%
Black/African-American	10	10.9%	883.4	4	33.3%	353.4	0	0.0%	0.0	0	0.0%	0.0	1,132	0.7%
Latina/Hispanic	21	22.8%	98.8	1	8.3%	4.7	0	0.0%	0.0	0	0.0%	0.0	21,263	13.0%
White	55	59.8%	42.8	7	58.3%	5.4	1	100.0%	0.8	0	0.0%	0.0	128,587	78.9%
Other/Multi/Not Specified	103	52.8%	-	12	50.0%	-	0	0.0%	-	0	0.0%	-	3,434	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Placer County, the July 1, 2008 estimate is 338,750).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Plumas County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



s Numbers suppressed for confidentiality
 * Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Plumas County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	55	100.0%	265.8	2	100.0%	9.7	0	100.0%	0.0	0	100.0%	0.0	21,668	100.0%
Female Total	29	52.7%	265.1	1	50.0%	9.1	0	0.0%	0.0	0	0.0%	0.0	10,938	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	971	8.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	570	5.2%
15 – 19	13	48.1%	1,754.4	1	100.0%	135.0	0	0.0%	0.0	0	0.0%	0.0	741	6.8%
20 – 24	11	40.7%	1,348.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	816	7.5%
25 – 29	2	7.4%	354.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	564	5.2%
30 – 34	1	3.7%	284.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	352	3.2%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,026	9.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,898	53.9%
Not Specified	2	6.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	23	41.8%	214.4	1	50.0%	9.3	0	0.0%	0.0	0	0.0%	0.0	10,730	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	927	8.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	579	5.4%
15 – 19	9	39.1%	1,165.8	1	100.0%	129.5	0	0.0%	0.0	0	0.0%	0.0	772	7.2%
20 – 24	11	47.8%	1,274.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	863	8.0%
25 – 29	2	8.7%	307.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	650	6.1%
30 – 34	1	4.3%	264.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	378	3.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	981	9.1%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,580	52.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	55	100.0%	265.8	2	100.0%	9.7	0	100.0%	0.0	0	100.0%	0.0	21,668	100.0%
Female Total	29	52.7%	265.1	1	50.0%	9.1	0	0.0%	0.0	0	0.0%	0.0	10,938	50.5%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	258	2.4%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	86	0.8%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59	0.5%
Latina/Hispanic	2	11.8%	309.1	1	100.0%	154.6	0	0.0%	0.0	0	0.0%	0.0	647	5.9%
White	13	76.5%	135.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,624	88.0%
Other/Multi/Not Specified	12	41.4%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	264	2.4%
Male Total	23	41.8%	214.4	1	50.0%	9.3	0	0.0%	0.0	0	0.0%	0.0	10,730	49.5%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	243	2.3%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	68	0.6%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	92	0.9%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	686	6.4%
White	5	41.7%	53.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,405	87.7%
Other/Multi/Not Specified	11	47.8%	-	1	100.0%	-	0	0.0%	-	0	0.0%	-	236	2.2%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Plumas County, the July 1, 2008 estimate is 20,696).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Riverside County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Riverside County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6,105	100.0%	289.8	823	100.0%	39.1	116	100.0%	5.5	74	100.0%	3.5	2,119,618	100.0%
Female Total	4,574	74.9%	429.9	411	49.9%	38.6	4	3.4%	0.4	1	1.4%	0.1	1,063,859	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	153,691	14.4%
10 – 14	26	0.6%	30.7	8	2.0%	9.4	0	0.0%	0.0	0	0.0%	0.0	84,660	8.0%
15 – 19	1,473	32.2%	1,553.4	129	31.5%	136.0	0	0.0%	0.0	0	0.0%	0.0	94,827	8.9%
20 – 24	1,819	39.8%	2,094.0	145	35.4%	166.9	0	0.0%	0.0	0	0.0%	0.0	86,868	8.2%
25 – 29	697	15.2%	926.0	60	14.6%	79.7	1	25.0%	1.3	0	0.0%	0.0	75,270	7.1%
30 – 34	288	6.3%	454.0	27	6.6%	42.6	2	50.0%	3.2	0	0.0%	0.0	63,438	6.0%
35 – 44	221	4.8%	152.3	29	7.1%	20.0	1	25.0%	0.7	1	100.0%	0.7	145,127	13.6%
45 +	48	1.0%	13.3	12	2.9%	3.3	0	0.0%	0.0	0	0.0%	0.0	359,978	33.8%
Not Specified	2	0.0%	-	1	0.2%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,531	25.1%	145.0	411	49.9%	38.9	111	95.7%	10.5	73	98.6%	6.9	1,055,759	49.8%
Ages														
0 – 9	0	0.0%	0.0	1	0.2%	0.6	0	0.0%	0.0	0	0.0%	0.0	160,729	15.2%
10 – 14	1	0.1%	1.1	1	0.2%	1.1	0	0.0%	0.0	0	0.0%	0.0	89,095	8.4%
15 – 19	355	23.2%	357.6	60	14.6%	60.4	5	4.5%	5.0	4	5.5%	4.0	99,284	9.4%
20 – 24	554	36.2%	609.3	104	25.4%	114.4	13	11.7%	14.3	6	8.2%	6.6	90,926	8.6%
25 – 29	295	19.3%	364.5	65	15.9%	80.3	15	13.5%	18.5	3	4.1%	3.7	80,932	7.7%
30 – 34	126	8.2%	186.7	32	7.8%	47.4	11	9.9%	16.3	5	6.8%	7.4	67,506	6.4%
35 – 44	138	9.0%	96.7	70	17.1%	49.0	26	23.4%	18.2	23	31.5%	16.1	142,770	13.5%
45 +	62	4.0%	19.1	77	18.8%	23.7	41	36.9%	12.6	32	43.8%	9.9	324,517	30.7%
Not Specified	0	0.0%	-	1	0.2%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6,105	100.0%	289.8	823	100.0%	39.1	116	100.0%	5.5	74	100.0%	3.5	2,119,618	100.0%
Female Total	4,574	74.9%	429.9	411	49.9%	38.6	4	3.4%	0.4	1	1.4%	0.1	1,063,859	50.2%
American Indian/Alaska Native	15	0.4%	262.6	4	1.3%	70.0	0	0.0%	0.0	0	0.0%	0.0	5,713	0.5%
Asian/Pacific Islander	99	2.4%	193.4	7	2.2%	13.7	0	0.0%	0.0	0	0.0%	0.0	51,188	4.8%
Black/African-American	614	14.8%	923.3	100	31.3%	150.4	0	0.0%	0.0	1	100.0%	1.5	66,503	6.3%
Latina/Hispanic	2,338	56.3%	549.9	125	39.2%	29.4	3	75.0%	0.7	0	0.0%	0.0	425,133	40.0%
White	1,086	26.2%	218.3	83	26.0%	16.7	1	25.0%	0.2	0	0.0%	0.0	497,384	46.8%
Other/Multi/Not Specified	422	9.2%	-	92	22.4%	-	0	0.0%	-	0	0.0%	-	17,938	1.7%
Male Total	1,531	25.1%	145.0	411	49.9%	38.9	111	95.7%	10.5	73	98.6%	6.9	1,055,759	49.8%
American Indian/Alaska Native	10	0.7%	181.8	5	1.7%	90.9	0	0.0%	0.0	0	0.0%	0.0	5,501	0.5%
Asian/Pacific Islander	32	2.4%	70.6	5	1.7%	11.0	1	1.0%	2.2	1	1.4%	2.2	45,326	4.3%
Black/African-American	233	17.1%	348.7	77	26.6%	115.2	10	9.7%	15.0	2	2.8%	3.0	66,823	6.3%
Latina/Hispanic	724	53.3%	164.1	107	37.0%	24.3	33	32.0%	7.5	17	23.9%	3.9	441,126	41.8%
White	360	26.5%	75.1	95	32.9%	19.8	59	57.3%	12.3	51	71.8%	10.6	479,367	45.4%
Other/Multi/Not Specified	172	11.2%	-	122	29.7%	-	8	7.2%	-	2	2.7%	-	17,616	1.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Riverside County, the July 1, 2008 estimate is 2,106,328).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sacramento County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Sacramento County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,223	100.0%	505.9	1,669	100.0%	116.9	91	100.0%	6.4	35	100.0%	2.5	1,422,789	100.0%
Female Total	5,137	71.1%	709.6	863	51.7%	119.2	16	17.6%	2.2	9	25.7%	1.2	723,928	50.9%
Ages														
0 – 9	1	0.0%	1.0	1	0.1%	1.0	0	0.0%	0.0	0	0.0%	0.0	99,699	13.8%
10 – 14	90	1.8%	173.1	20	2.3%	38.5	0	0.0%	0.0	0	0.0%	0.0	51,981	7.2%
15 – 19	1,997	39.3%	3,597.3	303	35.4%	545.8	3	18.8%	5.4	2	22.2%	3.6	55,514	7.7%
20 – 24	1,767	34.8%	3,508.7	279	32.6%	554.0	3	18.8%	6.0	3	33.3%	6.0	50,360	7.0%
25 – 29	689	13.6%	1,517.5	118	13.8%	259.9	4	25.0%	8.8	1	11.1%	2.2	45,405	6.3%
30 – 34	284	5.6%	645.2	43	5.0%	97.7	1	6.3%	2.3	2	22.2%	4.5	44,018	6.1%
35 – 44	193	3.8%	192.4	72	8.4%	71.8	3	18.8%	3.0	0	0.0%	0.0	100,291	13.9%
45 +	61	1.2%	22.0	21	2.5%	7.6	2	12.5%	0.7	1	11.1%	0.4	276,660	38.2%
Not Specified	55	1.1%	-	6	0.7%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,032	28.1%	290.8	788	47.2%	112.8	75	82.4%	10.7	26	74.3%	3.7	698,861	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	103,735	14.8%
10 – 14	16	0.8%	29.6	5	0.6%	9.2	0	0.0%	0.0	0	0.0%	0.0	54,057	7.7%
15 – 19	553	27.5%	952.7	162	20.9%	279.1	4	5.3%	6.9	1	3.8%	1.7	58,048	8.3%
20 – 24	676	33.6%	1,282.2	237	30.6%	449.5	13	17.3%	24.7	6	23.1%	11.4	52,721	7.5%
25 – 29	361	17.9%	772.8	141	18.2%	301.8	7	9.3%	15.0	6	23.1%	12.8	46,714	6.7%
30 – 34	185	9.2%	428.4	71	9.2%	164.4	10	13.3%	23.2	1	3.8%	2.3	43,182	6.2%
35 – 44	145	7.2%	147.0	104	13.4%	105.5	27	36.0%	27.4	11	42.3%	11.2	98,611	14.1%
45 +	76	3.8%	31.4	55	7.1%	22.7	14	18.7%	5.8	1	3.8%	0.4	241,793	34.6%
Not Specified	20	1.0%	-	13	1.6%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	7,223	100.0%	505.9	1,669	100.0%	116.9	91	100.0%	6.4	35	100.0%	2.5	1,422,789	100.0%
Female Total	5,137	71.1%	709.6	863	51.7%	119.2	16	17.6%	2.2	9	25.7%	1.2	723,928	50.9%
American Indian/Alaska Native	28	1.0%	519.1	3	0.6%	55.6	0	0.0%	0.0	0	0.0%	0.0	5,394	0.7%
Asian/Pacific Islander	297	10.8%	305.6	22	4.4%	22.6	0	0.0%	0.0	0	0.0%	0.0	97,173	13.4%
Black/African-American	1,033	37.7%	1,516.2	302	60.5%	443.3	9	60.0%	13.2	2	22.2%	2.9	68,132	9.4%
Latina/Hispanic	644	23.5%	456.3	74	14.8%	52.4	2	13.3%	1.4	1	11.1%	0.7	141,145	19.5%
White	739	27.0%	194.1	98	19.6%	25.7	4	26.7%	1.1	6	66.7%	1.6	380,706	52.6%
Other/Multi/Not Specified	2,396	46.6%	-	364	42.2%	-	1	6.3%	-	0	0.0%	-	31,378	4.3%
Male Total	2,032	28.1%	290.8	788	47.2%	112.8	75	82.4%	10.7	26	74.3%	3.7	698,861	49.1%
American Indian/Alaska Native	4	0.4%	80.0	2	0.5%	40.0	0	0.0%	0.0	0	0.0%	0.0	4,999	0.7%
Asian/Pacific Islander	81	7.6%	87.7	23	5.3%	24.9	1	1.5%	1.1	1	3.8%	1.1	92,331	13.2%
Black/African-American	515	48.0%	792.9	268	61.2%	412.6	21	31.3%	32.3	12	46.2%	18.5	64,952	9.3%
Latina/Hispanic	229	21.4%	159.0	73	16.7%	50.7	14	20.9%	9.7	2	7.7%	1.4	144,030	20.6%
White	243	22.7%	67.0	72	16.4%	19.8	31	46.3%	8.5	11	42.3%	3.0	362,890	51.9%
Other/Multi/Not Specified	960	47.2%	-	350	44.4%	-	8	10.7%	-	0	0.0%	-	29,659	4.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sacramento County, the July 1, 2008 estimate is 1,427,885).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Benito County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Benito County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	146	100.0%	253.3	9	100.0%	15.6	1	100.0%	1.7	0	100.0%	0.0	60,768	100.0%
Female Total	110	75.3%	366.7	6	66.7%	20.0	0	0.0%	0.0	0	0.0%	0.0	29,999	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,646	15.5%
10 – 14	1	0.9%	41.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,419	8.1%
15 – 19	33	30.0%	1,288.1	3	50.0%	117.1	0	0.0%	0.0	0	0.0%	0.0	2,562	8.5%
20 – 24	43	39.1%	1,760.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,442	8.1%
25 – 29	18	16.4%	851.9	1	16.7%	47.3	0	0.0%	0.0	0	0.0%	0.0	2,113	7.0%
30 – 34	9	8.2%	537.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,675	5.6%
35 – 44	4	3.6%	98.7	2	33.3%	49.3	0	0.0%	0.0	0	0.0%	0.0	4,053	13.5%
45 +	2	1.8%	19.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,089	33.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	36	24.7%	117.0	3	33.3%	9.8	1	100.0%	3.3	0	0.0%	0.0	30,769	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,811	15.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,636	8.6%
15 – 19	8	22.2%	293.9	1	33.3%	36.7	0	0.0%	0.0	0	0.0%	0.0	2,722	8.8%
20 – 24	14	38.9%	512.6	1	33.3%	36.6	0	0.0%	0.0	0	0.0%	0.0	2,731	8.9%
25 – 29	5	13.9%	204.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,446	7.9%
30 – 34	5	13.9%	267.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,870	6.1%
35 – 44	2	5.6%	48.5	1	33.3%	24.2	1	100.0%	24.2	0	0.0%	0.0	4,125	13.4%
45 +	2	5.6%	21.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,428	30.6%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	146	100.0%	253.3	9	100.0%	15.6	1	100.0%	1.7	0	100.0%	0.0	60,768	100.0%
Female Total	110	75.3%	366.7	6	66.7%	20.0	0	0.0%	0.0	0	0.0%	0.0	29,999	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	153	0.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	862	2.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	236	0.8%
Latina/Hispanic	73	66.4%	439.6	4	66.7%	24.1	0	0.0%	0.0	0	0.0%	0.0	16,607	55.4%
White	37	33.6%	317.3	2	33.3%	17.2	0	0.0%	0.0	0	0.0%	0.0	11,660	38.9%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	481	1.6%
Male Total	36	24.7%	117.0	3	33.3%	9.8	1	100.0%	3.3	0	0.0%	0.0	30,769	50.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	158	0.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	697	2.3%
Black/African-American	0	0.0%	0.0	1	33.3%	309.6	0	0.0%	0.0	0	0.0%	0.0	323	1.0%
Latina/Hispanic	21	58.3%	118.4	2	66.7%	11.3	0	0.0%	0.0	0	0.0%	0.0	17,730	57.6%
White	15	41.7%	131.4	0	0.0%	0.0	1	100.0%	8.8	0	0.0%	0.0	11,413	37.1%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	448	1.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Benito County, the July 1, 2008 estimate is 57,629).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Bernardino County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Bernardino County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,694	100.0%	421.9	1,313	100.0%	63.7	40	100.0%	1.9	21	100.0%	1.0	2,095,918	100.0%
Female Total	6,314	72.6%	602.1	787	59.9%	75.0	1	2.5%	0.1	5	23.8%	0.5	1,048,684	50.0%
Ages														
0 – 9	1	0.0%	0.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	155,869	14.9%
10 – 14	65	1.0%	77.4	6	0.8%	7.1	0	0.0%	0.0	0	0.0%	0.0	84,002	8.0%
15 – 19	2,321	36.8%	2,469.7	299	38.0%	318.2	0	0.0%	0.0	1	20.0%	1.1	93,980	9.0%
20 – 24	2,302	36.5%	2,721.1	233	29.6%	275.4	0	0.0%	0.0	1	20.0%	1.2	84,599	8.1%
25 – 29	901	14.3%	1,214.5	122	15.5%	164.4	1	100.0%	1.3	1	20.0%	1.3	74,187	7.1%
30 – 34	395	6.3%	571.9	65	8.3%	94.1	0	0.0%	0.0	0	0.0%	0.0	69,074	6.6%
35 – 44	283	4.5%	193.5	55	7.0%	37.6	0	0.0%	0.0	2	40.0%	1.4	146,236	13.9%
45 +	46	0.7%	13.5	7	0.9%	2.1	0	0.0%	0.0	0	0.0%	0.0	340,737	32.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,380	27.4%	227.3	526	40.1%	50.2	39	97.5%	3.7	16	76.2%	1.5	1,047,234	50.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	163,282	15.6%
10 – 14	9	0.4%	10.2	5	1.0%	5.6	0	0.0%	0.0	0	0.0%	0.0	88,497	8.5%
15 – 19	529	22.2%	532.5	137	26.0%	137.9	3	7.7%	3.0	1	6.3%	1.0	99,350	9.5%
20 – 24	910	38.2%	1,011.1	171	32.5%	190.0	6	15.4%	6.7	5	31.3%	5.6	90,005	8.6%
25 – 29	475	20.0%	570.7	84	16.0%	100.9	10	25.6%	12.0	2	12.5%	2.4	83,233	7.9%
30 – 34	191	8.0%	263.6	53	10.1%	73.2	2	5.1%	2.8	2	12.5%	2.8	72,451	6.9%
35 – 44	191	8.0%	133.3	47	8.9%	32.8	9	23.1%	6.3	1	6.3%	0.7	143,288	13.7%
45 +	75	3.2%	24.4	29	5.5%	9.4	9	23.1%	2.9	5	31.3%	1.6	307,128	29.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	8,694	100.0%	421.9	1,313	100.0%	63.7	40	100.0%	1.9	21	100.0%	1.0	2,095,918	100.0%
Female Total	6,314	72.6%	602.1	787	59.9%	75.0	1	2.5%	0.1	5	23.8%	0.5	1,048,684	50.0%
American Indian/Alaska Native	5	0.2%	73.4	2	0.6%	29.4	0	0.0%	0.0	0	0.0%	0.0	6,813	0.6%
Asian/Pacific Islander	68	3.0%	113.2	10	2.8%	16.7	1	100.0%	1.7	0	0.0%	0.0	60,045	5.7%
Black/African-American	622	27.1%	599.1	140	39.4%	134.8	0	0.0%	0.0	1	20.0%	1.0	103,831	9.9%
Latina/Hispanic	1,166	50.9%	248.5	129	36.3%	27.5	0	0.0%	0.0	4	80.0%	0.9	469,212	44.7%
White	432	18.8%	111.5	74	20.8%	19.1	0	0.0%	0.0	0	0.0%	0.0	387,308	36.9%
Other/Multi/Not Specified	4,021	63.7%	-	432	54.9%	-	0	0.0%	-	0	0.0%	-	21,475	2.0%
Male Total	2,380	27.4%	227.3	526	40.1%	50.2	39	97.5%	3.7	16	76.2%	1.5	1,047,234	50.0%
American Indian/Alaska Native	1	0.1%	15.7	2	0.9%	31.3	0	0.0%	0.0	0	0.0%	0.0	6,389	0.6%
Asian/Pacific Islander	20	2.1%	35.5	6	2.7%	10.7	0	0.0%	0.0	0	0.0%	0.0	56,270	5.4%
Black/African-American	358	38.4%	363.1	136	60.2%	137.9	6	16.2%	6.1	2	13.3%	2.0	98,593	9.4%
Latina/Hispanic	410	43.9%	85.2	55	24.3%	11.4	21	56.8%	4.4	8	53.3%	1.7	481,424	46.0%
White	144	15.4%	37.6	27	11.9%	7.0	10	27.0%	2.6	5	33.3%	1.3	383,446	36.6%
Other/Multi/Not Specified	1,447	60.8%	-	300	57.0%	-	2	5.1%	-	1	6.3%	-	21,112	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Bernardino County, the July 1, 2008 estimate is 2,060,722).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Diego County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Diego County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	14,137	100.0%	447.2	2,027	100.0%	64.1	344	100.0%	10.9	177	100.0%	5.6	3,138,382	100.0%
Female Total	10,064	71.2%	644.3	774	38.2%	49.6	13	3.8%	0.8	10	5.6%	0.6	1,561,961	49.8%
Ages														
0 – 9	0	0.0%	0.0	1	0.1%	0.5	0	0.0%	0.0	0	0.0%	0.0	215,968	13.8%
10 – 14	98	1.0%	89.5	8	1.0%	7.3	0	0.0%	0.0	0	0.0%	0.0	109,517	7.0%
15 – 19	3,126	31.2%	2,729.6	230	29.9%	200.8	2	15.4%	1.7	2	20.0%	1.7	114,523	7.3%
20 – 24	3,947	39.4%	4,053.5	254	33.0%	260.9	1	7.7%	1.0	2	20.0%	2.1	97,373	6.2%
25 – 29	1,659	16.6%	1,790.6	116	15.1%	125.2	2	15.4%	2.2	3	30.0%	3.2	92,652	5.9%
30 – 34	579	5.8%	586.6	72	9.4%	72.9	1	7.7%	1.0	1	10.0%	1.0	98,712	6.3%
35 – 44	467	4.7%	197.0	59	7.7%	24.9	7	53.8%	3.0	2	20.0%	0.8	237,042	15.2%
45 +	133	1.3%	22.3	29	3.8%	4.9	0	0.0%	0.0	0	0.0%	0.0	596,174	38.2%
Not Specified	55	0.5%	-	5	0.6%	-	0	0.0%	-	0	0.0%	-		
Male Total	4,036	28.5%	256.0	1,246	61.5%	79.0	331	96.2%	21.0	167	94.4%	10.6	1,576,421	50.2%
Ages														
0 – 9	0	0.0%	0.0	2	0.2%	0.9	0	0.0%	0.0	0	0.0%	0.0	224,490	14.2%
10 – 14	7	0.2%	6.1	3	0.2%	2.6	0	0.0%	0.0	0	0.0%	0.0	114,899	7.3%
15 – 19	577	14.4%	466.1	114	9.2%	92.1	2	0.6%	1.6	3	1.8%	2.4	123,790	7.9%
20 – 24	1,398	34.9%	1,160.3	320	25.9%	265.6	36	10.9%	29.9	15	9.0%	12.4	120,488	7.6%
25 – 29	934	23.3%	826.1	257	20.8%	227.3	49	14.8%	43.3	21	12.6%	18.6	113,063	7.2%
30 – 34	379	9.5%	364.8	153	12.4%	147.3	55	16.6%	52.9	17	10.2%	16.4	103,884	6.6%
35 – 44	446	11.1%	191.7	237	19.2%	101.9	106	32.0%	45.6	58	34.7%	24.9	232,664	14.8%
45 +	266	6.6%	49.0	150	12.1%	27.6	83	25.1%	15.3	53	31.7%	9.8	543,143	34.5%
Not Specified	29	0.7%	-	10	0.8%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	14,137	100.0%	447.2	2,027	100.0%	64.1	344	100.0%	10.9	177	100.0%	5.6	3,138,382	100.0%
Female Total	10,064	71.2%	644.3	774	38.2%	49.6	13	3.8%	0.8	10	5.6%	0.6	1,561,961	49.8%
American Indian/Alaska Native	38	0.8%	284.7	6	1.6%	45.0	0	0.0%	0.0	0	0.0%	0.0	13,346	0.9%
Asian/Pacific Islander	411	8.5%	250.6	11	3.0%	6.7	2	15.4%	1.2	1	10.0%	0.6	163,998	10.5%
Black/African-American	785	16.3%	1,197.9	129	34.9%	196.9	1	7.7%	1.5	4	40.0%	6.1	65,530	4.2%
Latina/Hispanic	2,265	47.0%	502.3	138	37.3%	30.6	5	38.5%	1.1	3	30.0%	0.7	450,906	28.9%
White	1,323	27.4%	158.4	86	23.2%	10.3	5	38.5%	0.6	2	20.0%	0.2	835,097	53.5%
Other/Multi/Not Specified	5,242	52.1%	-	404	52.2%	-	0	0.0%	-	0	0.0%	-	33,084	2.1%
Male Total	4,036	28.5%	256.0	1,246	61.5%	79.0	331	96.2%	21.0	167	94.4%	10.6	1,576,421	50.2%
American Indian/Alaska Native	6	0.3%	45.0	0	0.0%	0.0	0	0.0%	0.0	1	0.6%	7.5	13,329	0.8%
Asian/Pacific Islander	146	7.4%	98.2	20	4.8%	13.4	13	4.2%	8.7	8	4.9%	5.4	148,701	9.4%
Black/African-American	460	23.5%	610.1	126	30.3%	167.1	49	15.7%	65.0	11	6.7%	14.6	75,400	4.8%
Latina/Hispanic	710	36.2%	156.0	140	33.7%	30.8	76	24.3%	16.7	69	42.1%	15.2	455,246	28.9%
White	639	32.6%	75.2	130	31.3%	15.3	175	55.9%	20.6	75	45.7%	8.8	849,370	53.9%
Other/Multi/Not Specified	2,075	51.4%	-	830	66.6%	-	18	5.4%	-	3	1.8%	-	34,375	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Diego County, the July 1, 2008 estimate is 3,161,477).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Francisco County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Francisco County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,101	100.0%	486.7	2,004	100.0%	237.8	326	100.0%	38.7	203	100.0%	24.1	810,078	100.0%
Female Total	1,899	46.3%	481.6	290	14.5%	73.5	5	1.5%	1.3	9	4.4%	2.3	394,293	48.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	37,780	9.6%
10 – 14	34	1.8%	286.8	13	4.5%	109.7	0	0.0%	0.0	0	0.0%	0.0	11,853	3.0%
15 – 19	496	26.2%	3,675.7	56	19.3%	415.0	0	0.0%	0.0	1	11.1%	7.4	13,494	3.4%
20 – 24	660	34.8%	4,108.8	79	27.2%	491.8	0	0.0%	0.0	1	11.1%	6.2	16,063	4.1%
25 – 29	399	21.1%	1,446.5	62	21.4%	224.8	2	40.0%	7.3	3	33.3%	10.9	27,583	7.0%
30 – 34	153	8.1%	312.5	30	10.3%	61.3	0	0.0%	0.0	1	11.1%	2.0	48,959	12.4%
35 – 44	101	5.3%	123.8	29	10.0%	35.5	1	20.0%	1.2	2	22.2%	2.5	81,590	20.7%
45 +	52	2.7%	33.1	21	7.2%	13.4	2	40.0%	1.3	1	11.1%	0.6	156,971	39.8%
Not Specified	4	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	2,170	52.9%	521.9	1,706	85.1%	410.3	321	98.5%	77.2	193	95.1%	46.4	415,785	51.3%
Ages														
0 – 9	1	0.0%	2.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39,097	9.4%
10 – 14	4	0.2%	31.5	1	0.1%	7.9	0	0.0%	0.0	0	0.0%	0.0	12,686	3.1%
15 – 19	171	7.9%	1,233.7	50	2.9%	360.7	1	0.3%	7.2	1	0.5%	7.2	13,861	3.3%
20 – 24	369	17.0%	2,313.6	229	13.4%	1,435.8	16	5.0%	100.3	6	3.1%	37.6	15,949	3.8%
25 – 29	439	20.3%	1,597.2	284	16.7%	1,033.3	28	8.7%	101.9	17	8.8%	61.9	27,485	6.6%
30 – 34	311	14.4%	612.9	296	17.4%	583.3	41	12.8%	80.8	23	11.9%	45.3	50,744	12.2%
35 – 44	564	26.0%	546.1	543	31.8%	525.8	126	39.3%	122.0	81	42.0%	78.4	103,272	24.8%
45 +	307	14.2%	201.1	302	17.7%	197.8	109	34.0%	71.4	65	33.7%	42.6	152,691	36.7%
Not Specified	4	0.2%	-	1	0.1%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	4,101	100.0%	486.7	2,004	100.0%	237.8	326	100.0%	38.7	203	100.0%	24.1	810,078	100.0%
Female Total	1,899	46.3%	481.6	290	14.5%	73.5	5	1.5%	1.3	9	4.4%	2.3	394,293	48.7%
American Indian/Alaska Native	7	0.5%	585.8	4	1.6%	334.7	0	0.0%	0.0	0	0.0%	0.0	1,195	0.3%
Asian/Pacific Islander	305	22.3%	225.4	13	5.3%	9.6	0	0.0%	0.0	0	0.0%	0.0	135,302	34.3%
Black/African-American	501	36.7%	1,834.0	138	56.1%	505.2	5	100.0%	18.3	8	88.9%	29.3	27,318	6.9%
Latina/Hispanic	277	20.3%	536.8	28	11.4%	54.3	0	0.0%	0.0	0	0.0%	0.0	51,601	13.1%
White	275	20.1%	163.6	63	25.6%	37.5	0	0.0%	0.0	1	11.1%	0.6	168,132	42.6%
Other/Multi/Not Specified	534	28.1%	-	44	15.2%	-	0	0.0%	-	0	0.0%	-	10,745	2.7%
Male Total	2,170	52.9%	521.9	1,706	85.1%	410.3	321	98.5%	77.2	193	95.1%	46.4	415,785	51.3%
American Indian/Alaska Native	5	0.3%	328.3	7	0.5%	459.6	2	0.6%	131.3	1	0.5%	65.7	1,523	0.4%
Asian/Pacific Islander	169	9.4%	139.6	107	7.2%	88.4	26	8.4%	21.5	10	5.2%	8.3	121,096	29.1%
Black/African-American	384	21.3%	1,418.8	259	17.4%	957.0	30	9.7%	110.8	20	10.5%	73.9	27,065	6.5%
Latina/Hispanic	357	19.8%	615.2	266	17.9%	458.4	51	16.5%	87.9	49	25.7%	84.4	58,033	14.0%
White	888	49.3%	450.1	846	57.0%	428.8	200	64.7%	101.4	111	58.1%	56.3	197,295	47.5%
Other/Multi/Not Specified	367	16.9%	-	221	13.0%	-	12	3.7%	-	2	1.0%	-	10,773	2.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Francisco County, the July 1, 2008 estimate is 842,625).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Joaquin County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Joaquin County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,525	100.0%	513.1	697	100.0%	101.4	8	100.0%	1.2	11	100.0%	1.6	706,857	100.0%
Female Total	2,439	69.2%	687.2	354	50.8%	99.7	2	25.0%	0.6	1	9.1%	0.3	354,942	50.2%
Ages														
0 – 9	1	0.0%	1.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	63,396	17.9%
10 – 14	32	1.3%	101.3	7	2.0%	22.2	0	0.0%	0.0	0	0.0%	0.0	31,602	8.9%
15 – 19	912	37.5%	2,972.0	126	35.6%	410.6	0	0.0%	0.0	0	0.0%	0.0	30,686	8.6%
20 – 24	895	36.8%	3,229.9	112	31.6%	404.2	0	0.0%	0.0	0	0.0%	0.0	27,710	7.8%
25 – 29	309	12.7%	1,264.6	54	15.3%	221.0	0	0.0%	0.0	0	0.0%	0.0	24,434	6.9%
30 – 34	143	5.9%	752.0	23	6.5%	120.9	0	0.0%	0.0	1	100.0%	5.3	19,017	5.4%
35 – 44	104	4.3%	252.8	22	6.2%	53.5	2	100.0%	4.9	0	0.0%	0.0	41,135	11.6%
45 +	38	1.6%	32.5	10	2.8%	8.5	0	0.0%	0.0	0	0.0%	0.0	116,962	33.0%
Not Specified	5	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,073	30.4%	304.9	342	49.1%	97.2	6	75.0%	1.7	10	90.9%	2.8	351,915	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	66,075	18.8%
10 – 14	9	0.8%	28.9	1	0.3%	3.2	0	0.0%	0.0	0	0.0%	0.0	31,135	8.8%
15 – 19	262	24.5%	820.8	71	20.8%	222.4	2	33.3%	6.3	0	0.0%	0.0	31,919	9.1%
20 – 24	376	35.1%	1,229.8	113	33.1%	369.6	1	16.7%	3.3	2	20.0%	6.5	30,575	8.7%
25 – 29	245	22.9%	950.4	56	16.4%	217.2	1	16.7%	3.9	1	10.0%	3.9	25,779	7.3%
30 – 34	90	8.4%	471.1	41	12.0%	214.6	0	0.0%	0.0	1	10.0%	5.2	19,104	5.4%
35 – 44	69	6.4%	162.0	40	11.7%	93.9	1	16.7%	2.3	2	20.0%	4.7	42,587	12.1%
45 +	19	1.8%	18.1	19	5.6%	18.1	1	16.7%	1.0	4	40.0%	3.8	104,741	29.8%
Not Specified	3	0.3%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	3,525	100.0%	513.1	697	100.0%	101.4	8	100.0%	1.2	11	100.0%	1.6	706,857	100.0%
Female Total	2,439	69.2%	687.2	354	50.8%	99.7	2	25.0%	0.6	1	9.1%	0.3	354,942	50.2%
American Indian/Alaska Native	10	0.7%	415.3	1	0.5%	41.5	0	0.0%	0.0	0	0.0%	0.0	2,408	0.7%
Asian/Pacific Islander	146	10.7%	278.5	13	6.4%	24.8	1	50.0%	1.9	0	0.0%	0.0	52,418	14.8%
Black/African-American	373	27.4%	1,529.1	81	40.1%	332.0	0	0.0%	0.0	1	100.0%	4.1	24,394	6.9%
Latina/Hispanic	585	43.0%	481.4	58	28.7%	47.7	1	50.0%	0.8	0	0.0%	0.0	121,512	34.2%
White	245	18.0%	168.4	49	24.3%	33.7	0	0.0%	0.0	0	0.0%	0.0	145,471	41.0%
Other/Multi/Not Specified	1,080	44.3%	-	152	42.9%	-	0	0.0%	-	0	0.0%	-	8,739	2.5%
Male Total	1,073	30.4%	304.9	342	49.1%	97.2	6	75.0%	1.7	10	90.9%	2.8	351,915	49.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,232	0.6%
Asian/Pacific Islander	38	8.2%	78.5	8	4.1%	16.5	0	0.0%	0.0	0	0.0%	0.0	48,421	13.8%
Black/African-American	139	30.1%	589.8	81	41.3%	343.7	1	16.7%	4.2	3	30.0%	12.7	23,566	6.7%
Latina/Hispanic	201	43.5%	159.9	69	35.2%	54.9	3	50.0%	2.4	2	20.0%	1.6	125,701	35.7%
White	84	18.2%	58.3	38	19.4%	26.4	2	33.3%	1.4	5	50.0%	3.5	144,068	40.9%
Other/Multi/Not Specified	611	56.9%	-	146	42.7%	-	0	0.0%	-	0	0.0%	-	7,927	2.3%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Joaquin County, the July 1, 2008 estimate is 687,044).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Luis Obispo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Luis Obispo County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	650	100.0%	240.7	35	100.0%	13.0	8	100.0%	3.0	15	100.0%	5.6	266,205	100.0%
Female Total	431	66.3%	331.1	15	42.9%	11.5	0	0.0%	0.0	0	0.0%	0.0	130,169	48.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,703	10.5%
10 – 14	3	0.7%	39.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,564	5.8%
15 – 19	138	32.0%	1,343.1	3	20.0%	29.2	0	0.0%	0.0	0	0.0%	0.0	10,275	7.9%
20 – 24	202	46.9%	1,820.3	5	33.3%	45.1	0	0.0%	0.0	0	0.0%	0.0	11,097	8.5%
25 – 29	49	11.4%	636.0	4	26.7%	51.9	0	0.0%	0.0	0	0.0%	0.0	7,705	5.9%
30 – 34	21	4.9%	350.2	1	6.7%	16.7	0	0.0%	0.0	0	0.0%	0.0	5,996	4.6%
35 – 44	14	3.2%	105.7	2	13.3%	15.1	0	0.0%	0.0	0	0.0%	0.0	13,248	10.2%
45 +	4	0.9%	6.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	60,581	46.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	219	33.7%	161.0	20	57.1%	14.7	8	100.0%	5.9	15	100.0%	11.0	136,036	51.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,287	10.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,728	5.7%
15 – 19	45	20.6%	383.6	3	15.0%	25.6	0	0.0%	0.0	1	6.7%	8.5	11,730	8.6%
20 – 24	105	48.2%	761.0	9	45.0%	65.2	1	12.5%	7.2	0	0.0%	0.0	13,797	10.1%
25 – 29	37	17.0%	369.0	2	10.0%	19.9	1	12.5%	10.0	3	20.0%	29.9	10,026	7.4%
30 – 34	17	7.8%	199.4	0	0.0%	0.0	1	12.5%	11.7	0	0.0%	0.0	8,525	6.3%
35 – 44	7	3.2%	46.1	4	20.0%	26.4	4	50.0%	26.4	7	46.7%	46.1	15,178	11.2%
45 +	7	3.2%	12.8	2	10.0%	3.7	1	12.5%	1.8	4	26.7%	7.3	54,765	40.3%
Not Specified	1	0.5%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	650	100.0%	240.7	35	100.0%	13.0	8	100.0%	3.0	15	100.0%	5.6	266,205	100.0%
Female Total	431	66.3%	331.1	15	42.9%	11.5	0	0.0%	0.0	0	0.0%	0.0	130,169	48.9%
American Indian/Alaska Native	1	0.2%	138.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	721	0.6%
Asian/Pacific Islander	5	1.2%	129.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,876	3.0%
Black/African-American	9	2.1%	844.3	1	6.7%	93.8	0	0.0%	0.0	0	0.0%	0.0	1,066	0.8%
Latina/Hispanic	148	34.7%	581.8	5	33.3%	19.7	0	0.0%	0.0	0	0.0%	0.0	25,439	19.5%
White	264	61.8%	273.3	9	60.0%	9.3	0	0.0%	0.0	0	0.0%	0.0	96,590	74.2%
Other/Multi/Not Specified	4	0.9%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	2,477	1.9%
Male Total	219	33.7%	161.0	20	57.1%	14.7	8	100.0%	5.9	15	100.0%	11.0	136,036	51.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	883	0.6%
Asian/Pacific Islander	4	1.8%	100.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,991	2.9%
Black/African-American	9	4.1%	234.7	1	6.7%	26.1	4	50.0%	104.3	12	80.0%	313.0	3,834	2.8%
Latina/Hispanic	63	28.8%	214.9	3	20.0%	10.2	4	50.0%	13.6	2	13.3%	6.8	29,320	21.6%
White	143	65.3%	149.7	11	73.3%	11.5	0	0.0%	0.0	1	6.7%	1.0	95,527	70.2%
Other/Multi/Not Specified	0	0.0%	-	5	25.0%	-	0	0.0%	-	0	0.0%	-	2,481	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Luis Obispo County, the July 1, 2008 estimate is 270,046).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



San Mateo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

San Mateo County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,013	100.0%	271.2	248	100.0%	33.4	23	100.0%	3.1	10	100.0%	1.3	731,633	100.0%
Female Total	1,430	71.0%	388.6	86	34.7%	23.4	1	4.3%	0.3	2	20.0%	0.5	367,973	50.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	46,114	12.5%
10 – 14	14	1.0%	67.4	2	2.3%	9.6	0	0.0%	0.0	0	0.0%	0.0	20,770	5.6%
15 – 19	452	31.7%	2,075.7	30	34.9%	137.8	0	0.0%	0.0	0	0.0%	0.0	21,776	5.9%
20 – 24	500	35.0%	2,540.9	23	26.7%	116.9	0	0.0%	0.0	0	0.0%	0.0	19,678	5.3%
25 – 29	228	16.0%	1,194.0	9	10.5%	47.1	1	100.0%	5.2	1	50.0%	5.2	19,095	5.2%
30 – 34	115	8.1%	464.0	8	9.3%	32.3	0	0.0%	0.0	0	0.0%	0.0	24,785	6.7%
35 – 44	88	6.2%	146.8	7	8.1%	11.7	0	0.0%	0.0	0	0.0%	0.0	59,944	16.3%
45 +	31	2.2%	19.9	7	8.1%	4.5	0	0.0%	0.0	1	50.0%	0.6	155,811	42.3%
Not Specified	2	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	583	29.0%	160.3	162	65.3%	44.5	22	95.7%	6.0	8	80.0%	2.2	363,660	49.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	48,098	13.2%
10 – 14	2	0.3%	9.3	2	1.2%	9.3	0	0.0%	0.0	0	0.0%	0.0	21,565	5.9%
15 – 19	84	14.4%	362.1	18	11.1%	77.6	0	0.0%	0.0	0	0.0%	0.0	23,198	6.4%
20 – 24	176	30.2%	820.7	34	21.0%	158.6	3	13.6%	14.0	2	25.0%	9.3	21,444	5.9%
25 – 29	124	21.3%	565.4	31	19.1%	141.3	5	22.7%	22.8	0	0.0%	0.0	21,933	6.0%
30 – 34	69	11.9%	256.4	15	9.3%	55.7	3	13.6%	11.1	2	25.0%	7.4	26,910	7.4%
35 – 44	67	11.5%	106.6	34	21.0%	54.1	8	36.4%	12.7	2	25.0%	3.2	62,852	17.3%
45 +	60	10.3%	43.6	28	17.3%	20.3	3	13.6%	2.2	2	25.0%	1.5	137,660	37.9%
Not Specified	1	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,013	100.0%	271.2	248	100.0%	33.4	23	100.0%	3.1	10	100.0%	1.3	731,633	100.0%
Female Total	1,430	71.0%	388.6	86	34.7%	23.4	1	4.3%	0.3	2	20.0%	0.5	367,973	50.3%
American Indian/Alaska Native	2	0.2%	206.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	970	0.3%
Asian/Pacific Islander	225	23.6%	236.3	11	14.5%	11.6	0	0.0%	0.0	0	0.0%	0.0	95,230	25.9%
Black/African-American	114	11.9%	878.6	39	51.3%	300.6	1	100.0%	7.7	2	100.0%	15.4	12,975	3.5%
Latina/Hispanic	454	47.6%	511.1	17	22.4%	19.1	0	0.0%	0.0	0	0.0%	0.0	88,829	24.1%
White	159	16.7%	98.7	9	11.8%	5.6	0	0.0%	0.0	0	0.0%	0.0	161,057	43.8%
Other/Multi/Not Specified	476	33.3%	-	10	11.6%	-	0	0.0%	-	0	0.0%	-	8,912	2.4%
Male Total	583	29.0%	160.3	162	65.3%	44.5	22	95.7%	6.0	8	80.0%	2.2	363,660	49.7%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	816	0.2%
Asian/Pacific Islander	77	19.3%	88.3	25	16.6%	28.7	1	4.5%	1.1	2	25.0%	2.3	87,238	24.0%
Black/African-American	76	19.1%	577.5	37	24.5%	281.2	1	4.5%	7.6	0	0.0%	0.0	13,160	3.6%
Latina/Hispanic	158	39.7%	169.5	50	33.1%	53.6	10	45.5%	10.7	4	50.0%	4.3	93,235	25.6%
White	87	21.9%	54.3	39	25.8%	24.4	10	45.5%	6.2	2	25.0%	1.2	160,134	44.0%
Other/Multi/Not Specified	185	31.7%	-	11	6.8%	-	0	0.0%	-	0	0.0%	-	9,077	2.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For San Mateo County, the July 1, 2008 estimate is 742,251).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Barbara County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Santa Barbara County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,195	100.0%	278.5	90	100.0%	21.0	14	100.0%	3.3	7	100.0%	1.6	427,016	100.0%
Female Total	892	74.6%	419.6	38	42.2%	17.9	0	0.0%	0.0	1	14.3%	0.5	212,605	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,471	13.4%
10 – 14	8	0.9%	56.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,108	6.6%
15 – 19	282	31.6%	1,707.3	12	31.6%	72.7	0	0.0%	0.0	0	0.0%	0.0	16,517	7.8%
20 – 24	378	42.4%	2,340.8	15	39.5%	92.9	0	0.0%	0.0	0	0.0%	0.0	16,148	7.6%
25 – 29	131	14.7%	989.4	6	15.8%	45.3	0	0.0%	0.0	0	0.0%	0.0	13,241	6.2%
30 – 34	47	5.3%	363.8	2	5.3%	15.5	0	0.0%	0.0	0	0.0%	0.0	12,919	6.1%
35 – 44	36	4.0%	127.7	2	5.3%	7.1	0	0.0%	0.0	1	100.0%	3.5	28,184	13.3%
45 +	10	1.1%	12.0	1	2.6%	1.2	0	0.0%	0.0	0	0.0%	0.0	83,017	39.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	303	25.4%	141.3	52	57.8%	24.3	14	100.0%	6.5	6	85.7%	2.8	214,411	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,384	13.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,739	6.9%
15 – 19	58	19.1%	337.5	6	11.5%	34.9	0	0.0%	0.0	0	0.0%	0.0	17,186	8.0%
20 – 24	142	46.9%	851.4	14	26.9%	83.9	2	14.3%	12.0	1	16.7%	6.0	16,678	7.8%
25 – 29	57	18.8%	426.2	10	19.2%	74.8	1	7.1%	7.5	0	0.0%	0.0	13,373	6.2%
30 – 34	25	8.3%	171.6	9	17.3%	61.8	4	28.6%	27.5	3	50.0%	20.6	14,570	6.8%
35 – 44	12	4.0%	38.3	9	17.3%	28.7	4	28.6%	12.8	0	0.0%	0.0	31,366	14.6%
45 +	9	3.0%	11.7	4	7.7%	5.2	3	21.4%	3.9	2	33.3%	2.6	77,115	36.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,195	100.0%	278.5	90	100.0%	21.0	14	100.0%	3.3	7	100.0%	1.6	427,016	100.0%
Female Total	892	74.6%	419.6	38	42.2%	17.9	0	0.0%	0.0	1	14.3%	0.5	212,605	49.8%
American Indian/Alaska Native	5	0.7%	384.6	1	3.1%	76.9	0	0.0%	0.0	0	0.0%	0.0	1,300	0.6%
Asian/Pacific Islander	23	3.1%	232.2	1	3.1%	10.1	0	0.0%	0.0	1	100.0%	10.1	9,905	4.7%
Black/African-American	25	3.4%	516.8	3	9.4%	62.0	0	0.0%	0.0	0	0.0%	0.0	4,837	2.3%
Latina/Hispanic	469	63.4%	619.4	9	28.1%	11.9	0	0.0%	0.0	0	0.0%	0.0	75,722	35.6%
White	218	29.5%	185.4	18	56.3%	15.3	0	0.0%	0.0	0	0.0%	0.0	117,597	55.3%
Other/Multi/Not Specified	152	17.0%	-	6	15.8%	-	0	0.0%	-	0	0.0%	-	3,244	1.5%
Male Total	303	25.4%	141.3	52	57.8%	24.3	14	100.0%	6.5	6	85.7%	2.8	214,411	50.2%
American Indian/Alaska Native	1	0.5%	80.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,244	0.6%
Asian/Pacific Islander	3	1.4%	33.7	0	0.0%	0.0	0	0.0%	0.0	1	16.7%	11.2	8,907	4.2%
Black/African-American	13	5.9%	226.5	3	7.5%	52.3	0	0.0%	0.0	0	0.0%	0.0	5,739	2.7%
Latina/Hispanic	136	61.3%	167.5	21	52.5%	25.9	9	64.3%	11.1	3	50.0%	3.7	81,205	37.9%
White	69	31.1%	60.4	16	40.0%	14.0	5	35.7%	4.4	2	33.3%	1.8	114,157	53.2%
Other/Multi/Not Specified	81	26.7%	-	12	23.1%	-	0	0.0%	-	0	0.0%	-	3,159	1.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Barbara County, the July 1, 2008 estimate is 429,109).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Santa Clara County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Santa Clara County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,616	100.0%	304.1	700	100.0%	37.9	41	100.0%	2.2	27	100.0%	1.5	1,809,774	100.0%
Female Total	4,083	72.7%	457.3	302	43.1%	33.8	4	9.8%	0.4	7	25.9%	0.8	892,914	49.3%
Ages														
0 – 9	2	0.0%	1.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	125,258	14.0%
10 – 14	40	1.0%	66.4	4	1.3%	6.6	0	0.0%	0.0	0	0.0%	0.0	60,272	6.8%
15 – 19	1,231	30.3%	2,099.5	93	30.9%	158.6	0	0.0%	0.0	0	0.0%	0.0	58,633	6.6%
20 – 24	1,434	35.3%	2,783.5	85	28.2%	165.0	0	0.0%	0.0	1	14.3%	1.9	51,517	5.8%
25 – 29	671	16.5%	1,402.8	41	13.6%	85.7	2	50.0%	4.2	1	14.3%	2.1	47,832	5.4%
30 – 34	315	7.7%	575.7	30	10.0%	54.8	0	0.0%	0.0	1	14.3%	1.8	54,712	6.1%
35 – 44	280	6.9%	194.9	29	9.6%	20.2	0	0.0%	0.0	2	28.6%	1.4	143,637	16.1%
45 +	95	2.3%	27.1	19	6.3%	5.4	2	50.0%	0.6	2	28.6%	0.6	351,053	39.3%
Not Specified	15	0.4%	-	1	0.3%	-	0	0.0%	-	0	0.0%	-		
Male Total	1,514	27.0%	165.1	396	56.6%	43.2	37	90.2%	4.0	20	74.1%	2.2	916,860	50.7%
Ages														
0 – 9	2	0.1%	1.5	1	0.3%	0.8	0	0.0%	0.0	0	0.0%	0.0	130,313	14.2%
10 – 14	4	0.3%	6.3	1	0.3%	1.6	0	0.0%	0.0	0	0.0%	0.0	63,106	6.9%
15 – 19	253	16.8%	408.1	36	9.2%	58.1	0	0.0%	0.0	1	5.0%	1.6	61,994	6.8%
20 – 24	475	31.6%	893.4	97	24.7%	182.5	5	13.5%	9.4	3	15.0%	5.6	53,165	5.8%
25 – 29	304	20.2%	594.7	69	17.6%	135.0	4	10.8%	7.8	2	10.0%	3.9	51,122	5.6%
30 – 34	174	11.6%	289.6	64	16.3%	106.5	5	13.5%	8.3	2	10.0%	3.3	60,083	6.6%
35 – 44	189	12.6%	116.0	78	19.9%	47.9	14	37.8%	8.6	5	25.0%	3.1	162,916	17.8%
45 +	102	6.8%	30.5	46	11.7%	13.8	9	24.3%	2.7	7	35.0%	2.1	334,161	36.4%
Not Specified	11	0.7%	-	4	1.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	5,616	100.0%	304.1	700	100.0%	37.9	41	100.0%	2.2	27	100.0%	1.5	1,809,774	100.0%
Female Total	4,083	72.7%	457.3	302	43.1%	33.8	4	9.8%	0.4	7	25.9%	0.8	892,914	49.3%
American Indian/Alaska Native	5	0.6%	126.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,947	0.4%
Asian/Pacific Islander	132	15.5%	52.7	7	8.0%	2.8	1	25.0%	0.4	0	0.0%	0.0	250,691	28.1%
Black/African-American	70	8.2%	309.4	12	13.8%	53.0	0	0.0%	0.0	1	14.3%	4.4	22,623	2.5%
Latina/Hispanic	501	59.0%	223.7	43	49.4%	19.2	2	50.0%	0.9	3	42.9%	1.3	223,963	25.1%
White	141	16.6%	38.1	25	28.7%	6.8	1	25.0%	0.3	3	42.9%	0.8	370,063	41.4%
Other/Multi/Not Specified	3,234	79.2%	-	215	71.2%	-	0	0.0%	-	0	0.0%	-	21,627	2.4%
Male Total	1,514	27.0%	165.1	396	56.6%	43.2	37	90.2%	4.0	20	74.1%	2.2	916,860	50.7%
American Indian/Alaska Native	1	0.3%	24.8	0	0.0%	0.0	1	2.9%	24.8	1	5.0%	24.8	4,037	0.4%
Asian/Pacific Islander	44	13.3%	17.5	16	15.7%	6.4	2	5.9%	0.8	1	5.0%	0.4	251,737	27.5%
Black/African-American	41	12.3%	169.3	20	19.6%	82.6	4	11.8%	16.5	2	10.0%	8.3	24,222	2.6%
Latina/Hispanic	164	49.4%	69.0	29	28.4%	12.2	16	47.1%	6.7	9	45.0%	3.8	237,828	25.9%
White	82	24.7%	21.7	37	36.3%	9.8	11	32.4%	2.9	7	35.0%	1.9	377,069	41.1%
Other/Multi/Not Specified	1,182	78.1%	-	294	74.2%	-	3	8.1%	-	0	0.0%	-	21,967	2.4%










¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Clara County, the July 1, 2008 estimate is 1,846,757).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

Santa Cruz County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Santa Cruz County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	668	100.0%	249.7	61	100.0%	22.8	4	100.0%	1.5	0	100.0%	0.0	265,578	100.0%
Female Total	492	73.7%	370.2	29	47.5%	21.8	0	0.0%	0.0	0	0.0%	0.0	132,898	50.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,812	11.9%
10 – 14	4	0.8%	55.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,244	5.5%
15 – 19	170	34.6%	1,876.4	13	44.8%	143.5	0	0.0%	0.0	0	0.0%	0.0	9,060	6.8%
20 – 24	171	34.8%	1,578.8	9	31.0%	83.1	0	0.0%	0.0	0	0.0%	0.0	10,831	8.1%
25 – 29	90	18.3%	805.2	4	13.8%	35.8	0	0.0%	0.0	0	0.0%	0.0	11,178	8.4%
30 – 34	27	5.5%	320.2	2	6.9%	23.7	0	0.0%	0.0	0	0.0%	0.0	8,433	6.3%
35 – 44	26	5.3%	134.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,379	14.6%
45 +	4	0.8%	7.8	1	3.4%	2.0	0	0.0%	0.0	0	0.0%	0.0	50,961	38.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	167	25.0%	125.9	29	47.5%	21.9	4	100.0%	3.0	0	0.0%	0.0	132,680	50.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,800	12.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,714	5.8%
15 – 19	38	22.8%	392.1	7	24.1%	72.2	0	0.0%	0.0	0	0.0%	0.0	9,692	7.3%
20 – 24	48	28.7%	485.7	5	17.2%	50.6	1	25.0%	10.1	0	0.0%	0.0	9,883	7.4%
25 – 29	38	22.8%	359.4	6	20.7%	56.8	1	25.0%	9.5	0	0.0%	0.0	10,572	8.0%
30 – 34	18	10.8%	177.7	2	6.9%	19.7	1	25.0%	9.9	0	0.0%	0.0	10,132	7.6%
35 – 44	16	9.6%	76.1	4	13.8%	19.0	1	25.0%	4.8	0	0.0%	0.0	21,036	15.9%
45 +	9	5.4%	19.2	5	17.2%	10.7	0	0.0%	0.0	0	0.0%	0.0	46,851	35.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	668	100.0%	249.7	61	100.0%	22.8	4	100.0%	1.5	0	100.0%	0.0	265,578	100.0%
Female Total	492	73.7%	370.2	29	47.5%	21.8	0	0.0%	0.0	0	0.0%	0.0	132,898	50.0%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	704	0.5%
Asian/Pacific Islander	5	1.3%	71.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,973	5.2%
Black/African-American	8	2.0%	689.7	3	11.1%	258.6	0	0.0%	0.0	0	0.0%	0.0	1,160	0.9%
Latina/Hispanic	236	60.2%	539.6	11	40.7%	25.2	0	0.0%	0.0	0	0.0%	0.0	43,737	32.9%
White	143	36.5%	184.0	13	48.1%	16.7	0	0.0%	0.0	0	0.0%	0.0	77,735	58.5%
Other/Multi/Not Specified	100	20.3%	-	2	6.9%	-	0	0.0%	-	0	0.0%	-	2,589	1.9%
Male Total	167	25.0%	125.9	29	47.5%	21.9	4	100.0%	3.0	0	0.0%	0.0	132,680	50.0%
American Indian/Alaska Native	1	0.9%	126.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	792	0.6%
Asian/Pacific Islander	6	5.5%	96.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,208	4.7%
Black/African-American	5	4.6%	345.8	1	4.0%	69.2	1	25.0%	69.2	0	0.0%	0.0	1,446	1.1%
Latina/Hispanic	61	56.0%	129.8	10	40.0%	21.3	2	50.0%	4.3	0	0.0%	0.0	46,982	35.4%
White	36	33.0%	48.2	14	56.0%	18.8	1	25.0%	1.3	0	0.0%	0.0	74,641	56.3%
Other/Multi/Not Specified	58	34.7%	-	4	13.8%	-	0	0.0%	-	0	0.0%	-	2,611	2.0%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Santa Cruz County, the July 1, 2008 estimate is 267,541).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Shasta County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Shasta County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	392	100.0%	214.8	23	100.0%	12.6	0	100.0%	0.0	1	100.0%	0.5	186,540	100.0%
Female Total	294	75.0%	309.9	14	60.9%	14.8	0	0.0%	0.0	0	0.0%	0.0	94,861	50.9%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,333	10.9%
10 – 14	5	1.7%	83.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,019	6.3%
15 – 19	102	34.7%	1,436.2	4	28.6%	56.3	0	0.0%	0.0	0	0.0%	0.0	7,102	7.5%
20 – 24	118	40.1%	1,637.5	6	42.9%	83.3	0	0.0%	0.0	0	0.0%	0.0	7,206	7.6%
25 – 29	40	13.6%	658.4	1	7.1%	16.5	0	0.0%	0.0	0	0.0%	0.0	6,075	6.4%
30 – 34	20	6.8%	511.0	1	7.1%	25.5	0	0.0%	0.0	0	0.0%	0.0	3,914	4.1%
35 – 44	8	2.7%	74.0	1	7.1%	9.2	0	0.0%	0.0	0	0.0%	0.0	10,816	11.4%
45 +	1	0.3%	2.3	1	7.1%	2.3	0	0.0%	0.0	0	0.0%	0.0	43,396	45.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	98	25.0%	106.9	9	39.1%	9.8	0	0.0%	0.0	1	100.0%	1.1	91,679	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,202	12.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,435	7.0%
15 – 19	23	23.5%	306.5	2	22.2%	26.6	0	0.0%	0.0	0	0.0%	0.0	7,505	8.2%
20 – 24	35	35.7%	456.9	3	33.3%	39.2	0	0.0%	0.0	0	0.0%	0.0	7,660	8.4%
25 – 29	20	20.4%	327.2	3	33.3%	49.1	0	0.0%	0.0	0	0.0%	0.0	6,112	6.7%
30 – 34	11	11.2%	276.3	1	11.1%	25.1	0	0.0%	0.0	0	0.0%	0.0	3,981	4.3%
35 – 44	8	8.2%	77.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,276	11.2%
45 +	1	1.0%	2.6	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	2.6	38,508	42.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	392	100.0%	214.8	23	100.0%	12.6	0	100.0%	0.0	1	100.0%	0.5	186,540	100.0%
Female Total	294	75.0%	309.9	14	60.9%	14.8	0	0.0%	0.0	0	0.0%	0.0	94,861	50.9%
American Indian/Alaska Native	10	6.0%	408.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,446	2.6%
Asian/Pacific Islander	10	6.0%	359.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,782	2.9%
Black/African-American	5	3.0%	840.3	2	22.2%	336.1	0	0.0%	0.0	0	0.0%	0.0	595	0.6%
Latina/Hispanic	13	7.8%	237.9	1	11.1%	18.3	0	0.0%	0.0	0	0.0%	0.0	5,464	5.8%
White	129	77.2%	159.4	6	66.7%	7.4	0	0.0%	0.0	0	0.0%	0.0	80,941	85.3%
Other/Multi/Not Specified	127	43.2%	-	5	35.7%	-	0	0.0%	-	0	0.0%	-	2,633	2.8%
Male Total	98	25.0%	106.9	9	39.1%	9.8	0	0.0%	0.0	1	100.0%	1.1	91,679	49.1%
American Indian/Alaska Native	2	3.4%	87.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,278	2.5%
Asian/Pacific Islander	1	1.7%	38.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,577	2.8%
Black/African-American	7	12.1%	913.8	1	14.3%	130.5	0	0.0%	0.0	0	0.0%	0.0	766	0.8%
Latina/Hispanic	4	6.9%	71.5	2	28.6%	35.7	0	0.0%	0.0	0	0.0%	0.0	5,596	6.1%
White	44	75.9%	56.5	4	57.1%	5.1	0	0.0%	0.0	1	100.0%	1.3	77,876	84.9%
Other/Multi/Not Specified	40	40.8%	-	2	22.2%	-	0	0.0%	-	0	0.0%	-	2,586	2.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Shasta County, the July 1, 2008 estimate is 182,470).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sierra County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - - Male

s Numbers suppressed for confidentiality

* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sierra County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6	100.0%	178.9	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	3,657	100.0%
Female Total	2	33.3%	110.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,813	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	119	6.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	88	4.9%
15 – 19	2	100.0%	1,834.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	109	6.0%
20 – 24	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	149	8.2%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	81	4.5%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	64	3.5%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	166	9.2%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,037	57.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	4	66.7%	216.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,844	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	125	6.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	103	5.6%
15 – 19	1	25.0%	704.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	142	7.7%
20 – 24	3	75.0%	1,851.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	162	8.8%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	107	5.8%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	42	2.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	176	9.5%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	987	53.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	6	100.0%	178.9	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	3,657	100.0%
Female Total	2	33.3%	110.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,813	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34	1.9%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6	0.3%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4	0.2%
Latina/Hispanic	1	50.0%	854.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	117	6.5%
White	1	50.0%	61.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,625	89.6%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	27	1.5%
Male Total	4	66.7%	216.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,844	50.4%
American Indian/Alaska Native	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28	1.5%
Asian/Pacific Islander	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3	0.2%
Black/African-American	s	s	s	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2	0.1%
Latina/Hispanic	1	33.3%	769.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	130	7.0%
White	1	33.3%	61.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,640	88.9%
Other/Multi/Not Specified	1	25.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	41	2.2%

s Numbers are too small for analysis.

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Sierra County, the July 1, 2008 estimate is 3,353).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Siskiyou County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Siskiyou County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	81	100.0%	176.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	46,620	100.0%
Female Total	64	79.0%	269.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,763	51.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,479	10.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,317	5.5%
15 – 19	24	37.5%	1,492.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,608	6.8%
20 – 24	21	32.8%	1,171.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,792	7.5%
25 – 29	9	14.1%	667.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,348	5.7%
30 – 34	6	9.4%	782.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	767	3.2%
35 – 44	4	6.3%	179.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,228	9.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,224	51.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	17	21.0%	74.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,857	49.0%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,429	10.6%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,380	6.0%
15 – 19	3	17.6%	180.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,662	7.3%
20 – 24	9	52.9%	472.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,903	8.3%
25 – 29	4	23.5%	260.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,537	6.7%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	860	3.8%
35 – 44	1	5.9%	46.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,157	9.4%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	10,929	47.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	81	100.0%	176.0	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	46,620	100.0%
Female Total	64	79.0%	269.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,763	51.0%
American Indian/Alaska Native	7	10.9%	745.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	939	4.0%
Asian/Pacific Islander	1	1.6%	270.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	370	1.6%
Black/African-American	2	3.1%	722.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	277	1.2%
Latina/Hispanic	13	20.3%	658.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,974	8.3%
White	41	64.1%	211.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	19,413	81.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	790	3.3%
Male Total	17	21.0%	74.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	22,857	49.0%
American Indian/Alaska Native	1	5.9%	115.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	864	3.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	296	1.3%
Black/African-American	4	23.5%	1,190.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	336	1.5%
Latina/Hispanic	2	11.8%	93.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,142	9.4%
White	10	58.8%	54.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,447	80.7%
Other/Multi/Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	772	3.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Siskiyou County, the July 1, 2008 estimate is 46,017).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Solano County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Solano County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,068	100.0%	485.4	311	100.0%	73.0	5	100.0%	1.2	6	100.0%	1.4	431,525	100.0%
Female Total	1,543	74.6%	720.5	193	62.1%	90.1	0	0.0%	0.0	0	0.0%	0.0	214,150	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	28,427	13.3%
10 – 14	23	1.5%	150.8	2	1.0%	13.1	0	0.0%	0.0	0	0.0%	0.0	15,257	7.1%
15 – 19	661	42.9%	3,955.7	68	35.2%	406.9	0	0.0%	0.0	0	0.0%	0.0	16,710	7.8%
20 – 24	505	32.7%	3,181.7	63	32.6%	396.9	0	0.0%	0.0	0	0.0%	0.0	15,872	7.4%
25 – 29	210	13.6%	1,562.5	27	14.0%	200.9	0	0.0%	0.0	0	0.0%	0.0	13,440	6.3%
30 – 34	79	5.1%	629.8	18	9.3%	143.5	0	0.0%	0.0	0	0.0%	0.0	12,543	5.9%
35 – 44	48	3.1%	166.1	8	4.1%	27.7	0	0.0%	0.0	0	0.0%	0.0	28,904	13.5%
45 +	16	1.0%	19.3	7	3.6%	8.4	0	0.0%	0.0	0	0.0%	0.0	82,997	38.8%
Not Specified	1	0.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	525	25.4%	241.5	118	37.9%	54.3	5	100.0%	2.3	6	100.0%	2.8	217,375	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	29,495	13.6%
10 – 14	1	0.2%	6.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,465	7.1%
15 – 19	130	24.8%	746.6	23	19.7%	132.1	0	0.0%	0.0	0	0.0%	0.0	17,412	8.0%
20 – 24	195	37.2%	1,157.9	32	27.4%	190.0	2	40.0%	11.9	1	16.7%	5.9	16,841	7.7%
25 – 29	97	18.5%	627.7	23	19.7%	148.8	0	0.0%	0.0	0	0.0%	0.0	15,454	7.1%
30 – 34	32	6.1%	225.5	13	11.1%	91.6	1	20.0%	7.0	2	33.3%	14.1	14,193	6.5%
35 – 44	40	7.6%	127.2	21	17.9%	66.8	0	0.0%	0.0	0	0.0%	0.0	31,457	14.5%
45 +	29	5.5%	37.6	5	4.3%	6.5	2	40.0%	2.6	3	50.0%	3.9	77,058	35.4%
Not Specified	1	0.2%	-	1	0.8%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,068	100.0%	485.4	311	100.0%	73.0	5	100.0%	1.2	6	100.0%	1.4	431,525	100.0%
Female Total	1,543	74.6%	720.5	193	62.1%	90.1	0	0.0%	0.0	0	0.0%	0.0	214,150	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,340	0.6%
Asian/Pacific Islander	13	10.6%	36.5	3	12.5%	8.4	0	0.0%	0.0	0	0.0%	0.0	35,607	16.6%
Black/African-American	50	40.7%	194.2	13	54.2%	50.5	0	0.0%	0.0	0	0.0%	0.0	25,743	12.0%
Latina/Hispanic	20	16.3%	46.7	2	8.3%	4.7	0	0.0%	0.0	0	0.0%	0.0	42,823	20.0%
White	40	32.5%	40.6	6	25.0%	6.1	0	0.0%	0.0	0	0.0%	0.0	98,477	46.0%
Other/Multi/Not Specified	1,420	92.0%	-	169	87.6%	-	0	0.0%	-	0	0.0%	-	10,160	4.7%
Male Total	525	25.4%	241.5	118	37.9%	54.3	5	100.0%	2.3	6	100.0%	2.8	217,375	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1	16.7%	69.1	1,448	0.7%
Asian/Pacific Islander	5	7.4%	15.8	0	0.0%	0.0	1	20.0%	3.2	1	16.7%	3.2	31,718	14.6%
Black/African-American	30	44.1%	113.0	8	36.4%	30.1	1	20.0%	3.8	1	16.7%	3.8	26,555	12.2%
Latina/Hispanic	9	13.2%	18.7	3	13.6%	6.2	0	0.0%	0.0	1	16.7%	2.1	48,101	22.1%
White	24	35.3%	24.1	11	50.0%	11.0	3	60.0%	3.0	2	33.3%	2.0	99,688	45.9%
Other/Multi/Not Specified	457	87.0%	-	96	81.4%	-	0	0.0%	-	0	0.0%	-	9,865	4.5%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Solano County, the July 1, 2008 estimate is 426,026).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sonoma County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Sonoma County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	909	100.0%	187.6	69	100.0%	14.2	3	100.0%	0.6	6	100.0%	1.2	487,575	100.0%
Female Total	620	68.2%	251.6	29	42.0%	11.8	0	0.0%	0.0	0	0.0%	0.0	246,429	50.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	31,564	12.8%
10 – 14	2	0.3%	12.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	15,921	6.5%
15 – 19	187	30.2%	1,077.3	11	37.9%	63.4	0	0.0%	0.0	0	0.0%	0.0	17,359	7.0%
20 – 24	245	39.5%	1,417.2	10	34.5%	57.8	0	0.0%	0.0	0	0.0%	0.0	17,287	7.0%
25 – 29	95	15.3%	573.7	2	6.9%	12.1	0	0.0%	0.0	0	0.0%	0.0	16,560	6.7%
30 – 34	48	7.7%	382.6	1	3.4%	8.0	0	0.0%	0.0	0	0.0%	0.0	12,547	5.1%
35 – 44	34	5.5%	118.0	5	17.2%	17.4	0	0.0%	0.0	0	0.0%	0.0	28,806	11.7%
45 +	9	1.5%	8.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	106,385	43.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	289	31.8%	119.8	40	58.0%	16.6	3	100.0%	1.2	6	100.0%	2.5	241,146	49.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	32,665	13.5%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,204	6.7%
15 – 19	47	16.3%	260.5	5	12.5%	27.7	0	0.0%	0.0	0	0.0%	0.0	18,040	7.5%
20 – 24	114	39.4%	620.4	8	20.0%	43.5	1	33.3%	5.4	0	0.0%	0.0	18,374	7.6%
25 – 29	59	20.4%	328.3	3	7.5%	16.7	0	0.0%	0.0	1	16.7%	5.6	17,974	7.5%
30 – 34	33	11.4%	231.8	3	7.5%	21.1	0	0.0%	0.0	1	16.7%	7.0	14,238	5.9%
35 – 44	21	7.3%	70.0	8	20.0%	26.6	0	0.0%	0.0	2	33.3%	6.7	30,021	12.4%
45 +	15	5.2%	16.0	13	32.5%	13.9	2	66.7%	2.1	2	33.3%	2.1	93,630	38.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	909	100.0%	187.6	69	100.0%	14.2	3	100.0%	0.6	6	100.0%	1.2	487,575	100.0%
Female Total	620	68.2%	251.6	29	42.0%	11.8	0	0.0%	0.0	0	0.0%	0.0	246,429	50.5%
American Indian/Alaska Native	5	0.9%	209.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,386	1.0%
Asian/Pacific Islander	7	1.2%	58.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,895	4.8%
Black/African-American	7	1.2%	214.1	3	11.5%	91.7	0	0.0%	0.0	0	0.0%	0.0	3,270	1.3%
Latina/Hispanic	221	38.2%	413.2	6	23.1%	11.2	0	0.0%	0.0	0	0.0%	0.0	53,490	21.7%
White	339	58.5%	199.8	17	65.4%	10.0	0	0.0%	0.0	0	0.0%	0.0	169,687	68.9%
Other/Multi/Not Specified	41	6.6%	-	3	10.3%	-	0	0.0%	-	0	0.0%	-	5,701	2.3%
Male Total	289	31.8%	119.8	40	58.0%	16.6	3	100.0%	1.2	6	100.0%	2.5	241,146	49.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,274	0.9%
Asian/Pacific Islander	6	2.3%	57.7	1	2.9%	9.6	0	0.0%	0.0	0	0.0%	0.0	10,395	4.3%
Black/African-American	12	4.5%	289.0	2	5.7%	48.2	0	0.0%	0.0	0	0.0%	0.0	4,152	1.7%
Latina/Hispanic	99	37.4%	169.5	8	22.9%	13.7	0	0.0%	0.0	3	50.0%	5.1	58,420	24.2%
White	148	55.8%	92.2	24	68.6%	15.0	3	100.0%	1.9	3	50.0%	1.9	160,499	66.6%
Other/Multi/Not Specified	24	8.3%	-	5	12.5%	-	0	0.0%	-	0	0.0%	-	5,406	2.2%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sonoma County, the July 1, 2008 estimate is 484,547).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Stanislaus County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Stanislaus County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,975	100.0%	375.4	270	100.0%	51.3	5	100.0%	1.0	3	100.0%	0.6	539,299	100.0%
Female Total	1,514	76.7%	551.5	142	52.6%	51.7	2	40.0%	0.7	1	33.3%	0.4	274,519	50.9%
Ages														
0 – 9	0	0.0%	0.0	1	0.7%	2.2	0	0.0%	0.0	0	0.0%	0.0	46,022	16.8%
10 – 14	6	0.4%	25.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,758	8.7%
15 – 19	470	31.1%	1,990.6	43	30.5%	182.1	0	0.0%	0.0	0	0.0%	0.0	23,611	8.6%
20 – 24	612	40.4%	2,862.8	44	31.2%	205.8	0	0.0%	0.0	0	0.0%	0.0	21,378	7.8%
25 – 29	242	16.0%	1,286.2	23	16.3%	122.2	0	0.0%	0.0	0	0.0%	0.0	18,815	6.9%
30 – 34	96	6.3%	629.9	14	9.9%	91.9	2	100.0%	13.1	0	0.0%	0.0	15,241	5.6%
35 – 44	71	4.7%	211.3	13	9.2%	38.7	0	0.0%	0.0	1	100.0%	3.0	33,605	12.2%
45 +	16	1.1%	17.4	3	2.1%	3.3	0	0.0%	0.0	0	0.0%	0.0	92,089	33.5%
Not Specified	1	0.1%	-	1	0.7%	-	0	0.0%	-	0	0.0%	-		
Male Total	458	23.2%	173.0	127	47.0%	48.0	3	60.0%	1.1	2	66.7%	0.8	264,780	49.1%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	48,223	18.2%
10 – 14	2	0.4%	8.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	23,762	9.0%
15 – 19	102	22.3%	434.3	16	12.6%	68.1	0	0.0%	0.0	0	0.0%	0.0	23,487	8.9%
20 – 24	172	37.6%	795.0	40	31.5%	184.9	1	33.3%	4.6	0	0.0%	0.0	21,636	8.2%
25 – 29	98	21.4%	508.9	29	22.8%	150.6	0	0.0%	0.0	0	0.0%	0.0	19,257	7.3%
30 – 34	40	8.8%	260.5	12	9.4%	78.1	0	0.0%	0.0	0	0.0%	0.0	15,357	5.8%
35 – 44	32	7.0%	97.4	20	15.7%	60.9	1	33.3%	3.0	1	50.0%	3.0	32,855	12.4%
45 +	11	2.4%	13.7	10	7.9%	12.5	1	33.3%	1.2	1	50.0%	1.2	80,203	30.3%
Not Specified	1	0.2%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,975	100.0%	375.4	270	100.0%	51.3	5	100.0%	1.0	3	100.0%	0.6	539,299	100.0%
Female Total	1,514	76.7%	551.5	142	52.6%	51.7	2	40.0%	0.7	1	33.3%	0.4	274,519	50.9%
American Indian/Alaska Native	7	0.6%	300.7	1	0.8%	43.0	0	0.0%	0.0	0	0.0%	0.0	2,328	0.8%
Asian/Pacific Islander	41	3.5%	290.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,120	5.1%
Black/African-American	83	7.1%	1,287.4	14	11.8%	217.2	1	50.0%	15.5	0	0.0%	0.0	6,447	2.3%
Latina/Hispanic	696	59.7%	634.5	51	42.9%	46.5	0	0.0%	0.0	0	0.0%	0.0	109,688	40.0%
White	339	29.1%	247.8	53	44.5%	38.7	1	50.0%	0.7	1	100.0%	0.7	136,786	49.8%
Other/Multi/Not Specified	348	23.0%	-	23	16.2%	-	0	0.0%	-	0	0.0%	-	5,150	1.9%
Male Total	458	23.2%	173.0	127	47.0%	48.0	3	60.0%	1.1	2	66.7%	0.8	264,780	49.1%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,151	0.8%
Asian/Pacific Islander	4	1.2%	29.8	1	1.1%	7.5	0	0.0%	0.0	0	0.0%	0.0	13,421	5.1%
Black/African-American	49	15.2%	735.4	14	14.7%	210.1	0	0.0%	0.0	1	50.0%	15.0	6,663	2.5%
Latina/Hispanic	182	56.5%	167.7	45	47.4%	41.5	2	66.7%	1.8	0	0.0%	0.0	108,534	41.0%
White	87	27.0%	67.5	35	36.8%	27.1	1	33.3%	0.8	1	50.0%	0.8	128,915	48.7%
Other/Multi/Not Specified	136	29.7%	-	32	25.2%	-	0	0.0%	-	0	0.0%	-	5,096	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Stanislaus County, the July 1, 2008 estimate is 526,047).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Sutter County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Sutter County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	214	100.0%	221.7	14	100.0%	14.5	0	100.0%	0.0	2	100.0%	2.1	97,800	100.0%
Female Total	165	77.1%	333.5	8	57.1%	16.2	0	0.0%	0.0	0	0.0%	0.0	49,482	50.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,061	16.3%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,981	8.0%
15 – 19	50	30.3%	1,291.7	2	25.0%	51.7	0	0.0%	0.0	0	0.0%	0.0	3,871	7.8%
20 – 24	72	43.6%	1,938.6	5	62.5%	134.6	0	0.0%	0.0	0	0.0%	0.0	3,714	7.5%
25 – 29	27	16.4%	871.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,097	6.3%
30 – 34	9	5.5%	363.0	1	12.5%	40.3	0	0.0%	0.0	0	0.0%	0.0	2,479	5.0%
35 – 44	6	3.6%	99.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,027	12.2%
45 +	1	0.6%	5.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,252	36.9%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	49	22.9%	101.4	6	42.9%	12.4	0	0.0%	0.0	2	100.0%	4.1	48,318	49.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	8,312	17.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,001	8.3%
15 – 19	6	12.2%	148.8	1	16.7%	24.8	0	0.0%	0.0	0	0.0%	0.0	4,033	8.3%
20 – 24	23	46.9%	590.0	2	33.3%	51.3	0	0.0%	0.0	0	0.0%	0.0	3,898	8.1%
25 – 29	9	18.4%	278.6	1	16.7%	31.0	0	0.0%	0.0	1	50.0%	31.0	3,231	6.7%
30 – 34	3	6.1%	115.8	0	0.0%	0.0	0	0.0%	0.0	1	50.0%	38.6	2,590	5.4%
35 – 44	5	10.2%	81.8	2	33.3%	32.7	0	0.0%	0.0	0	0.0%	0.0	6,115	12.7%
45 +	3	6.1%	18.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	16,138	33.4%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	214	100.0%	221.7	14	100.0%	14.5	0	100.0%	0.0	2	100.0%	2.1	97,800	100.0%
Female Total	165	77.1%	333.5	8	57.1%	16.2	0	0.0%	0.0	0	0.0%	0.0	49,482	50.6%
American Indian/Alaska Native	1	0.7%	186.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	536	1.1%
Asian/Pacific Islander	7	4.7%	112.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,247	12.6%
Black/African-American	6	4.1%	792.6	1	12.5%	132.1	0	0.0%	0.0	0	0.0%	0.0	757	1.5%
Latina/Hispanic	60	40.5%	415.7	3	37.5%	20.8	0	0.0%	0.0	0	0.0%	0.0	14,432	29.2%
White	74	50.0%	277.8	4	50.0%	15.0	0	0.0%	0.0	0	0.0%	0.0	26,640	53.8%
Other/Multi/Not Specified	17	10.3%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	870	1.8%
Male Total	49	22.9%	101.4	6	42.9%	12.4	0	0.0%	0.0	2	100.0%	4.1	48,318	49.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	469	1.0%
Asian/Pacific Islander	4	8.5%	64.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,248	12.9%
Black/African-American	4	8.5%	503.8	2	40.0%	251.9	0	0.0%	0.0	0	0.0%	0.0	794	1.6%
Latina/Hispanic	25	53.2%	172.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,529	30.1%
White	14	29.8%	55.1	3	60.0%	11.8	0	0.0%	0.0	1	100.0%	3.9	25,396	52.6%
Other/Multi/Not Specified	2	4.1%	-	1	16.7%	-	0	0.0%	-	1	50.0%	-	882	1.8%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Sutter County, the July 1, 2008 estimate is 96,541).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tehama County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Tehama County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	107	100.0%	171.3	4	100.0%	6.4	0	100.0%	0.0	1	100.0%	1.6	63,702	100.0%
Female Total	92	86.0%	286.5	2	50.0%	6.2	0	0.0%	0.0	0	0.0%	0.0	32,107	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,820	11.9%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,112	6.6%
15 – 19	28	30.8%	1,129.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,478	7.7%
20 – 24	39	42.9%	1,514.0	1	50.0%	38.8	0	0.0%	0.0	0	0.0%	0.0	2,576	8.0%
25 – 29	13	14.3%	605.8	1	50.0%	46.6	0	0.0%	0.0	0	0.0%	0.0	2,146	6.7%
30 – 34	7	7.7%	462.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,514	4.7%
35 – 44	2	2.2%	53.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,764	11.7%
45 +	2	2.2%	14.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,697	42.7%
Not Specified	1	1.1%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	15	14.0%	47.5	2	50.0%	6.3	0	0.0%	0.0	1	100.0%	3.2	31,595	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,922	12.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,131	6.7%
15 – 19	4	26.7%	148.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,702	8.6%
20 – 24	2	13.3%	70.3	1	50.0%	35.2	0	0.0%	0.0	0	0.0%	0.0	2,844	9.0%
25 – 29	3	20.0%	121.7	0	0.0%	0.0	0	0.0%	0.0	1	100.0%	40.6	2,465	7.8%
30 – 34	1	6.7%	60.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,648	5.2%
35 – 44	4	26.7%	112.3	1	50.0%	28.1	0	0.0%	0.0	0	0.0%	0.0	3,563	11.3%
45 +	1	6.7%	8.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,320	39.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	107	100.0%	171.3	4	100.0%	6.4	0	100.0%	0.0	1	100.0%	1.6	63,702	100.0%
Female Total	92	86.0%	286.5	2	50.0%	6.2	0	0.0%	0.0	0	0.0%	0.0	32,107	50.4%
American Indian/Alaska Native	1	1.7%	170.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	587	1.8%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	278	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	125	0.4%
Latina/Hispanic	17	28.3%	276.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,156	19.2%
White	42	70.0%	173.7	1	100.0%	4.1	0	0.0%	0.0	0	0.0%	0.0	24,174	75.3%
Other/Multi/Not Specified	32	34.8%	-	1	50.0%	-	0	0.0%	-	0	0.0%	-	787	2.5%
Male Total	15	14.0%	47.5	2	50.0%	6.3	0	0.0%	0.0	1	100.0%	3.2	31,595	49.6%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	531	1.7%
Asian/Pacific Islander	0	0.0%	0.0	1	50.0%	401.6	0	0.0%	0.0	0	0.0%	0.0	249	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	200	0.6%
Latina/Hispanic	4	36.4%	61.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,558	20.8%
White	7	63.6%	30.1	1	50.0%	4.3	0	0.0%	0.0	1	100.0%	4.3	23,283	73.7%
Other/Multi/Not Specified	4	26.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	774	2.4%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tehama County, the July 1, 2008 estimate is 62,466).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Trinity County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female □ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Trinity County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15	100.0%	107.9	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	14,844	100.0%
Female Total	10	66.7%	136.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,309	49.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	639	8.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	408	5.6%
15 – 19	5	50.0%	929.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	538	7.4%
20 – 24	4	40.0%	753.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	531	7.3%
25 – 29	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	330	4.5%
30 – 34	1	10.0%	529.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	189	2.6%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	720	9.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,954	54.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	4	26.7%	53.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,535	50.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	665	8.8%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	464	6.2%
15 – 19	1	25.0%	181.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	552	7.3%
20 – 24	1	25.0%	168.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	595	7.9%
25 – 29	1	25.0%	261.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	382	5.1%
30 – 34	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	226	3.0%
35 – 44	1	25.0%	136.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	733	9.7%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,918	52.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	15	100.0%	107.9	0	100.0%	0.0	0	100.0%	0.0	0	100.0%	0.0	14,844	100.0%
Female Total	10	66.7%	136.8	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,309	49.2%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	296	4.0%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57	0.8%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7	0.1%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	290	4.0%
White	6	100.0%	94.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,380	87.3%
Other/Multi/Not Specified	4	40.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	279	3.8%
Male Total	4	26.7%	53.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	7,535	50.8%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	352	4.7%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	34	0.5%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	55	0.7%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	288	3.8%
White	3	100.0%	46.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,500	86.3%
Other/Multi/Not Specified	1	25.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-	306	4.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Trinity County, the July 1, 2008 estimate is 13,898).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tulare County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Tulare County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,813	100.0%	413.7	191	100.0%	43.6	32	100.0%	7.3	27	100.0%	6.2	446,533	100.0%
Female Total	1,367	75.4%	614.3	102	53.4%	45.8	13	40.6%	5.8	16	59.3%	7.2	222,519	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	38,194	17.2%
10 – 14	15	1.1%	83.9	1	1.0%	5.6	0	0.0%	0.0	0	0.0%	0.0	17,879	8.0%
15 – 19	453	33.1%	2,274.7	24	23.5%	120.5	1	7.7%	5.0	2	12.5%	10.0	19,915	8.9%
20 – 24	487	35.6%	2,596.5	23	22.5%	122.6	5	38.5%	26.7	2	12.5%	10.7	18,756	8.4%
25 – 29	240	17.6%	1,417.3	32	31.4%	189.0	1	7.7%	5.9	1	6.3%	5.9	16,934	7.6%
30 – 34	86	6.3%	594.3	8	7.8%	55.3	3	23.1%	20.7	8	50.0%	55.3	14,470	6.5%
35 – 44	67	4.9%	245.0	9	8.8%	32.9	3	23.1%	11.0	2	12.5%	7.3	27,352	12.3%
45 +	19	1.4%	27.5	5	4.9%	7.2	0	0.0%	0.0	1	6.3%	1.4	69,019	31.0%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	445	24.5%	198.6	89	46.6%	39.7	19	59.4%	8.5	11	40.7%	4.9	224,014	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	39,475	17.6%
10 – 14	4	0.9%	21.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	18,475	8.2%
15 – 19	116	26.1%	557.1	14	15.7%	67.2	1	5.3%	4.8	0	0.0%	0.0	20,823	9.3%
20 – 24	159	35.7%	767.8	21	23.6%	101.4	5	26.3%	24.1	1	9.1%	4.8	20,708	9.2%
25 – 29	90	20.2%	455.4	17	19.1%	86.0	2	10.5%	10.1	3	27.3%	15.2	19,763	8.8%
30 – 34	42	9.4%	274.3	13	14.6%	84.9	4	21.1%	26.1	3	27.3%	19.6	15,313	6.8%
35 – 44	23	5.2%	84.8	15	16.9%	55.3	3	15.8%	11.1	2	18.2%	7.4	27,109	12.1%
45 +	11	2.5%	17.6	9	10.1%	14.4	4	21.1%	6.4	2	18.2%	3.2	62,348	27.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	1,813	100.0%	413.7	191	100.0%	43.6	32	100.0%	7.3	27	100.0%	6.2	446,533	100.0%
Female Total	1,367	75.4%	614.3	102	53.4%	45.8	13	40.6%	5.8	16	59.3%	7.2	222,519	49.8%
American Indian/Alaska Native	13	1.0%	611.2	1	1.1%	47.0	0	0.0%	0.0	0	0.0%	0.0	2,127	1.0%
Asian/Pacific Islander	38	2.9%	475.4	5	5.3%	62.6	0	0.0%	0.0	0	0.0%	0.0	7,993	3.6%
Black/African-American	27	2.1%	1,167.3	6	6.3%	259.4	0	0.0%	0.0	0	0.0%	0.0	2,313	1.0%
Latina/Hispanic	954	73.2%	781.8	54	56.8%	44.3	7	53.8%	5.7	10	62.5%	8.2	122,032	54.8%
White	271	20.8%	317.2	29	30.5%	33.9	6	46.2%	7.0	6	37.5%	7.0	85,440	38.4%
Other/Multi/Not Specified	64	4.7%	-	7	6.9%	-	0	0.0%	-	0	0.0%	-	2,614	1.2%
Male Total	445	24.5%	198.6	89	46.6%	39.7	19	59.4%	8.5	11	40.7%	4.9	224,014	50.2%
American Indian/Alaska Native	4	1.0%	213.0	1	1.2%	53.2	0	0.0%	0.0	0	0.0%	0.0	1,878	0.8%
Asian/Pacific Islander	10	2.4%	132.0	2	2.4%	26.4	0	0.0%	0.0	0	0.0%	0.0	7,574	3.4%
Black/African-American	31	7.4%	1,176.0	5	6.0%	189.7	0	0.0%	0.0	0	0.0%	0.0	2,636	1.2%
Latina/Hispanic	304	72.9%	234.7	53	63.1%	40.9	12	63.2%	9.3	7	63.6%	5.4	129,553	57.8%
White	68	16.3%	85.1	23	27.4%	28.8	7	36.8%	8.8	4	36.4%	5.0	79,878	35.7%
Other/Multi/Not Specified	28	6.3%	-	5	5.6%	-	0	0.0%	-	0	0.0%	-	2,495	1.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tulare County, the July 1, 2008 estimate is 438,276).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Tuolumne County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Tuolumne County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	54	100.0%	95.6	7	100.0%	12.4	1	100.0%	1.8	0	100.0%	0.0	58,156	100.0%
Female Total	31	57.4%	112.2	4	57.1%	14.5	1	100.0%	3.6	0	0.0%	0.0	27,621	47.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,258	8.2%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,370	5.0%
15 – 19	8	25.8%	456.4	0	0.0%	0.0	1	100.0%	57.0	0	0.0%	0.0	1,753	6.3%
20 – 24	10	32.3%	571.4	1	25.0%	57.1	0	0.0%	0.0	0	0.0%	0.0	1,750	6.3%
25 – 29	7	22.6%	599.3	2	50.0%	171.2	0	0.0%	0.0	0	0.0%	0.0	1,168	4.2%
30 – 34	5	16.1%	555.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	900	3.3%
35 – 44	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,768	10.0%
45 +	1	3.2%	6.4	1	25.0%	6.4	0	0.0%	0.0	0	0.0%	0.0	15,654	56.7%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	23	42.6%	75.3	3	42.9%	9.8	0	0.0%	0.0	0	0.0%	0.0	30,535	52.5%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,571	8.4%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,461	4.8%
15 – 19	1	4.3%	49.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,035	6.7%
20 – 24	8	34.8%	298.4	2	66.7%	74.6	0	0.0%	0.0	0	0.0%	0.0	2,681	8.8%
25 – 29	6	26.1%	301.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,990	6.5%
30 – 34	7	30.4%	474.6	1	33.3%	67.8	0	0.0%	0.0	0	0.0%	0.0	1,475	4.8%
35 – 44	1	4.3%	30.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,335	10.9%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	14,987	49.1%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	54	100.0%	95.6	7	100.0%	12.4	1	100.0%	1.8	0	100.0%	0.0	58,156	100.0%
Female Total	31	57.4%	112.2	4	57.1%	14.5	1	100.0%	3.6	0	0.0%	0.0	27,621	47.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	417	1.5%
Asian/Pacific Islander	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	255	0.9%
Black/African-American	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	93	0.3%
Latina/Hispanic	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,234	8.1%
White	21	100.0%	87.7	2	100.0%	8.4	1	100.0%	4.2	0	0.0%	0.0	23,940	86.7%
Other/Multi/Not Specified	10	32.3%	-	2	50.0%	-	0	0.0%	-	0	0.0%	-	682	2.5%
Male Total	23	42.6%	75.3	3	42.9%	9.8	0	0.0%	0.0	0	0.0%	0.0	30,535	52.5%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	515	1.7%
Asian/Pacific Islander	1	5.6%	389.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	257	0.8%
Black/African-American	2	11.1%	187.3	1	50.0%	93.6	0	0.0%	0.0	0	0.0%	0.0	1,068	3.5%
Latina/Hispanic	3	16.7%	82.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,619	11.9%
White	12	66.7%	49.1	1	50.0%	4.1	0	0.0%	0.0	0	0.0%	0.0	24,423	80.0%
Other/Multi/Not Specified	5	21.7%	-	1	33.3%	-	0	0.0%	-	0	0.0%	-	653	2.1%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Tuolumne County, the July 1, 2008 estimate is 56,470).










Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Ventura County – Chlamydia, Gonorrhea, and P&S Syphilis

Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Ventura County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,092	100.0%	251.9	157	100.0%	18.9	12	100.0%	1.4	7	100.0%	0.8	837,840	100.0%
Female Total	1,567	74.9%	375.6	79	50.3%	18.9	1	8.3%	0.2	0	0.0%	0.0	417,151	49.8%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	57,237	13.7%
10 – 14	6	0.4%	20.7	1	1.3%	3.4	0	0.0%	0.0	0	0.0%	0.0	28,998	7.0%
15 – 19	460	29.4%	1,438.6	23	29.1%	71.9	0	0.0%	0.0	0	0.0%	0.0	31,976	7.7%
20 – 24	604	38.5%	2,017.4	20	25.3%	66.8	0	0.0%	0.0	0	0.0%	0.0	29,939	7.2%
25 – 29	272	17.4%	999.1	16	20.3%	58.8	1	100.0%	3.7	0	0.0%	0.0	27,225	6.5%
30 – 34	111	7.1%	465.7	8	10.1%	33.6	0	0.0%	0.0	0	0.0%	0.0	23,836	5.7%
35 – 44	95	6.1%	174.0	8	10.1%	14.7	0	0.0%	0.0	0	0.0%	0.0	54,583	13.1%
45 +	19	1.2%	11.6	3	3.8%	1.8	0	0.0%	0.0	0	0.0%	0.0	163,357	39.2%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	525	25.1%	124.8	78	49.7%	18.5	11	91.7%	2.6	7	100.0%	1.7	420,689	50.2%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	59,712	14.2%
10 – 14	1	0.2%	3.3	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	30,297	7.2%
15 – 19	69	13.1%	206.7	9	11.5%	27.0	0	0.0%	0.0	2	28.6%	6.0	33,379	7.9%
20 – 24	214	40.8%	677.0	23	29.5%	72.8	2	18.2%	6.3	1	14.3%	3.2	31,609	7.5%
25 – 29	117	22.3%	375.4	22	28.2%	70.6	2	18.2%	6.4	1	14.3%	3.2	31,164	7.4%
30 – 34	64	12.2%	233.4	8	10.3%	29.2	4	36.4%	14.6	1	14.3%	3.6	27,426	6.5%
35 – 44	45	8.6%	78.2	9	11.5%	15.6	1	9.1%	1.7	0	0.0%	0.0	57,580	13.7%
45 +	15	2.9%	10.0	7	9.0%	4.7	2	18.2%	1.3	2	28.6%	1.3	149,522	35.5%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	2,092	100.0%	251.9	157	100.0%	18.9	12	100.0%	1.4	7	100.0%	0.8	837,840	100.0%
Female Total	1,567	74.9%	375.6	79	50.3%	18.9	1	8.3%	0.2	0	0.0%	0.0	417,151	49.8%
American Indian/Alaska Native	5	0.4%	264.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,894	0.5%
Asian/Pacific Islander	41	3.4%	160.6	3	4.2%	11.8	0	0.0%	0.0	0	0.0%	0.0	25,526	6.1%
Black/African-American	48	4.0%	733.6	14	19.4%	214.0	0	0.0%	0.0	0	0.0%	0.0	6,543	1.6%
Latina/Hispanic	784	64.6%	529.3	20	27.8%	13.5	0	0.0%	0.0	0	0.0%	0.0	148,115	35.5%
White	336	27.7%	148.1	35	48.6%	15.4	1	100.0%	0.4	0	0.0%	0.0	226,941	54.4%
Other/Multi/Not Specified	353	22.5%	-	7	8.9%	-	0	0.0%	-	0	0.0%	-	8,132	1.9%
Male Total	525	25.1%	124.8	78	49.7%	18.5	11	91.7%	2.6	7	100.0%	1.7	420,689	50.2%
American Indian/Alaska Native	1	0.2%	50.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	1,966	0.5%
Asian/Pacific Islander	8	1.9%	35.3	1	1.6%	4.4	0	0.0%	0.0	0	0.0%	0.0	22,653	5.4%
Black/African-American	32	7.7%	447.7	8	13.1%	111.9	2	18.2%	28.0	0	0.0%	0.0	7,148	1.7%
Latina/Hispanic	267	64.2%	169.9	27	44.3%	17.2	3	27.3%	1.9	4	57.1%	2.5	157,119	37.3%
White	108	26.0%	48.2	25	41.0%	11.2	6	54.5%	2.7	3	42.9%	1.3	223,887	53.2%
Other/Multi/Not Specified	109	20.8%	-	17	21.8%	-	0	0.0%	-	0	0.0%	-	7,916	1.9%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Ventura County, the July 1, 2008 estimate is 830,343).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Yolo County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Yolo County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	542	100.0%	271.0	64	100.0%	32.0	5	100.0%	2.5	0	100.0%	0.0	199,279	100.0%
Female Total	391	72.1%	387.0	35	54.7%	34.6	1	20.0%	1.0	0	0.0%	0.0	101,046	50.7%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,298	12.2%
10 – 14	4	1.0%	61.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,508	6.4%
15 – 19	126	32.5%	1,268.1	10	28.6%	100.6	0	0.0%	0.0	0	0.0%	0.0	9,936	9.8%
20 – 24	162	41.8%	1,412.3	13	37.1%	113.3	0	0.0%	0.0	0	0.0%	0.0	11,471	11.4%
25 – 29	54	13.9%	739.5	6	17.1%	82.2	0	0.0%	0.0	0	0.0%	0.0	7,302	7.2%
30 – 34	22	5.7%	320.3	2	5.7%	29.1	0	0.0%	0.0	0	0.0%	0.0	6,868	6.8%
35 – 44	15	3.9%	113.7	3	8.6%	22.7	1	100.0%	7.6	0	0.0%	0.0	13,190	13.1%
45 +	5	1.3%	14.9	1	2.9%	3.0	0	0.0%	0.0	0	0.0%	0.0	33,473	33.1%
Not Specified	3	0.8%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	147	27.1%	149.6	29	45.3%	29.5	4	80.0%	4.1	0	0.0%	0.0	98,233	49.3%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	13,381	13.6%
10 – 14	1	0.7%	14.7	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,805	6.9%
15 – 19	34	23.3%	348.8	6	20.7%	61.6	0	0.0%	0.0	0	0.0%	0.0	9,747	9.9%
20 – 24	54	37.0%	476.1	6	20.7%	52.9	0	0.0%	0.0	0	0.0%	0.0	11,341	11.5%
25 – 29	31	21.2%	447.2	5	17.2%	72.1	0	0.0%	0.0	0	0.0%	0.0	6,932	7.1%
30 – 34	14	9.6%	198.0	3	10.3%	42.4	0	0.0%	0.0	0	0.0%	0.0	7,069	7.2%
35 – 44	6	4.1%	45.7	8	27.6%	61.0	1	25.0%	7.6	0	0.0%	0.0	13,117	13.4%
45 +	6	4.1%	20.1	1	3.4%	3.4	3	75.0%	10.1	0	0.0%	0.0	29,841	30.4%
Not Specified	1	0.7%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	542	100.0%	271.0	64	100.0%	32.0	5	100.0%	2.5	0	100.0%	0.0	199,279	100.0%
Female Total	391	72.1%	387.0	35	54.7%	34.6	1	20.0%	1.0	0	0.0%	0.0	101,046	50.7%
American Indian/Alaska Native	5	1.7%	627.4	1	3.3%	125.5	0	0.0%	0.0	0	0.0%	0.0	797	0.8%
Asian/Pacific Islander	35	12.2%	305.4	3	10.0%	26.2	0	0.0%	0.0	0	0.0%	0.0	11,462	11.3%
Black/African-American	20	7.0%	912.0	3	10.0%	136.8	0	0.0%	0.0	0	0.0%	0.0	2,193	2.2%
Latina/Hispanic	161	56.3%	558.1	9	30.0%	31.2	0	0.0%	0.0	0	0.0%	0.0	28,846	28.5%
White	65	22.7%	118.2	14	46.7%	25.5	1	100.0%	1.8	0	0.0%	0.0	55,000	54.4%
Other/Multi/Not Specified	105	26.9%	-	5	14.3%	-	0	0.0%	-	0	0.0%	-	2,748	2.7%
Male Total	147	27.1%	149.6	29	45.3%	29.5	4	80.0%	4.1	0	0.0%	0.0	98,233	49.3%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	622	0.6%
Asian/Pacific Islander	11	11.5%	105.0	1	4.5%	9.5	0	0.0%	0.0	0	0.0%	0.0	10,477	10.7%
Black/African-American	7	7.3%	295.4	3	13.6%	126.6	1	25.0%	42.2	0	0.0%	0.0	2,370	2.4%
Latina/Hispanic	50	52.1%	164.2	9	40.9%	29.6	0	0.0%	0.0	0	0.0%	0.0	30,453	31.0%
White	28	29.2%	54.2	9	40.9%	17.4	3	75.0%	5.8	0	0.0%	0.0	51,645	52.6%
Other/Multi/Not Specified	51	34.7%	-	7	24.1%	-	0	0.0%	-	0	0.0%	-	2,666	2.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.










² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance.
(For Yolo County, the July 1, 2008 estimate is 200,009).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch



Yuba County – Chlamydia, Gonorrhea, and P&S Syphilis Rates by Age Group (2008), Race/Ethnicity (2008), and Year



■ Female ■ Male

— Female - - - Male



* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

Yuba County – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2008

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	213	100.0%	294.4	17	100.0%	23.5	0	100.0%	0.0	0	100.0%	0.0	76,556	100.0%
Female Total	145	68.1%	381.9	9	52.9%	23.7	0	0.0%	0.0	0	0.0%	0.0	37,971	49.6%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	5,971	15.7%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,075	8.1%
15 – 19	51	35.2%	1,551.6	7	77.8%	213.0	0	0.0%	0.0	0	0.0%	0.0	3,287	8.7%
20 – 24	57	39.3%	1,854.9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,073	8.1%
25 – 29	29	20.0%	1,062.3	1	11.1%	36.6	0	0.0%	0.0	0	0.0%	0.0	2,730	7.2%
30 – 34	5	3.4%	195.1	1	11.1%	39.0	0	0.0%	0.0	0	0.0%	0.0	2,563	6.7%
35 – 44	2	1.4%	41.5	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,814	12.7%
45 +	1	0.7%	8.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	12,458	32.8%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		
Male Total	68	31.9%	176.2	8	47.1%	20.7	0	0.0%	0.0	0	0.0%	0.0	38,585	50.4%
Ages														
0 – 9	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	6,170	16.0%
10 – 14	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	3,229	8.4%
15 – 19	8	11.8%	221.4	1	12.5%	27.7	0	0.0%	0.0	0	0.0%	0.0	3,614	9.4%
20 – 24	36	52.9%	1,043.2	4	50.0%	115.9	0	0.0%	0.0	0	0.0%	0.0	3,451	8.9%
25 – 29	12	17.6%	377.5	1	12.5%	31.5	0	0.0%	0.0	0	0.0%	0.0	3,179	8.2%
30 – 34	10	14.7%	359.1	2	25.0%	71.8	0	0.0%	0.0	0	0.0%	0.0	2,785	7.2%
35 – 44	2	2.9%	41.1	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	4,862	12.6%
45 +	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	11,295	29.3%
Not Specified	0	0.0%	-	0	0.0%	-	0	0.0%	-	0	0.0%	-		

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
COUNTY TOTAL	213	100.0%	294.4	17	100.0%	23.5	0	100.0%	0.0	0	100.0%	0.0	76,556	100.0%
Female Total	145	68.1%	381.9	9	52.9%	23.7	0	0.0%	0.0	0	0.0%	0.0	37,971	49.6%
American Indian/Alaska Native	2	1.9%	236.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	846	2.2%
Asian/Pacific Islander	6	5.6%	224.4	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,674	7.0%
Black/African-American	13	12.0%	1,420.8	3	42.9%	327.9	0	0.0%	0.0	0	0.0%	0.0	915	2.4%
Latina/Hispanic	41	38.0%	455.6	3	42.9%	33.3	0	0.0%	0.0	0	0.0%	0.0	9,000	23.7%
White	46	42.6%	199.1	1	14.3%	4.3	0	0.0%	0.0	0	0.0%	0.0	23,105	60.8%
Other/Multi/Not Specified	37	25.5%	-	2	22.2%	-	0	0.0%	-	0	0.0%	-	1,431	3.8%
Male Total	68	31.9%	176.2	8	47.1%	20.7	0	0.0%	0.0	0	0.0%	0.0	38,585	50.4%
American Indian/Alaska Native	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	912	2.4%
Asian/Pacific Islander	2	3.7%	77.6	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	2,576	6.7%
Black/African-American	20	37.0%	1,776.2	4	80.0%	355.2	0	0.0%	0.0	0	0.0%	0.0	1,126	2.9%
Latina/Hispanic	11	20.4%	111.2	0	0.0%	0.0	0	0.0%	0.0	0	0.0%	0.0	9,890	25.6%
White	21	38.9%	92.7	1	20.0%	4.4	0	0.0%	0.0	0	0.0%	0.0	22,648	58.7%
Other/Multi/Not Specified	14	20.6%	-	3	37.5%	-	0	0.0%	-	0	0.0%	-	1,433	3.7%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall county rates were calculated using the July 1 county population estimates from the Department of Finance. (For Yuba County, the July 1, 2008 estimate is 72,351).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

